

ΣΤΑΘΜΟΣ : Παραλίμνη
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(703) - ΥΨΟΣ. ΕΤΟΣ 1953 - 54

29

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	47.43	47.67	49.69	52.42	52.92	52.31	51.42	50.48	49.59
2	--	--	--	47.41	47.70	49.75	52.48	52.91	52.28	51.39	50.45	49.56
3	--	--	--	47.39	47.74	49.81	52.54	52.90	52.25	51.36	50.42	49.53
4	--	--	--	47.37	47.77	49.86	52.60	52.88	52.22	51.33	50.39	49.50
5	--	--	--	47.35	47.80	49.91	52.65	52.85	52.19	51.30	50.36	49.47
6	--	--	--	47.33	47.84	49.99	52.72	52.82	52.16	51.27	50.33	49.44
7	--	--	--	47.31	47.89	50.08	52.75	52.79	52.13	51.24	50.30	49.41
8	--	--	--	47.29	47.94	50.19	52.78	52.76	52.10	51.21	50.27	49.38
9	--	--	--	47.27	48.01	50.25	52.80	52.73	52.07	51.18	50.24	49.35
10	--	--	--	47.25	48.09	50.34	52.84	52.71	52.04	51.14	50.21	49.32
11	--	--	--	47.23	48.17	50.47	52.88	52.69	52.01	51.13	50.18	49.29
12	--	--	--	47.21	48.26	50.57	52.93	52.68	51.97	51.11	50.15	49.26
13	--	--	--	47.19	48.35	50.68	52.97	52.67	51.96	51.07	50.12	49.23
14	--	--	--	47.17	48.44	50.79	52.99	52.66	51.93	51.03	50.09	49.20
15	--	--	--	47.15	48.54	50.90	53.00	52.65	51.90	50.99	50.06	49.17
16	--	--	--	47.13	48.64	51.01	53.01	52.64	51.87	50.96	50.03	49.14
17	--	--	--	47.11	48.74	51.10	53.01	52.62	51.84	50.93	50.00	49.11
18	--	--	--	47.10	48.82	51.23	53.01	52.61	51.81	50.90	49.98	49.08
19	--	--	--	47.09	48.90	51.33	53.01	52.60	51.78	50.87	49.96	49.05
20	--	--	--	47.30	48.97	51.43	53.01	52.59	51.75	50.84	49.91	49.02
21	--	--	--	47.32	49.06	51.44	53.01	52.57	51.72	50.81	49.88	48.99
22	--	--	--	47.34	49.15	51.54	53.00	52.55	51.69	50.78	49.85	48.96
23	--	--	--	47.36	49.24	51.74	52.99	52.53	51.66	50.65	49.83	48.94
24	--	--	--	47.38	49.33	51.82	52.98	52.51	51.63	50.72	49.81	48.92
25	--	--	--	47.40	49.42	51.90	52.97	52.49	51.60	50.69	49.79	48.90
26	--	--	--	47.42	49.47	51.99	52.96	52.46	51.57	50.66	49.77	48.88
27	--	--	--	47.44	49.52	52.06	52.95	52.43	51.54	50.63	49.74	48.85
28	--	--	--	47.57	49.57	52.14	52.94	52.40	51.51	50.60	49.71	48.83
29	--	--	--	47.60	49.62	52.22	52.93	52.38	51.48	50.57	49.68	48.80
30	--	--	--	47.62		52.30	52.92	52.36	51.45	50.54	49.65	48.77
31	--	--	--	47.64		52.36		52.34		50.51	49.62	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	48.74	48.04	47.34	46.79	46.16	45.60	48.23	49.26	48.85	48.13	47.26	46.48
2	48.73	48.02	47.32	46.76	46.14	45.58	48.29	49.27	48.83	48.11	47.23	46.45
3	48.72	48.00	47.30	46.74	46.12	45.56	48.35	49.27	48.81	48.09	47.20	46.45
4	48.69	47.98	47.28	46.72	46.10	45.54	48.41	49.27	48.79	48.07	47.17	46.42
5	48.66	47.96	47.26	46.70	46.08	45.60	48.47	49.27	48.77	48.04	47.14	46.39
6	48.63	47.94	47.24	46.68	46.06	45.70	48.53	49.27	48.74	48.01	47.11	46.36
7	48.60	47.92	47.22	46.66	46.04	45.86	48.58	49.27	48.72	47.98	47.08	46.33
8	48.57	47.88	47.20	46.64	46.02	45.96	48.63	49.27	48.69	47.95	47.05	46.30
9	48.54	47.86	47.18	46.62	46.00	46.06	48.68	49.27	48.66	47.92	47.02	46.27
10	48.51	47.83	47.16	46.60	45.98	46.16	48.73	49.26	48.63	47.89	46.99	46.24
11	48.48	47.80	47.14	46.58	45.96	46.26	48.78	49.25	48.60	47.86	46.96	46.21
12	48.45	47.77	47.12	46.56	45.94	46.36	48.82	49.24	48.57	47.83	46.93	46.18
13	48.42	47.74	47.10	46.54	45.92	46.46	48.95	49.23	48.54	47.80	46.90	46.15
14	48.40	47.71	47.08	46.52	45.90	46.51	48.98	49.22	48.51	47.77	46.87	46.12
15	48.38	47.68	47.06	46.50	45.88	46.59	49.01	49.21	48.48	47.74	46.84	46.09
16	48.36	47.65	47.04	46.48	45.86	46.74	49.04	49.19	48.45	47.71	46.81	46.06
17	48.34	47.62	47.02	46.46	45.84	46.84	49.07	49.17	48.42	47.71	46.93	46.03
18	48.32	47.60	47.00	46.44	45.82	46.94	49.10	49.15	48.39	47.68	46.90	46.00
19	48.30	47.58	46.99	46.42	45.80	47.04	49.12	49.13	48.37	47.65	46.87	45.97
20	48.28	47.56	46.98	46.40	45.78	47.14	49.14	49.11	48.35	47.62	46.84	45.94
21	48.26	47.54	46.94	46.38	45.76	47.24	49.16	49.09	48.33	47.59	46.81	45.91
22	48.24	47.52	46.94	46.36	45.74	47.34	49.17	49.07	48.31	47.56	46.78	45.88
23	48.22	47.50	46.94	46.34	45.72	47.44	49.18	49.05	48.29	47.53	46.75	45.85
24	48.20	47.48	46.94	46.32	45.70	47.54	49.19	49.03	48.27	47.50	46.72	45.82
25	48.18	47.46	46.94	46.30	45.68	47.64	49.20	49.01	48.25	47.47	46.69	45.79
26	48.16	47.44	46.92	46.28	45.66	47.74	49.21	48.99	48.23	47.44	46.66	45.78
27	48.14	47.42	46.90	46.26	45.64	47.84	49.22	48.97	48.21	47.41	46.63	45.75
28	48.12	47.40	46.88	46.24	45.62	47.93	49.23	48.95	48.19	47.38	46.60	45.72
29	48.10	47.38	46.86	46.22		48.01	49.24	48.93	48.17	47.35	46.57	45.69
30	48.08	47.36	46.84	46.20		48.09	49.25	48.91	48.15	47.32	46.54	45.66
31	48.06		46.82	46.18		48.17		48.87		47.29	46.51	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	45.63	--	--	--	--	--	--	--	--	--	--	--
2	45.60	--	--	--	--	--	--	--	--	--	--	--
3	45.57	--	--	--	--	--	--	--	--	--	--	--
4	45.54	--	--	--	--	--	--	--	--	--	--	--
5	45.51	--	--	--	--	--	--	--	--	--	--	--
6	45.48	--	--	--	--	--	--	--	--	--	--	--
7	45.45	--	--	--	--	--	--	--	--	--	--	--
8	45.42	--	--	--	--	--	--	--	--	--	--	--
9	45.39	--	--	--	--	--	--	--	--	--	--	--
10	45.35	--	--	--	--	--	--	--	--	--	--	--
11	45.33	--	--	--	--	--	--	--	--	--	--	--
12	45.31	--	--	--	--	--	--	--	--	--	--	--
13	45.29	--	--	--	--	--	--	--	--	--	--	--
14	45.27	--	--	--	--	--	--	--	--	--	--	--
15	45.25	--	--	--	--	--	--	--	--	--	--	--
16	45.23	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	40.70	48.24	55.14	55.33	53.48	52.97	52.37	51.30	50.36
2	--	--	--	41.10	48.44	55.17	55.31	53.41	52.97	52.34	51.27	50.33
3	--	--	--	41.40	48.82	55.16	55.29	53.35	52.97	52.31	51.24	50.30
4	--	--	--	41.75	49.42	55.31	55.26	53.30	52.97	52.27	51.21	50.27
5	--	--	--	42.05	50.02	55.38	55.19	53.24	52.97	52.24	51.19	50.24
6	--	--	--	42.46	50.62	55.46	55.17	53.14	52.97	52.20	51.16	50.21
7	--	--	--	42.86	50.81	55.53	55.15	53.14	52.97	52.16	51.13	50.18
8	--	--	--	43.18	50.99	55.61	55.13	53.09	52.97	52.12	51.09	50.15
9	--	--	--	43.48	51.36	55.61	55.11	53.05	52.94	52.09	51.06	50.12
10	--	--	--	43.78	51.68	55.61	55.09	53.02	52.90	52.06	51.03	50.09
11	--	--	--	44.08	52.02	55.61	55.07	52.98	52.86	52.02	51.00	50.09
12	--	--	--	44.20	52.42	55.61	55.05	52.94	52.81	51.97	50.97	50.09
13	--	--	--	44.35	52.72	55.61	55.00	52.92	52.81	51.97	50.93	50.09
14	--	--	--	44.60	53.00	55.61	54.95	52.90	52.81	51.94	50.89	50.09
15	--	--	--	44.70	53.30	55.65	54.89	52.90	52.79	51.91	50.86	49.94
16	--	--	--	44.95	53.55	55.64	54.83	52.90	52.77	51.88	50.83	49.91
17	--	--	--	45.20	53.91	55.63	54.77	52.90	52.74	51.84	50.80	49.88
18	--	--	--	45.33	54.01	55.61	54.71	52.90	52.72	51.80	50.77	49.85
19	--	--	--	45.51	54.21	55.59	54.61	52.90	52.70	51.76	50.74	49.82
20	--	--	--	45.58	54.36	55.57	54.51	52.91	52.67	51.73	50.71	49.79
21	--	--	--	45.73	54.51	55.55	54.41	52.92	52.65	51.70	50.68	49.76
22	--	--	--	45.96	54.66	55.53	54.26	52.93	52.63	51.66	50.65	49.73
23	--	--	--	46.16	54.76	55.51	54.11	52.94	52.60	51.63	50.62	49.70
24	--	--	--	46.46	54.83	55.49	54.03	52.94	52.58	51.59	50.59	49.67
25	--	--	--	46.76	54.91	55.47	53.95	52.94	52.55	51.55	50.56	49.65
26	--	--	--	46.89	54.98	55.45	53.87	52.94	52.52	51.51	50.53	49.63
27	--	--	39.08	47.14	55.05	55.43	53.81	52.94	52.49	51.47	50.50	49.61
28	--	--	39.33	47.39	55.11	55.41	53.60	52.95	52.46	51.43	50.47	49.59
29	--	--	39.63	47.64		55.39	53.60	52.96	52.43	51.39	50.44	49.57
30	--	--	39.98	47.82		55.37	53.55	52.97	52.40	51.36	50.41	49.55
31	--	--	40.33	48.04		55.35		52.97		51.33	50.39	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η αγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	49.53	48.91	48.29	48.14	50.39	53.20	54.64	52.87	52.02	51.19	50.36	49.52
2	49.51	48.89	48.27	48.17	50.52	53.25	54.61	52.85	51.99	51.17	50.33	49.49
3	49.49	48.87	48.25	48.21	50.65	53.30	54.57	52.85	51.96	51.16	50.31	49.46
4	49.47	48.85	48.23	48.25	50.79	53.35	54.53	52.82	51.98	51.15	50.29	49.43
5	49.45	48.83	48.21	48.29	50.91	53.40	54.49	52.77	51.96	51.14	50.27	49.40
6	49.43	48.81	48.21	48.33	51.04	53.45	54.45	52.74	51.93	51.13	50.24	49.37
7	49.41	48.79	48.17	48.38	51.14	53.50	54.39	52.71	51.90	51.11	50.22	49.34
8	49.39	48.76	48.15	48.43	51.26	53.55	54.33	52.68	51.88	51.08	50.19	49.31
9	49.37	48.73	48.13	48.54	51.39	53.60	54.26	52.65	51.86	51.05	50.17	49.28
10	49.35	48.70	48.11	48.59	51.49	53.71	54.16	52.62	51.84	51.02	50.14	49.25
11	49.33	48.69	48.09	48.77	51.59	53.81	54.08	52.59	51.82	50.99	50.11	49.22
12	49.30	48.68	48.07	48.97	51.69	53.91	53.99	52.56	51.80	50.96	50.09	49.19
13	49.28	48.67	48.05	49.02	51.79	54.01	53.90	52.53	51.78	50.88	50.06	49.16
14	49.26	48.65	48.03	49.07	51.85	54.11	53.81	52.51	51.76	50.84	50.03	49.13
15	49.23	48.62	48.02	49.12	51.92	54.21	53.76	52.49	51.74	50.82	50.00	49.11
16	49.21	48.59	48.01	49.17	51.95	54.31	53.66	52.47	51.71	50.80	49.97	49.09
17	49.19	48.57	48.00	49.27	52.03	54.41	53.57	52.45	51.68	50.78	49.95	49.07
18	49.16	48.55	47.99	49.37	52.12	54.46	53.46	52.43	51.65	50.75	49.93	49.05
19	49.14	48.53	47.99	49.47	52.24	54.51	53.40	52.41	51.62	50.72	49.91	49.03
20	49.12	48.51	47.99	49.54	52.31	54.56	53.33	52.38	51.59	50.69	49.88	49.01
21	49.09	48.49	47.99	49.62	52.38	54.61	53.26	52.35	51.56	50.66	49.85	48.98
22	49.07	48.47	48.00	49.69	52.44	54.66	53.20	52.32	51.53	50.63	49.82	48.95
23	49.05	48.45	48.01	49.77	52.54	54.71	53.16	52.29	51.50	50.60	49.79	48.92
24	49.03	48.43	48.02	49.82	52.64	54.69	53.12	52.26	51.47	50.57	49.76	48.89
25	49.01	48.41	48.03	49.87	52.74	54.67	53.09	52.23	51.44	50.54	49.73	48.87
26	48.99	48.39	48.04	49.92	52.82	54.66	53.03	52.20	51.41	50.52	49.70	48.85
27	48.97	48.37	48.05	49.92	52.95	54.66	53.00	52.17	51.37	50.51	49.67	48.83
28	48.96	48.35	48.06	49.92	53.02	54.66	52.97	52.14	51.32	50.48	49.64	48.81
29	48.95	48.33	48.07	50.09	53.10	54.66	52.94	52.11	51.27	50.45	49.61	48.78
30	48.94	48.31	48.08	50.19		54.66	52.90	52.08	51.22	50.42	49.58	48.75
31	48.93		48.11	50.29		54.67		52.05		50.39	49.55	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	48.72	48.01	47.34	46.70	46.02	45.73	45.24	45.01	44.47	43.90	43.40	42.38
2	48.69	47.98	47.32	46.68	46.01	45.71	45.24	44.99	44.46	43.88	43.37	42.36
3	48.67	47.95	47.30	46.66	46.00	45.69	45.24	44.97	44.45	43.86	43.34	42.34
4	48.65	47.92	47.28	46.64	45.99	45.67	45.24	44.95	44.43	43.84	43.31	42.32
5	48.63	47.89	47.26	46.62	45.98	45.65	45.24	44.93	44.41	43.82	43.28	42.30
6	48.61	47.86	47.24	46.60	45.97	45.63	45.23	44.91	44.39	43.80	43.25	42.28
7	48.59	47.84	47.22	46.58	45.96	45.61	45.23	44.89	44.37	43.78	43.22	42.26
8	48.56	47.82	47.20	46.56	45.95	45.59	45.23	44.87	44.35	43.78	43.19	42.24
9	48.53	47.80	47.18	46.54	45.94	45.58	45.23	44.85	44.33	43.76	43.16	42.22
10	48.50	47.78	47.16	46.52	45.93	45.57	45.23	44.83	44.32	43.74	43.13	42.20
11	48.47	47.75	47.14	46.50	45.92	45.56	45.22	44.81	44.30	43.72	43.10	42.18
12	48.44	47.72	47.12	46.48	45.90	45.55	45.21	44.79	44.28	43.70	43.07	42.16
13	48.41	47.70	47.09	46.46	45.90	45.53	45.20	44.77	44.26	43.69	43.04	42.15
14	48.38	47.69	47.06	46.44	45.89	45.51	45.19	44.75	44.24	43.68	43.00	42.14
15	48.35	47.68	47.03	46.42	45.88	45.49	45.18	44.73	44.22	43.67	42.96	42.13
16	48.33	47.66	47.00	46.39	45.87	45.46	45.17	44.71	44.20	43.66	42.92	42.12
17	48.31	47.63	46.98	46.36	45.86	45.43	45.16	44.69	44.18	43.65	42.88	42.11
18	48.29	47.61	46.96	46.33	45.85	45.41	45.15	44.67	44.16	43.64	42.84	42.10
19	48.27	47.59	46.95	46.30	45.84	45.39	45.14	44.65	44.14	43.63	42.80	42.09
20	48.25	47.57	46.94	46.27	45.83	45.35	45.13	44.63	44.12	43.62	42.76	42.08
21	48.23	47.55	46.93	46.24	45.82	45.33	45.12	44.61	44.10	43.61	42.72	42.07
22	48.21	47.53	46.92	46.21	45.81	45.31	45.11	44.59	44.08	43.60	42.68	42.06
23	48.19	47.51	46.90	46.19	45.80	45.30	45.10	44.57	44.06	43.58	42.64	42.05
24	48.17	47.49	46.88	46.17	45.79	45.29	45.09	44.55	44.04	43.56	42.60	42.04
25	48.15	47.47	46.86	46.15	45.78	45.28	45.08	44.54	44.02	43.54	42.56	42.03
26	48.13	47.45	46.84	46.13	45.77	45.27	45.07	44.53	44.00	43.52	42.52	42.01
27	48.11	47.43	46.82	46.11	45.76	45.26	45.06	44.52	43.98	43.50	42.48	42.00
28	48.09	47.41	46.80	46.09	45.75	45.25	45.05	44.51	43.96	43.48	42.46	41.98
29	48.07	47.39	46.76	46.07		45.25	45.04	44.50	43.94	43.46	42.44	41.96
30	48.05	47.36	46.74	46.05		45.25	45.03	44.49	43.92	43.44	42.42	41.93
31	48.03		46.72	46.03		45.25		44.48		43.42	42.40	

ΕΡΕΣΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	41.90	41.24	40.64	40.28	39.96	39.40	--	--	--	--	--	--
2	41.87	41.22	40.62	40.27	39.94	39.40	--	--	--	--	--	--
3	41.84	41.20	40.60	40.26	39.92	39.36	--	--	--	--	--	--
4	41.80	41.18	40.58	40.25	39.90	39.34	--	--	--	--	--	--
5	41.77	41.16	40.56	40.24	39.88	39.33	--	--	--	--	--	--
6	41.74	41.14	40.54	40.23	39.86	39.32	--	--	--	--	--	--
7	41.71	41.12	40.52	40.22	39.84	39.31	--	--	--	--	--	--
8	41.68	41.10	40.50	40.21	39.82	39.30	--	--	--	--	--	--
9	41.65	41.08	40.48	40.20	39.80	39.29	--	--	--	--	--	--
10	41.62	41.06	40.46	40.19	39.78	39.28	--	--	--	--	--	--
11	41.59	41.04	40.44	40.18	39.76	39.27	--	--	--	--	--	--
12	41.56	41.02	40.42	40.17	39.74	39.26	--	--	--	--	--	--
13	41.53	41.00	40.40	40.16	39.72	39.25	--	--	--	--	--	--
14	41.50	40.98	40.38	40.15	39.70	39.24	--	--	--	--	--	--
15	41.49	40.96	40.36	40.14	39.68	39.23	--	--	--	--	--	--
16	41.48	40.94	40.34	40.13	39.66	39.22	--	--	--	--	--	--
17	41.47	40.92	40.33	40.12	39.64	39.20	--	--	--	--	--	--
18	41.46	40.90	40.32	40.11	39.62	39.19	--	--	--	--	--	--
19	41.45	40.88	40.31	40.10	39.60	39.18	--	--	--	--	--	--
20	41.43	40.86	40.30	40.09	39.58	39.16	--	--	--	--	--	--
21	41.42	40.84	40.29	40.08	39.56	39.15	--	--	--	--	--	--
22	41.41	40.82	40.28	40.07	39.54	39.13	--	--	--	--	--	--
23	41.40	40.80	40.27	40.06	39.52	39.11	--	--	--	--	--	--
24	41.39	40.78	40.26	40.05	39.50	39.09	--	--	--	--	--	--
25	41.38	40.76	40.25	40.04	39.48	39.07	--	--	--	--	--	--
26	41.36	40.74	40.24	40.03	39.46	39.05	--	--	--	--	--	--
27	41.34	40.72	40.23	40.02	39.44	39.03	--	--	--	--	--	--
28	41.32	40.70	40.24	40.01	39.42	39.01	--	--	--	--	--	--
29	41.30	40.68	40.26	40.00		39.00	--	--	--	--	--	--
30	41.28	40.66	40.28	39.99		38.99	--	--	--	--	--	--
31	41.26		40.29	39.98		38.98	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : Παράλιον
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(703) - ΥΦΟΔ. ΕΤΟΣ 1967 - 68

43

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγράφη δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	41.20	48.02	49.07	--	49.37	48.61	47.73	46.81
2	--	--	--	--	41.50	48.12	49.17	--	49.35	48.59	47.70	46.92
3	--	--	--	--	41.70	48.22	49.27	--	49.32	48.57	47.67	46.90
4	--	--	--	--	41.79	48.38	49.37	--	49.29	48.54	47.64	46.88
5	--	--	--	--	41.99	48.48	49.37	49.97	49.27	48.51	47.61	46.86
6	--	--	--	--	42.19	48.58	49.36	49.97	49.24	48.49	47.58	46.84
7	--	--	--	--	42.39	48.73	49.35	49.97	49.22	48.46	47.55	46.82
8	--	--	--	--	42.41	48.88	49.36	49.97	49.19	48.43	47.52	46.80
9	--	--	--	--	42.56	48.06	49.38	49.95	49.16	48.40	47.50	46.78
10	--	--	--	--	42.71	48.31	49.40	49.92	49.13	48.37	47.48	46.75
11	--	--	--	--	42.91	48.56	49.42	49.91	49.10	48.34	47.46	46.72
12	--	--	--	--	43.08	48.67	49.45	49.89	49.07	48.31	47.44	46.69
13	--	--	--	--	43.23	48.84	49.48	49.87	49.04	48.28	47.42	46.66
14	--	--	--	--	43.38	48.94	49.52	49.85	49.01	48.25	47.40	46.63
15	--	--	--	--	43.53	49.04	49.57	49.83	48.98	48.24	47.39	46.61
16	--	--	--	--	43.68	49.14	49.62	49.80	48.95	48.22	47.36	46.57
17	--	--	--	--	43.83	49.24	49.67	49.77	48.92	48.19	47.34	46.54
18	--	--	--	--	43.98	49.37	49.72	49.74	48.89	48.16	47.32	46.51
19	--	--	--	--	44.13	49.46	49.77	49.71	48.87	48.14	47.31	46.49
20	--	--	--	--	44.28	49.59	49.82	49.68	48.84	48.11	47.29	46.46
21	--	--	--	--	44.43	49.69	49.87	49.65	48.82	48.09	47.28	46.44
22	--	--	--	--	44.58	49.79	49.92	49.62	48.79	48.06	47.26	46.41
23	--	--	--	--	44.73	49.89	49.97	49.59	48.77	48.04	47.25	46.39
24	--	--	--	44.88	49.99	49.94	49.54	49.54	48.74	48.01	47.23	46.36
25	--	--	--	45.03	49.97	49.91	49.49	49.49	48.72	47.99	47.22	46.34
26	--	--	--	45.18	49.92	49.84	49.44	49.44	48.69	47.96	47.20	46.31
27	--	--	--	45.33	49.87	49.77	49.39	49.39	48.67	47.94	47.19	46.29
28	--	--	--	45.48	49.82	49.70	49.34	49.34	48.64	47.91	47.17	46.26
29	--	--	--	45.63	49.77	49.63	49.29	49.29	48.62	47.89	47.16	46.24
30	--	--	--	45.78	49.72	49.56	49.24	49.24	48.59	47.87	47.15	46.22
31	--	--	--	45.93	49.67	49.49	49.19	49.19	48.56	47.84	47.13	46.19
32	--	--	--	46.08	49.62	49.42	49.14	49.14	48.54	47.83	47.12	46.17
33	--	--	--	46.23	49.57	49.35	49.09	49.09	48.51	47.81	47.11	46.15
34	--	--	--	46.38	49.52	49.28	49.04	49.04	48.49	47.80	47.10	46.13
35	--	--	--	46.53	49.47	49.21	48.99	48.99	48.46	47.78	47.09	46.11
36	--	--	--	46.68	49.42	49.14	48.94	48.94	48.44	47.77	47.08	46.09
37	--	--	--	46.83	49.37	49.07	48.89	48.89	48.41	47.76	47.07	46.07
38	--	--	--	46.98	49.32	49.00	48.84	48.84	48.38	47.75	47.06	46.05
39	--	--	--	47.13	49.27	48.93	48.79	48.79	48.35	47.74	47.05	46.03
40	--	--	--	47.28	49.22	48.86	48.74	48.74	48.32	47.73	47.04	46.01
41	--	--	--	47.43	49.17	48.79	48.69	48.69	48.30	47.72	47.03	46.00
42	--	--	--	47.58	49.12	48.72	48.64	48.64	48.29	47.71	47.02	45.98
43	--	--	--	47.73	49.07	48.65	48.59	48.59	48.28	47.70	47.01	45.96
44	--	--	--	47.88	49.02	48.58	48.54	48.54	48.27	47.69	47.00	45.94
45	--	--	--	48.03	48.97	48.51	48.49	48.49	48.26	47.68	46.99	45.92
46	--	--	--	48.18	48.92	48.44	48.44	48.44	48.24	47.67	46.98	45.90
47	--	--	--	48.33	48.87	48.37	48.40	48.40	48.23	47.66	46.97	45.88
48	--	--	--	48.48	48.82	48.30	48.40	48.40	48.22	47.65	46.96	45.86
49	--	--	--	48.63	48.77	48.23	48.40	48.40	48.21	47.64	46.95	45.84
50	--	--	--	48.78	48.72	48.14	48.40	48.40	48.20	47.63	46.94	45.82
51	--	--	--	48.93	48.67	48.05	48.40	48.40	48.19	47.62	46.93	45.80
52	--	--	--	49.08	48.62	47.92	48.40	48.40	48.18	47.61	46.92	45.78
53	--	--	--	49.23	48.57	47.81	48.40	48.40	48.17	47.60	46.91	45.76
54	--	--	--	49.38	48.52	47.64	48.40	48.40	48.16	47.59	46.90	45.74
55	--	--	--	49.53	48.47	47.45	48.40	48.40	48.15	47.58	46.89	45.72
56	--	--	--	49.68	48.42	47.19	48.40	48.40	48.14	47.57	46.88	45.70
57	--	--	--	49.83	48.37	46.91	48.40	48.40	48.13	47.56	46.87	45.68
58	--	--	--	49.98	48.32	46.54	48.40	48.40	48.12	47.55	46.86	45.66
59	--	--	--	50.13	48.27	46.07	48.40	48.40	48.11	47.54	46.85	45.64
60	--	--	--	50.28	48.22	45.60	48.40	48.40	48.10	47.53	46.84	45.62
61	--	--	--	50.43	48.17	45.13	48.40	48.40	48.09	47.52	46.83	45.60
62	--	--	--	50.58	48.12	44.66	48.40	48.40	48.08	47.51	46.82	45.58
63	--	--	--	50.73	48.07	44.19	48.40	48.40	48.07	47.50	46.81	45.56
64	--	--	--	50.88	48.02	43.72	48.40	48.40	48.06	47.49	46.80	45.54
65	--	--	--	51.03	47.97	43.25	48.40	48.40	48.05	47.48	46.79	45.52
66	--	--	--	51.18	47.92	42.78	48.40	48.40	48.04	47.47	46.78	45.50
67	--	--	--	51.33	47.87	42.31	48.40	48.40	48.03	47.46	46.77	45.48
68	--	--	--	51.48	47.82	41.84	48.40	48.40	48.02	47.45	46.76	45.46
69	--	--	--	51.63	47.77	41.37	48.40	48.40	48.01	47.44	46.75	45.44
70	--	--	--	51.78	47.72	40.90	48.40	48.40	48.00	47.43	46.74	45.42
71	--	--	--	51.93	47.67	40.43	48.40	48.40	47.99	47.42	46.73	45.40
72	--	--	--	52.08	47.62	39.96	48.40	48.40	47.98	47.41	46.72	45.38
73	--	--	--	52.23	47.57	39.49	48.40	48.40	47.97	47.40	46.71	45.36
74	--	--	--	52.38	47.52	39.02	48.40	48.40	47.96	47.39	46.70	45.34
75	--	--	--	52.53	47.47	38.55	48.40	48.40	47.95	47.38	46.69	45.32
76	--	--	--	52.68	47.42	38.08	48.40	48.40	47.94	47.37	46.68	45.30
77	--	--	--	52.83	47.37	37.61	48.40	48.40	47.93	47.36	46.67	45.28
78	--	--	--	52.98	47.32	37.14	48.40	48.40	47.92	47.35	46.66	45.26
79	--	--	--	53.13	47.27	36.67	48.40	48.40	47.91	47.34	46.65	45.24
80	--	--	--	53.28	47.22	36.20	48.40	48.40	47.90	47.33	46.64	45.22
81	--	--	--	53.43	47.17	35.73	48.40	48.40	47.89	47.32	46.63	45.20
82	--	--	--	53.58	47.12	35.26	48.40	48.40	47.88	47.31	46.62	45.18
83	--	--	--	53.73	47.07	34.79	48.40	48.40	47.87	47.30	46.61	45.16
84	--	--	--	53.88	47.02	34.32	48.40	48.40	47.86	47.29	46.60	45.14
85	--	--	--	54.03	46.97	33.85	48.40	48.40	47.85	47.28	46.59	45.12
86	--	--	--	54.18	46.92	33.38	48.40	48.40	47.84	47.27	46.58	45.10
87	--	--	--	54.33	46.87	32.91	48.40	48.40	47.83	47.26	46.57	45.08
88	--	--	--	54.48	46.82	32.44	48.40	48.40	47.82	47.25	46.56	45.06
89	--	--	--	54.63	46.77	31.97	48.40	48.40	47.81	47.24	46.55	45.04
90	--	--	--	54.78	46.72	31.50	48.40	48.40	47.80	47.23	46.54	45.02
91	--	--	--	54.93	46.67	31.03	48.40	48.40	47.79	47.22	46.53	45.00
92	--	--	--	55.08	46.62	30.56	48.40	48.40	47.78	47.21	46.52	44.98
93	--	--	--	55.23	46.57	30.09	48.40	48.40	47.77	47.20	46.51	44.96
94	--	--	--	55.38	46.52	29.62	48.40	48.40	47.76	47.19	46.50	44.94
95	--	--	--	55.53	46.47	29.15	48.40	48.40	47.75	47.18	46.49	44.92
96	--	--	--	55.68	46.42	28.68	48.40	48.40	47.74	47.17	46.48	44.90
97	--	--	--	55.83	46.37	28.21	48.40	48.40	47.73	47.16	46.47	44.88
98	--	--	--	55.98	46.32	27.74	48.40	48.40	47.72	47.15	46.46	44.86
99	--	--	--	56.13	46.27	27.27	48.40	48.40	47.71	47.14	46.45	44.84
100	--	--	--	56.28	46.22	26.80	48.40	48.40	47.70	47.13	46.44	44.82

ΕΠΙΣΤΡΟΦΗ ΣΤΑΘΜΩΝ

-- Η ημερομηνία δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	46.24	45.51	44.93	44.74	44.33	44.05	43.58	43.28	42.92	42.49	41.84	41.26
2	46.22	45.49	44.91	44.73	44.32	44.04	43.57	43.27	42.90	42.47	41.82	41.24
3	46.20	45.47	44.89	44.71	44.31	44.03	43.56	43.26	42.88	42.45	41.80	41.22
4	46.17	45.45	44.87	44.69	44.30	44.02	43.55	43.25	42.86	42.43	41.78	41.20
5	46.15	45.43	44.85	44.67	44.29	44.01	43.54	43.24	42.84	42.41	41.76	41.18
6	46.12	45.41	44.84	44.65	44.28	44.00	43.53	43.23	42.82	42.39	41.74	41.16
7	46.10	45.38	44.83	44.63	44.27	43.99	43.52	43.22	42.80	42.37	41.72	41.14
8	46.07	45.36	44.82	44.61	44.26	43.98	43.51	43.21	42.78	42.35	41.70	41.12
9	46.05	45.34	44.81	44.59	44.25	43.97	43.50	43.20	42.76	42.33	41.68	41.10
10	46.03	45.33	44.80	44.57	44.24	43.95	43.49	43.19	42.74	42.31	41.66	41.08
11	46.00	45.32	44.79	44.55	44.23	43.93	43.48	43.18	42.72	42.29	41.64	41.06
12	45.98	45.31	44.78	44.53	44.22	43.91	43.47	43.17	42.70	42.27	41.62	41.04
13	45.95	45.30	44.77	44.52	44.21	43.89	43.46	43.16	42.68	42.25	41.60	41.02
14	45.93	45.29	44.76	44.51	44.20	43.87	43.45	43.15	42.67	42.22	41.58	41.00
15	45.90	45.27	44.75	44.50	44.19	43.85	43.44	43.14	42.66	42.19	41.56	40.98
16	45.88	45.25	44.75	44.49	44.18	43.83	43.43	43.13	42.65	42.16	41.54	40.96
17	45.86	45.23	44.75	44.48	44.17	43.81	43.42	43.12	42.64	42.14	41.52	40.94
18	45.83	45.21	44.75	44.47	44.16	43.79	43.41	43.11	42.63	42.12	41.50	40.92
19	45.81	45.19	44.75	44.46	44.15	43.77	43.40	43.10	42.62	42.10	41.48	40.90
20	45.79	45.17	44.75	44.45	44.14	43.75	43.39	43.09	42.61	42.08	41.46	40.88
21	45.76	45.15	44.75	44.43	44.13	43.73	43.38	43.08	42.60	42.06	41.44	40.86
22	45.74	45.13	44.75	44.43	44.12	43.71	43.37	43.07	42.59	42.04	41.42	40.84
23	45.71	45.11	44.75	44.42	44.11	43.69	43.36	43.06	42.58	42.02	41.40	40.82
24	45.69	45.09	44.75	44.41	44.10	43.67	43.35	43.05	42.57	42.00	41.38	40.80
25	45.67	45.07	44.75	44.40	44.09	43.65	43.34	43.04	42.56	41.98	41.37	40.78
26	45.65	45.05	44.75	44.39	44.08	43.64	43.33	43.03	42.55	41.96	41.36	40.76
27	45.62	45.03	44.75	44.38	44.07	43.63	43.32	43.02	42.54	41.94	41.35	40.74
28	45.60	45.00	44.75	44.37	44.06	43.62	43.31	43.00	42.53	41.92	41.34	40.72
29	45.58	44.98	44.75	44.36		43.61	43.30	42.98	42.51	41.90	41.32	40.70
30	45.56	44.95	44.75	44.35		43.60	43.29	42.96	42.50	41.88	41.30	40.68
31	45.53		44.75	44.34		43.59		42.94		41.86	41.28	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	40.67	40.34	40.02	--	--	--	--	--	--	--	--	--
2	40.66	40.33	40.01	--	--	--	--	--	--	--	--	--
3	40.65	40.31	40.00	--	--	--	--	--	--	--	--	--
4	40.64	40.29	39.99	--	--	--	--	--	--	--	--	--
5	40.63	40.28	39.98	--	--	--	--	--	--	--	--	--
6	40.62	40.27	39.97	--	--	--	--	--	--	--	--	--
7	40.61	40.26	39.96	--	--	--	--	--	--	--	--	--
8	40.60	40.25	39.95	--	--	--	--	--	--	--	--	--
9	40.59	40.24	39.94	--	--	--	--	--	--	--	--	--
10	40.58	40.23	39.93	--	--	--	--	--	--	--	--	--
11	40.57	40.22	39.92	--	--	--	--	--	--	--	--	--
12	40.56	40.21	39.91	--	--	--	--	--	--	--	--	--
13	40.55	40.20	39.90	--	--	--	--	--	--	--	--	--
14	40.54	40.19	39.89	--	--	--	--	--	--	--	--	--
15	40.53	40.18	39.88	--	--	--	--	--	--	--	--	--
16	40.52	40.17	39.87	--	--	--	--	--	--	--	--	--
17	40.51	40.16	39.86	--	--	--	--	--	--	--	--	--
18	40.50	40.15	39.85	--	--	--	--	--	--	--	--	--
19	40.49	40.14	39.84	--	--	--	--	--	--	--	--	--
20	40.48	40.13	39.83	--	--	--	--	--	--	--	--	--
21	40.47	40.12	39.82	--	--	--	--	--	--	--	--	--
22	40.46	40.11	39.81	--	--	--	--	--	--	--	--	--
23	40.45	40.10	39.80	--	--	--	--	--	--	--	--	--
24	40.44	40.09	39.79	--	--	--	--	--	--	--	--	--
25	40.43	40.08	39.78	--	--	--	--	--	--	--	--	--
26	40.42	40.07	39.77	--	--	--	--	--	--	--	--	--
27	40.41	40.06	39.76	--	--	--	--	--	--	--	--	--
28	40.40	40.05	39.75	--	--	--	--	--	--	--	--	--
29	40.39	40.04	39.74	--	--	--	--	--	--	--	--	--
30	40.38	40.03	39.73	--	--	--	--	--	--	--	--	--
31	40.37		39.72	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : Παραλιάνη
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(703) - ΥΨΟΣ. ΕΤΟΣ 1971 - 72

47

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : Παράλινη
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(703) - ΥΦΡΟΛ. ΕΤΟΣ 1972 - 73

48

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	31.81
10	--	--	--	--	--	--	--	--	--	--	--	31.80
11	--	--	--	--	--	--	--	--	--	--	--	31.79
12	--	--	--	--	--	--	--	--	--	--	--	31.78
13	--	--	--	--	--	--	--	--	--	--	--	31.76
14	--	--	--	--	--	--	--	--	--	--	--	31.74
15	--	--	--	--	--	--	--	--	--	--	--	31.74
16	--	--	--	--	--	--	--	--	--	--	--	31.72
17	--	--	--	--	--	--	--	--	--	--	--	31.70
18	--	--	--	--	--	--	--	--	--	--	--	31.68
19	--	--	--	--	--	--	--	--	--	--	--	31.66
20	--	--	--	--	--	--	--	--	--	--	--	31.64
21	--	--	--	--	--	--	--	--	--	--	--	31.64
22	--	--	--	--	--	--	--	--	--	--	--	31.62
23	--	--	--	--	--	--	--	--	--	--	--	31.60
24	--	--	--	--	--	--	--	--	--	--	--	31.58
25	--	--	--	--	--	--	--	--	--	--	--	31.56
26	--	--	--	--	--	--	--	--	--	--	--	31.54
27	--	--	--	--	--	--	--	--	--	--	--	31.52
28	--	--	--	--	--	--	--	--	--	--	--	31.50
29	--	--	--	--	--	--	--	--	--	--	--	31.48
30	--	--	--	--	--	--	--	--	--	--	--	31.46
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	31.44	30.91	30.04	30.20	30.54	30.64	30.54	30.65	30.85	30.90	30.87	30.83
2	31.42	30.88	30.01	30.27	30.54	30.64	30.54	30.66	30.86	30.90	30.87	30.83
3	31.40	30.86	30.17	30.30	30.54	30.63	30.54	30.66	30.86	30.90	30.86	30.83
4	31.39	30.84	30.21	30.30	30.53	30.63	30.54	30.67	30.87	30.90	30.86	30.83
5	31.38	30.82	30.20	30.29	30.54	30.62	30.55	30.68	30.87	30.90	30.86	30.83
6	31.38	30.80	30.18	30.32	30.68	30.61	30.55	30.69	30.87	30.90	30.86	30.83
7	31.36	30.77	30.15	30.38	30.73	30.60	30.55	30.69	30.87	30.89	30.86	30.83
8	31.35	30.74	30.12	30.50	30.74	30.60	30.56	30.71	30.88	30.89	30.86	30.83
9	31.33	30.71	30.10	30.57	30.75	30.59	30.56	30.71	30.88	30.89	30.85	30.83
10	31.31	30.67	30.08	30.57	30.75	30.59	30.56	30.72	30.89	30.89	30.85	30.83
11	31.28	30.64	30.08	30.57	30.75	30.57	30.56	30.73	30.89	30.89	30.85	30.83
12	31.28	30.60	30.03	30.58	30.75	30.57	30.56	30.74	30.90	30.89	30.85	30.83
13	31.26	30.57	30.04	30.57	30.74	30.63	30.56	30.76	30.90	30.89	30.85	30.83
14	31.25	30.54	30.09	30.56	30.74	30.62	30.56	30.77	30.90	30.89	30.84	30.82
15	31.23	30.52	30.08	30.56	30.73	30.61	30.57	30.77	30.90	30.89	30.84	30.81
16	31.21	30.50	30.02	30.56	30.73	30.60	30.57	30.78	30.90	30.89	30.84	30.80
17	31.19	30.48	30.01	30.55	30.72	30.59	30.56	30.79	30.90	30.89	30.84	30.80
18	31.17	30.46	30.20	30.56	30.72	30.58	30.56	30.79	30.90	30.89	30.84	30.79
19	31.17	30.42	30.34	30.55	30.72	30.57	30.56	30.80	30.90	30.89	30.84	30.78
20	31.16	30.39	30.37	30.56	30.71	30.55	30.56	30.80	30.90	30.88	30.84	30.77
21	31.14	30.37	30.34	30.55	30.70	30.54	30.58	30.81	30.90	30.88	30.84	30.76
22	31.11	30.37	30.32	30.59	30.69	30.54	30.58	30.81	30.90	30.88	30.83	30.76
23	31.10	30.29	30.29	30.60	30.69	30.53	30.59	30.81	30.90	30.87	30.83	30.75
24	31.08	30.26	30.28	30.59	30.68	30.53	30.60	30.82	30.90	30.87	30.83	30.73
25	31.06	30.23	30.25	30.58	30.67	30.53	30.60	30.83	30.90	30.87	30.83	30.70
26	31.04	30.22	30.25	30.58	30.66	30.53	30.61	30.83	30.90	30.87	30.83	30.69
27	31.00	30.18	30.26	30.57	30.65	30.52	30.61	30.84	30.90	30.87	30.83	30.68
28	30.98	30.14	30.24	30.56	30.65	30.52	30.62	30.84	30.90	30.87	30.83	30.68
29	30.96	30.10	30.21	30.55		30.54	30.63	30.84	30.90	30.87	30.83	30.67
30	30.94	30.07	30.20	30.54		30.53	30.64	30.85	30.90	30.87	30.83	30.66
31	30.91		30.20	30.55		30.53		30.85		30.87	30.83	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	30.64	30.45	30.33	30.70	30.80	30.86	30.92	30.87	30.80	30.31	30.23	30.04
2	30.64	30.43	30.31	30.70	30.80	30.85	30.92	30.87	30.78	30.30	30.23	30.04
3	30.62	30.41	30.29	30.70	30.80	30.85	30.93	30.87	30.76	30.30	30.22	30.04
4	30.59	30.40	30.30	30.70	30.80	30.86	30.93	30.87	30.76	30.30	30.21	30.04
5	30.57	30.40	30.32	30.69	30.80	30.86	30.93	30.87	30.75	30.29	30.21	30.03
6	30.54	30.38	30.47	30.68	30.79	30.87	30.94	30.86	30.74	30.28	30.21	30.03
7	30.51	30.39	30.47	30.68	30.80	30.87	30.95	30.86	30.72	30.28	30.21	30.04
8	30.48	30.38	30.50	30.68	30.82	30.88	30.95	30.86	30.70	30.29	30.21	30.04
9	30.45	30.37	30.51	30.68	30.83	30.87	30.95	30.86	30.69	30.30	30.19	30.04
10	30.43	30.37	30.53	30.67	30.83	30.88	30.95	30.85	30.68	30.30	30.18	30.04
11	30.40	30.38	30.56	30.66	30.83	30.89	30.95	30.82	30.66	30.30	30.18	30.04
12	30.37	30.38	30.56	30.66	30.83	30.89	30.95	30.84	30.65	30.30	30.15	30.04
13	30.37	30.39	30.57	30.66	30.83	30.90	30.94	30.85	30.64	30.30	30.13	30.04
14	30.37	30.40	30.57	30.67	30.84	30.90	30.93	30.87	30.62	30.30	30.10	30.04
15	30.38	30.38	30.57	30.68	30.84	30.91	30.91	30.88	30.59	30.30	30.08	30.04
16	30.39	30.36	30.56	30.69	30.85	30.91	30.89	30.89	30.56	30.29	30.05	30.04
17	30.39	30.35	30.55	30.70	30.85	30.92	30.88	30.89	30.54	30.29	30.02	30.04
18	30.40	30.36	30.56	30.70	30.84	30.90	30.86	30.89	30.51	30.29	30.01	30.04
19	30.41	30.37	30.54	30.71	30.84	30.89	30.84	30.89	30.48	30.27	30.01	30.04
20	30.41	30.38	30.53	30.71	30.85	30.88	30.83	30.89	30.45	30.26	30.02	30.04
21	30.42	30.37	30.53	30.72	30.86	30.89	30.83	30.89	30.41	30.26	30.03	30.03
22	30.42	30.35	30.53	30.73	30.85	30.91	30.84	30.89	30.39	30.26	30.04	30.03
23	30.42	30.34	30.53	30.73	30.84	30.92	30.84	30.87	30.37	30.26	30.04	30.03
24	30.43	30.32	30.59	30.74	30.84	30.93	30.85	30.86	30.35	30.26	30.04	30.03
25	30.43	30.29	30.64	30.75	30.85	30.92	30.85	30.85	30.32	30.26	30.04	30.03
26	30.43	30.26	30.66	30.76	30.85	30.92	30.86	30.84	30.31	30.26	30.04	30.03
27	30.41	30.27	30.70	30.76	30.86	30.93	30.86	30.84	30.31	30.26	30.04	30.03
28	30.41	30.29	30.70	30.77	30.86	30.93	30.86	30.84	30.32	30.26	30.04	30.03
29	30.42	30.30	30.70	30.77		30.93	30.87	30.84	30.32	30.26	30.04	30.03
30	30.44	30.32	30.70	30.78		30.94	30.87	30.83	30.32	30.25	30.04	30.03
31	30.45		30.70	30.79		30.94		30.81		30.24	30.04	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	30.03	30.38	30.39	30.65	30.91	31.40	31.90	32.34	32.61	32.75	32.61	32.62
2	30.03	30.38	30.39	30.66	30.92	31.40	31.92	32.38	32.62	32.75	32.61	32.62
3	30.03	30.39	30.39	30.67	30.92	31.41	31.93	32.40	32.63	32.75	32.61	32.62
4	30.03	30.39	30.42	30.68	30.94	31.43	31.94	32.41	32.64	32.75	32.61	32.62
5	30.03	30.40	30.43	30.69	30.95	31.44	31.96	32.42	32.64	32.75	32.61	32.62
6	30.03	30.44	30.44	30.70	30.96	31.44	31.99	32.43	32.65	32.75	32.61	32.62
7	30.03	30.45	30.44	30.71	30.97	31.46	32.01	32.44	32.66	32.74	32.61	32.62
8	30.03	30.45	30.45	30.72	30.98	31.48	32.03	32.45	32.67	32.74	32.61	32.62
9	30.03	30.45	30.45	30.73	30.99	31.50	32.05	32.46	32.68	32.73	32.61	32.62
10	30.05	30.45	30.46	30.74	31.00	31.52	32.07	32.46	32.69	32.73	32.61	32.62
11	30.05	30.44	30.46	30.74	31.01	31.54	32.09	32.46	32.70	32.73	32.61	32.62
12	30.05	30.42	30.47	30.74	31.01	31.57	32.12	32.47	32.70	32.72	32.61	32.62
13	30.05	30.39	30.48	30.75	31.03	31.59	32.14	32.48	32.70	32.72	32.61	32.62
14	30.05	30.37	30.49	30.75	31.04	31.60	32.17	32.49	32.70	32.71	32.61	32.62
15	30.05	30.34	30.48	30.74	31.05	31.60	32.19	32.50	32.70	32.70	32.61	32.62
16	30.05	30.32	30.46	30.74	31.06	31.61	32.20	32.51	32.70	32.68	32.61	32.62
17	30.05	30.30	30.46	30.76	31.08	31.63	32.21	32.52	32.70	32.66	32.61	32.63
18	30.05	30.28	30.47	30.78	31.10	31.73	32.22	32.53	32.70	32.64	32.61	32.63
19	30.05	30.27	30.48	30.80	31.13	31.75	32.23	32.54	32.70	32.63	32.61	32.63
20	30.06	30.26	30.49	30.82	31.18	31.76	32.24	32.55	32.72	32.62	32.62	32.63
21	30.06	30.29	30.50	30.82	31.24	31.77	32.25	32.57	32.74	32.62	32.62	32.63
22	30.30	30.30	30.51	30.83	31.26	31.78	32.26	32.58	32.75	32.62	32.62	32.63
23	30.30	30.30	30.52	30.84	31.27	31.79	32.27	32.59	32.75	32.62	32.62	32.63
24	30.27	30.30	30.53	30.85	31.29	31.81	32.28	32.60	32.75	32.62	32.62	32.63
25	30.27	30.34	30.57	30.86	31.30	31.83	32.29	32.60	32.75	32.62	32.62	32.63
26	30.27	30.35	30.58	30.87	31.33	31.85	32.30	32.60	32.75	32.61	32.62	32.63
27	30.33	30.37	30.59	30.88	31.35	31.85	32.31	32.60	32.75	32.61	32.62	32.64
28	30.35	30.38	30.60	30.90	31.37	31.84	32.32	32.60	32.75	32.61	32.62	32.64
29	30.35	30.39	30.61	30.90	31.39	31.84	32.32	32.60	32.75	32.61	32.62	32.65
30	30.35	30.39	30.63	30.90		31.86	32.33	32.60	32.75	32.61	32.62	32.65
31	30.37		30.64	30.91		31.88		32.61		32.61	32.62	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	32.65	32.83	32.94	33.28	34.02	34.71	35.33	35.69	35.98	36.05	36.04	35.93
2	32.65	32.84	32.94	33.29	34.03	34.73	35.35	35.70	35.98	36.05	36.04	35.93
3	32.65	32.85	32.94	33.29	34.04	34.75	35.37	35.71	35.99	36.05	36.03	35.93
4	32.64	32.86	32.95	33.29	34.06	34.77	35.39	35.72	35.99	36.05	36.03	35.93
5	32.63	32.86	32.96	33.29	34.08	34.79	35.40	35.73	36.00	36.05	36.03	35.93
6	32.62	32.86	32.98	33.30	34.10	34.81	35.42	35.74	36.00	36.05	36.03	35.92
7	32.62	32.86	32.99	33.30	34.13	34.83	35.43	35.76	36.00	36.05	36.02	35.92
8	32.61	32.86	33.00	33.33	34.18	34.85	35.45	35.77	36.01	36.05	36.02	35.92
9	32.61	32.86	33.01	33.45	34.22	34.87	35.47	35.78	36.01	36.05	36.01	35.92
10	32.61	32.86	33.02	33.47	34.24	34.89	35.48	35.79	36.01	36.05	36.01	35.91
11	32.62	32.86	33.02	33.48	34.27	34.91	35.49	35.80	36.02	36.05	36.00	35.91
12	32.62	32.86	33.03	33.49	34.30	34.93	35.50	35.81	36.02	36.05	36.00	35.91
13	32.62	32.87	33.03	33.50	34.32	34.95	35.51	35.82	36.02	36.05	35.99	35.91
14	32.62	32.88	33.04	33.51	34.34	34.97	35.52	35.83	36.03	36.05	35.99	35.90
15	32.62	32.89	33.04	33.53	34.37	34.99	35.53	35.84	36.03	36.05	35.98	35.90
16	32.62	32.89	33.05	33.55	34.40	35.01	35.54	35.85	36.03	36.05	35.98	35.90
17	32.62	32.90	33.05	33.57	34.42	35.03	35.55	35.86	36.03	36.05	35.97	35.90
18	32.62	32.90	33.05	33.57	34.44	35.05	35.56	35.87	36.03	36.05	35.97	35.89
19	32.62	32.90	33.06	33.57	34.46	35.08	35.57	35.88	36.03	36.05	35.96	35.89
20	32.63	32.91	33.15	33.58	34.49	35.11	35.58	35.88	36.03	36.05	35.96	35.89
21	32.64	32.91	33.16	33.59	34.52	35.13	35.59	35.89	36.03	36.05	35.95	35.89
22	32.72	32.91	33.17	33.63	34.55	35.15	35.60	35.89	36.03	36.05	35.95	35.88
23	32.74	32.91	33.18	33.71	34.58	35.17	35.61	35.90	36.03	36.05	35.95	35.88
24	32.75	32.92	33.19	33.76	34.60	35.19	35.62	35.90	36.03	36.05	35.94	35.88
25	32.76	32.92	33.22	33.80	34.62	35.21	35.63	35.91	36.04	36.05	35.94	35.87
26	32.76	32.92	33.24	33.82	34.64	35.22	35.64	35.92	36.04	36.05	35.94	35.87
27	32.76	32.92	33.25	33.83	34.66	35.24	35.65	35.93	36.04	36.05	35.94	35.87
28	32.79	32.92	33.26	33.90	34.69	35.26	35.66	35.94	36.04	36.05	35.94	35.87
29	32.80	32.93	33.27	33.96		35.28	35.67	35.95	36.04	36.05	35.94	35.86
30	32.81	32.93	33.28	33.99		35.30	35.68	35.96	36.05	36.04	35.94	35.86
31	32.82		33.28	34.01		35.31		35.97		36.04	35.93	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	35.86	35.83	35.87	35.97	35.99	36.14	36.39	40.18	42.43	42.39	41.89	41.39
2	35.85	35.83	35.87	35.97	35.99	36.14	36.40	40.37	42.57	42.38	41.87	41.37
3	35.85	35.83	35.87	35.97	35.99	36.14	36.41	40.54	42.62	42.36	41.86	41.36
4	35.85	35.83	35.88	35.97	36.00	36.15	36.42	40.70	42.64	42.34	41.84	41.35
5	35.85	35.83	35.89	35.97	36.00	36.16	36.43	40.83	42.67	42.32	41.83	41.34
6	35.85	35.83	35.90	35.97	36.00	36.17	36.44	40.91	42.69	42.30	41.81	41.33
7	35.85	35.83	35.90	35.97	36.00	36.17	36.45	40.98	42.70	42.28	41.79	41.31
8	35.85	35.83	35.90	35.97	36.01	36.18	36.47	41.11	42.71	42.27	41.78	41.29
9	35.84	35.87	35.90	35.97	36.01	36.19	36.50	41.23	42.72	42.25	41.76	41.27
10	35.84	35.88	35.90	35.97	36.01	36.20	36.53	41.34	42.72	42.23	41.75	41.25
11	35.84	35.89	35.90	35.97	36.02	36.20	36.56	41.42	42.72	42.21	41.73	41.23
12	35.84	35.90	35.90	35.97	36.03	36.20	36.60	41.48	42.71	42.19	41.71	41.22
13	35.84	35.90	35.90	35.97	36.03	36.21	36.65	41.51	42.70	42.17	41.69	41.20
14	35.84	35.90	35.90	35.97	36.03	36.22	36.72	41.52	42.69	42.15	41.67	41.18
15	35.84	35.90	35.90	35.97	36.03	36.23	36.79	41.53	42.68	42.13	41.65	41.16
16	35.84	35.90	35.90	35.97	36.03	36.23	36.88	41.54	42.66	42.11	41.63	41.14
17	35.84	35.89	35.90	35.97	36.03	36.24	36.98	41.56	42.64	42.10	41.61	41.12
18	35.84	35.89	35.90	35.97	36.03	36.25	37.08	41.57	42.61	42.08	41.59	41.10
19	35.84	35.89	35.91	35.96	36.03	36.26	37.18	41.58	42.59	42.07	41.57	41.08
20	35.84	35.89	35.91	35.96	36.03	36.27	37.28	41.59	42.57	42.05	41.55	41.07
21	35.83	35.88	35.91	35.95	36.03	36.28	37.40	41.60	42.55	42.04	41.54	41.05
22	35.83	35.88	35.91	35.95	36.03	36.29	37.58	41.61	42.53	42.03	41.52	41.03
23	35.83	35.88	35.93	35.95	36.07	36.30	37.95	41.62	42.51	42.02	41.51	41.02
24	35.83	35.88	35.94	35.96	36.10	36.31	38.42	41.64	42.49	42.00	41.50	41.00
25	35.83	35.87	35.95	35.97	36.11	36.32	38.88	41.70	42.47	41.98	41.49	41.00
26	35.83	35.87	35.96	35.98	36.12	36.32	39.30	41.73	42.45	41.97	41.47	40.99
27	35.83	35.87	35.96	35.98	36.12	36.33	39.60	41.74	42.43	41.96	41.46	40.98
28	35.83	35.87	35.97	35.98	36.13	36.34	39.72	41.75	42.42	41.94	41.44	40.97
29	35.83	35.87	35.97	35.99		36.35	39.81	41.87	42.41	41.93	41.43	40.95
30	35.83	35.87	35.97	35.99		36.37	40.00	42.05	42.40	41.92	41.42	40.93
31	35.83		35.97	35.99		36.38		42.25		41.90	41.40	

ΕΡΕΣΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	40.91	40.55	40.35	40.17	40.01	40.02	39.97	39.83	39.57	39.30	38.99	38.58
2	40.90	40.54	40.35	40.17	40.01	40.02	39.97	39.83	39.56	39.29	38.98	38.57
3	40.89	40.52	40.34	40.16	40.00	40.03	39.96	39.82	39.55	39.28	38.97	38.56
4	40.88	40.50	40.33	40.16	40.00	40.04	39.96	39.81	39.54	39.27	38.96	38.55
5	40.87	40.48	40.32	40.16	40.00	40.04	39.96	39.81	39.55	39.26	38.95	38.54
6	40.87	40.48	40.31	40.16	40.00	40.04	39.95	39.80	39.55	39.25	38.94	38.53
7	40.86	40.48	40.30	40.16	40.00	40.04	39.95	39.79	39.54	39.24	38.93	38.52
8	40.85	40.47	40.30	40.16	40.01	40.03	39.94	39.79	39.53	39.23	38.92	38.51
9	40.84	40.47	40.29	40.15	40.01	40.03	39.94	39.78	39.52	39.22	38.91	38.50
10	40.83	40.46	40.28	40.15	40.01	40.03	39.93	39.77	39.51	39.21	38.90	38.49
11	40.82	40.45	40.27	40.15	40.02	40.03	39.92	39.76	39.50	39.20	38.88	38.48
12	40.81	40.44	40.27	40.15	40.03	40.02	39.92	39.75	39.49	39.19	38.86	38.47
13	40.80	40.42	40.26	40.15	40.04	40.02	39.91	39.75	39.48	39.18	38.84	38.46
14	40.79	40.41	40.25	40.14	40.04	40.02	39.91	39.74	39.47	39.17	38.82	38.45
15	40.78	40.40	40.25	40.13	40.04	40.02	39.91	39.73	39.46	39.16	38.80	38.44
16	40.77	40.40	40.24	40.12	40.04	40.02	39.90	39.72	39.45	39.15	38.79	38.43
17	40.76	40.40	40.24	40.11	40.05	40.01	39.90	39.71	39.44	39.14	38.77	38.42
18	40.75	40.41	40.23	40.10	40.05	40.01	39.90	39.70	39.43	39.13	38.75	38.41
19	40.74	40.44	40.22	40.09	40.05	40.00	39.90	39.69	39.42	39.12	38.73	38.40
20	40.73	40.44	40.21	40.08	40.05	40.00	39.89	39.68	39.41	39.11	38.71	38.39
21	40.72	40.44	40.20	40.07	40.05	40.00	39.89	39.67	39.40	39.10	38.70	38.38
22	40.71	40.43	40.20	40.07	40.04	40.00	39.88	39.66	39.39	39.09	38.69	38.37
23	40.69	40.42	40.19	40.06	40.04	39.99	39.88	39.65	39.38	39.08	38.67	38.36
24	40.67	40.41	40.19	40.06	40.04	39.99	39.87	39.64	39.37	39.07	38.66	38.35
25	40.66	40.40	40.19	40.05	40.04	39.99	39.86	39.63	39.36	39.06	38.65	38.34
26	40.65	40.39	40.19	40.05	40.03	39.98	39.86	39.62	39.35	39.05	38.64	38.33
27	40.63	40.38	40.18	40.04	40.03	39.98	39.85	39.61	39.34	39.04	38.63	38.32
28	40.62	40.37	40.18	40.04	40.02	39.98	39.85	39.60	39.33	39.03	38.62	38.31
29	40.61	40.36	40.18	40.03		39.97	39.84	39.59	39.32	39.02	38.61	38.30
30	40.59	40.36	40.17	40.02		39.97	39.84	39.58	39.31	39.01	38.60	38.29
31	40.57		40.17	40.01		39.97		39.58		39.00	38.59	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	38.28	37.97	37.86	37.83	37.79	37.81	37.97	38.29	39.80	39.67	39.46	39.30
2	38.27	37.97	37.88	37.83	37.79	37.80	37.97	38.31	39.80	39.67	39.45	39.30
3	38.26	37.96	37.88	37.82	37.81	37.80	37.97	38.35	39.80	39.67	39.45	39.29
4	38.25	37.95	37.89	37.82	37.80	37.80	37.97	38.50	39.79	39.66	39.44	39.29
5	38.24	37.95	37.89	37.81	37.80	37.81	37.97	38.67	39.79	39.66	39.43	39.28
6	38.23	37.95	37.90	37.81	37.79	37.81	37.98	38.86	39.79	39.65	39.41	39.27
7	38.22	37.95	37.90	37.83	37.79	37.82	38.00	39.04	39.78	39.64	39.41	39.26
8	38.21	37.96	37.91	37.85	37.78	37.82	38.04	39.18	39.78	39.64	39.39	39.25
9	38.20	37.96	37.92	37.85	37.78	37.83	38.05	39.30	39.76	39.63	39.37	39.24
10	38.19	37.96	37.92	37.85	37.78	37.84	38.06	39.40	39.76	39.62	39.35	39.24
11	38.18	37.96	37.92	37.84	37.78	37.85	38.06	39.47	39.75	39.61	39.32	39.23
12	38.17	37.95	37.92	37.84	37.78	37.86	38.06	39.52	39.75	39.61	39.29	39.23
13	38.16	37.95	37.92	37.84	37.79	37.87	38.07	39.56	39.74	39.60	39.25	39.22
14	38.15	37.94	37.93	37.84	37.79	37.87	38.09	39.60	39.74	39.59	39.25	39.21
15	38.14	37.93	37.93	37.83	37.80	37.88	38.10	39.64	39.73	39.58	39.26	39.21
16	38.13	37.92	37.93	37.83	37.81	37.88	38.10	39.69	39.72	39.58	39.28	39.20
17	38.12	37.91	37.92	37.83	37.83	37.89	38.10	39.74	39.71	39.57	39.28	39.19
18	38.11	37.90	37.92	37.82	37.83	37.89	38.11	39.79	39.71	39.57	39.29	39.18
19	38.10	37.90	37.91	37.82	37.83	37.89	38.12	39.80	39.70	39.56	39.29	39.18
20	38.09	37.91	37.90	37.82	37.82	37.91	38.14	39.81	39.70	39.55	39.30	39.17
21	38.08	37.91	37.89	37.82	37.82	37.91	38.15	39.82	39.70	39.54	39.31	39.16
22	38.07	37.91	37.88	37.82	37.82	37.93	38.15	39.83	39.69	39.54	39.31	39.15
23	38.06	37.92	37.87	37.82	37.82	37.96	38.17	39.84	39.69	39.53	39.31	39.14
24	38.05	37.92	37.87	37.81	37.81	37.96	38.18	39.84	39.69	39.53	39.31	39.13
25	38.04	37.91	37.86	37.81	37.81	37.96	38.18	39.85	39.69	39.52	39.31	39.13
26	38.03	37.90	37.86	37.81	37.81	37.97	38.20	39.85	39.69	39.51	39.32	39.12
27	38.02	37.89	37.85	37.81	37.81	37.97	38.21	39.85	39.68	39.50	39.32	39.12
28	38.01	37.88	37.85	37.80	37.81	37.97	38.23	39.84	39.68	39.49	39.32	39.11
29	38.00	37.87	37.85	37.80	37.81	37.97	38.25	39.83	39.68	39.48	39.32	39.11
30	37.99	37.87	37.84	37.80		37.98	38.27	39.82	39.67	39.48	39.31	39.10
31	37.98		37.84	37.80		37.98		39.81		39.47	39.31	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	39.10	38.94	38.97	39.00	40.28	43.07	46.23	48.42	48.53	47.68	46.99	46.16
2	39.09	38.94	38.97	39.04	40.44	43.16	46.35	48.46	48.50	47.66	46.97	46.14
3	39.08	38.93	38.96	39.06	40.60	43.25	46.47	48.50	48.47	47.64	46.94	46.12
4	39.08	38.93	38.96	39.07	40.77	43.35	46.58	48.52	48.44	47.62	46.92	46.10
5	39.07	38.92	38.95	39.09	40.94	43.46	46.68	48.54	48.41	47.60	46.89	46.07
6	39.06	38.91	38.95	39.11	41.08	43.57	46.78	48.56	48.38	47.58	46.86	46.05
7	39.06	38.91	38.95	39.12	41.20	43.68	46.88	48.58	48.35	47.55	46.83	46.02
8	39.05	38.92	38.94	39.12	41.31	43.78	46.97	48.60	48.31	47.53	46.80	45.99
9	39.04	38.92	38.94	39.12	41.40	43.88	47.06	48.62	48.27	47.51	46.77	45.96
10	39.04	38.92	38.93	39.13	41.51	43.98	47.15	48.64	48.24	47.49	46.74	45.93
11	39.03	38.93	38.93	39.13	41.60	44.07	47.23	48.65	48.21	47.46	46.71	45.90
12	39.02	38.93	38.92	39.13	41.71	44.15	47.33	48.65	48.18	47.44	46.68	45.87
13	39.02	38.93	38.92	39.13	41.81	44.24	47.44	48.66	48.15	47.42	46.65	45.84
14	39.02	38.93	38.92	39.14	41.90	44.33	47.54	48.66	48.12	47.40	46.62	45.82
15	39.01	38.93	38.92	39.15	41.99	44.44	47.63	48.67	48.09	47.37	46.59	45.80
16	39.01	38.94	38.92	39.15	42.10	44.54	47.73	48.67	48.06	47.35	46.56	45.77
17	39.00	38.95	38.92	39.16	42.20	44.64	47.80	48.67	48.03	47.32	46.53	45.74
18	39.00	38.95	38.92	39.18	42.30	44.74	47.86	48.67	48.00	47.30	46.50	45.71
19	38.99	38.96	38.92	39.23	42.39	44.85	47.91	48.67	47.97	47.27	46.47	45.68
20	38.99	38.96	38.92	39.28	42.47	44.95	47.95	48.67	47.95	47.24	46.44	45.65
21	38.98	38.97	38.92	39.32	42.55	45.04	47.99	48.67	47.92	47.21	46.41	45.63
22	38.98	38.97	38.92	39.35	42.63	45.14	48.03	48.67	47.90	47.18	46.39	45.61
23	38.97	38.97	38.92	39.40	42.70	45.26	48.07	48.67	47.88	47.15	46.36	45.59
24	38.97	38.97	38.92	39.45	42.76	45.37	48.11	48.66	47.86	47.12	46.34	45.57
25	38.96	38.97	38.92	39.50	42.82	45.48	48.15	48.65	47.83	47.09	46.32	45.55
26	38.96	38.98	38.92	39.57	42.87	45.59	48.18	48.64	47.80	47.06	46.30	45.53
27	38.95	38.98	38.92	39.66	42.93	45.69	48.23	48.63	47.77	47.05	46.28	45.51
28	38.94	38.98	38.92	39.77	43.00	45.79	48.28	48.62	47.74	47.04	46.25	45.49
29	38.94	38.97	38.92	39.88		45.88	48.32	48.60	47.72	47.03	46.22	45.48
30	38.93	38.97	38.93	40.00		46.00	48.37	48.58	47.70	47.02	46.20	45.47
31	38.93		38.95	40.14		46.12		48.56		47.01	46.18	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	45.46	44.93	44.56	44.10	43.79	43.45	43.13	42.80	42.44	42.00	41.45	40.91
2	45.45	44.91	44.55	44.10	43.78	43.44	43.12	42.79	42.42	41.98	41.43	40.88
3	45.43	44.89	44.53	44.09	43.77	43.42	43.11	42.78	42.41	41.97	41.42	40.85
4	45.42	44.87	44.51	44.09	43.76	43.41	43.10	42.77	42.40	41.95	41.41	40.83
5	45.41	44.85	44.49	44.08	43.75	43.40	43.09	42.76	42.39	41.93	41.40	40.80
6	45.40	44.83	44.48	44.08	43.74	43.38	43.08	42.75	42.38	41.91	41.39	40.77
7	45.39	44.81	44.46	44.07	43.73	43.37	43.07	42.74	42.36	41.90	41.38	40.75
8	45.38	44.79	44.44	44.07	43.71	43.36	43.06	42.73	42.34	41.88	41.37	40.72
9	45.37	44.78	44.43	44.07	43.69	43.35	43.05	42.72	42.32	41.87	41.36	40.70
10	45.36	44.76	44.41	44.06	43.67	43.34	43.03	42.70	42.30	41.85	41.35	40.68
11	45.35	44.74	44.39	44.05	43.65	43.33	43.02	42.69	42.28	41.84	41.34	40.66
12	45.33	44.73	44.37	44.04	43.64	43.32	43.01	42.67	42.26	41.82	41.32	40.64
13	45.31	44.71	44.36	44.03	43.63	43.31	43.01	42.65	42.25	41.81	41.30	40.63
14	45.29	44.69	44.34	44.02	43.62	43.30	43.00	42.64	42.23	41.79	41.28	40.61
15	45.27	44.67	44.32	44.01	43.61	43.29	42.99	42.63	42.21	41.78	41.26	40.60
16	45.25	44.66	44.30	44.00	43.60	43.28	42.98	42.62	42.20	41.76	41.25	40.59
17	45.24	44.64	44.29	44.00	43.59	43.27	42.97	42.61	42.18	41.74	41.23	40.57
18	45.23	44.63	44.27	43.99	43.58	43.27	42.96	42.60	42.17	41.73	41.21	40.56
19	45.21	44.62	44.25	43.97	43.57	43.26	42.95	42.59	42.15	41.71	41.19	40.55
20	45.19	44.60	44.23	43.96	43.56	43.25	42.93	42.58	42.13	41.69	41.17	40.54
21	45.16	44.59	44.22	43.95	43.55	43.24	42.92	42.57	42.12	41.67	41.16	40.53
22	45.14	44.58	44.21	43.94	43.53	43.23	42.91	42.56	42.10	41.65	41.15	40.52
23	45.12	44.58	44.20	43.92	43.52	43.22	42.90	42.55	42.09	41.63	41.13	40.51
24	45.10	44.59	44.18	43.91	43.51	43.21	42.88	42.54	42.08	41.61	41.11	40.50
25	45.08	44.60	44.16	43.89	43.50	43.20	42.87	42.52	42.07	41.59	41.09	40.49
26	45.06	44.61	44.15	43.88	43.49	43.19	42.86	42.51	42.06	41.57	41.07	40.48
27	45.04	44.61	44.13	43.86	43.47	43.18	42.85	42.50	42.05	41.55	41.05	40.47
28	45.01	44.60	44.12	43.85	43.46	43.17	42.83	42.49	42.03	41.53	41.03	40.46
29	44.99	44.59	44.12	43.83		43.16	42.82	42.47	42.02	41.51	41.00	40.45
30	44.97	44.58	44.11	43.82		43.15	42.81	42.46	42.01	41.49	40.97	40.44
31	44.95		44.11	43.80		43.14		42.45		41.47	40.94	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	40.43	40.09	39.81	39.65	39.49	39.33	39.52	39.79	40.67	40.53	40.31	39.99
2	40.42	40.10	39.80	39.65	39.48	39.32	39.54	39.80	40.66	40.52	40.30	39.98
3	40.41	40.10	39.79	39.64	39.48	39.32	39.55	39.81	40.65	40.52	40.29	39.97
4	40.40	40.11	39.78	39.63	39.47	39.32	39.55	39.82	40.64	40.51	40.28	39.96
5	40.39	40.11	39.77	39.62	39.46	39.32	39.56	39.83	40.64	40.50	40.27	39.95
6	40.38	40.12	39.77	39.61	39.46	39.32	39.56	39.84	40.64	40.49	40.26	39.94
7	40.37	40.12	39.76	39.60	39.45	39.31	39.57	39.87	40.64	40.48	40.25	39.93
8	40.35	40.11	39.75	39.59	39.44	39.31	39.57	39.94	40.64	40.47	40.24	39.92
9	40.34	40.09	39.74	39.58	39.43	39.31	39.57	40.03	40.64	40.46	40.23	39.91
10	40.33	40.08	39.73	39.58	39.42	39.30	39.58	40.12	40.64	40.45	40.21	39.90
11	40.31	40.06	39.72	39.57	39.41	39.30	39.59	40.22	40.63	40.44	40.20	39.89
12	40.29	40.04	39.71	39.57	39.40	39.33	39.60	40.30	40.63	40.43	40.18	39.88
13	40.28	40.03	39.70	39.56	39.39	39.36	39.61	40.37	40.63	40.42	40.17	39.88
14	40.26	40.02	39.69	39.56	39.38	39.40	39.62	40.43	40.62	40.41	40.16	39.87
15	40.25	40.00	39.68	39.55	39.38	39.44	39.64	40.49	40.62	40.41	40.16	39.86
16	40.23	39.98	39.67	39.55	39.37	39.47	39.65	40.54	40.61	40.40	40.15	39.85
17	40.22	39.97	39.67	39.55	39.37	39.49	39.66	40.58	40.61	40.39	40.14	39.85
18	40.20	39.96	39.66	39.54	39.37	39.51	39.67	40.62	40.60	40.39	40.13	39.84
19	40.19	39.95	39.65	39.54	39.36	39.52	39.68	40.66	40.60	40.38	40.11	39.83
20	40.17	39.94	39.65	39.54	39.36	39.53	39.69	40.69	40.59	40.38	40.10	39.82
21	40.16	39.93	39.64	39.53	39.35	39.53	39.70	40.70	40.58	40.37	40.09	39.82
22	40.14	39.92	39.64	39.53	39.35	39.53	39.71	40.70	40.57	40.37	40.08	39.81
23	40.12	39.90	39.63	39.53	39.34	39.53	39.72	40.70	40.56	40.36	40.07	39.80
24	40.11	39.89	39.62	39.52	39.34	39.53	39.73	40.69	40.56	40.35	40.06	39.79
25	40.10	39.87	39.63	39.52	39.34	39.53	39.74	40.69	40.55	40.35	40.05	39.79
26	40.09	39.86	39.65	39.52	39.33	39.53	39.75	40.69	40.55	40.34	40.04	39.78
27	40.08	39.85	39.65	39.51	39.33	39.53	39.75	40.69	40.55	40.34	40.03	39.78
28	40.07	39.84	39.66	39.51	39.33	39.53	39.76	40.69	40.54	40.33	40.02	39.77
29	40.06	39.83	39.66	39.50		39.53	39.77	40.69	40.54	40.33	40.01	39.76
30	40.06	39.82	39.65	39.50		39.53	39.78	40.68	40.53	40.32	40.00	39.75
31	40.08		39.65	39.49		39.52		40.68		40.32	40.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	39.74	39.57	39.53	39.42	39.36	39.28	39.32	39.30	39.13	38.86	38.49	38.03
2	39.74	39.57	39.53	39.42	39.36	39.28	39.32	39.30	39.12	38.85	38.47	38.02
3	39.73	39.56	39.53	39.42	39.35	39.29	39.32	39.30	39.12	38.84	38.45	38.01
4	39.73	39.56	39.52	39.42	39.34	39.29	39.32	39.30	39.10	38.83	38.43	38.00
5	39.72	39.56	39.52	39.42	39.33	39.28	39.32	39.29	39.10	38.82	38.41	37.99
6	39.71	39.56	39.52	39.42	39.32	39.28	39.32	39.29	39.09	38.81	38.39	37.98
7	39.70	39.56	39.51	39.42	39.31	39.28	39.32	39.28	39.08	38.79	38.37	37.97
8	39.69	39.56	39.51	39.42	39.30	39.28	39.32	39.28	39.07	38.79	38.35	37.96
9	39.69	39.56	39.51	39.42	39.29	39.28	39.32	39.28	39.06	38.77	38.34	37.95
10	39.68	39.56	39.50	39.42	39.28	39.28	39.32	39.28	39.05	38.76	38.33	37.94
11	39.67	39.56	39.50	39.42	39.28	39.28	39.32	39.28	39.05	38.75	38.32	37.93
12	39.66	39.56	39.49	39.42	39.27	39.29	39.32	39.28	39.04	38.74	38.31	37.92
13	39.66	39.56	39.49	39.42	39.27	39.29	39.32	39.28	39.03	38.73	38.30	37.91
14	39.65	39.56	39.48	39.42	39.27	39.29	39.32	39.27	39.02	38.72	38.29	37.90
15	39.64	39.56	39.48	39.42	39.26	39.29	39.32	39.26	39.01	38.71	38.28	37.89
16	39.63	39.56	39.48	39.41	39.26	39.30	39.32	39.25	39.00	38.70	38.27	37.88
17	39.63	39.56	39.47	39.41	39.26	39.30	39.32	39.24	39.00	38.69	38.26	37.86
18	39.62	39.56	39.47	39.41	39.26	39.30	39.32	39.23	38.99	38.68	38.25	37.84
19	39.62	39.56	39.46	39.41	39.26	39.30	39.32	39.22	38.98	38.67	38.24	37.82
20	39.61	39.56	39.46	39.40	39.26	39.30	39.32	39.21	38.97	38.66	38.22	37.80
21	39.61	39.55	39.45	39.40	39.27	39.30	39.32	39.20	38.96	38.65	38.20	37.79
22	39.60	39.55	39.45	39.40	39.27	39.30	39.32	39.19	38.95	38.64	38.18	37.78
23	39.60	39.55	39.44	39.39	39.28	39.30	39.31	39.19	38.94	38.63	38.16	37.77
24	39.60	39.55	39.43	39.39	39.28	39.30	39.31	39.18	38.93	38.61	38.14	37.76
25	39.59	39.55	39.43	39.39	39.28	39.31	39.31	39.17	38.92	38.60	38.12	37.75
26	39.59	39.55	39.43	39.38	39.28	39.31	39.31	39.16	38.91	38.58	38.10	37.74
27	39.58	39.55	39.42	39.38	39.28	39.31	39.31	39.15	38.90	38.57	38.08	37.73
28	39.58	39.54	39.42	39.38	39.28	39.31	39.30	39.15	38.89	38.56	38.07	37.72
29	39.58	39.54	39.42	39.38	39.28	39.31	39.30	39.14	38.88	38.55	38.06	37.71
30	39.57	39.54	39.42	39.37		39.31	39.30	39.14	38.87	38.53	38.05	37.70
31	39.57		39.42	39.37		39.31		39.13		38.51	38.04	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	37.69	37.40	37.33	37.45	37.13	36.99	36.92	36.68	--	--	--	--
2	37.68	37.40	37.34	37.45	37.12	36.97	36.92	36.68	--	--	--	--
3	37.67	37.40	37.35	37.45	37.11	36.95	36.91	36.67	--	--	--	--
4	37.66	37.39	37.36	37.45	37.11	36.94	36.91	36.66	--	--	--	--
5	37.65	37.38	37.37	37.45	37.10	36.92	36.91	36.65	--	--	--	--
6	37.64	37.37	37.37	37.43	37.10	36.91	36.90	36.64	--	--	--	--
7	37.63	37.36	37.37	37.42	37.09	36.92	36.89	36.63	--	--	--	--
8	37.62	37.35	37.37	37.40	37.08	36.93	36.88	36.62	--	--	--	--
9	37.61	37.34	37.37	37.39	37.09	36.94	36.87	36.61	--	--	--	--
10	37.60	37.33	37.38	37.37	37.09	36.95	36.86	36.61	--	--	--	--
11	37.59	37.32	37.39	37.35	37.08	36.96	36.85	--	--	--	--	--
12	37.58	37.31	37.40	37.33	37.08	36.97	36.84	--	--	--	--	--
13	37.56	37.30	37.41	37.31	37.07	36.97	36.83	--	--	--	--	--
14	37.55	37.29	37.42	37.29	37.06	36.98	36.83	--	--	--	--	--
15	37.54	37.29	37.41	37.27	37.06	36.98	36.82	--	--	--	--	--
16	37.53	37.29	37.41	37.25	37.05	36.98	36.82	--	--	--	--	--
17	37.52	37.28	37.41	37.24	37.05	36.97	36.81	--	--	--	--	--
18	37.51	37.28	37.41	37.23	37.05	36.96	36.80	--	--	--	--	--
19	37.50	37.27	37.42	37.21	37.05	36.94	36.79	--	--	--	--	--
20	37.49	37.26	37.43	37.19	37.05	36.93	36.78	--	--	--	--	--
21	37.48	37.25	37.43	37.19	37.05	36.92	36.77	--	--	--	--	--
22	37.47	37.25	37.44	37.19	37.05	36.90	36.76	--	--	--	--	--
23	37.46	37.25	37.44	37.19	37.04	36.89	36.75	--	--	--	--	--
24	37.45	37.25	37.45	37.19	37.03	36.89	36.74	--	--	--	--	--
25	37.44	37.24	37.45	37.18	37.02	36.90	36.73	--	--	--	--	--
26	37.43	37.26	37.45	37.18	37.01	36.92	36.72	--	--	--	--	--
27	37.41	37.28	37.45	37.17	37.00	36.93	36.71	--	--	--	--	--
28	37.40	37.30	37.45	37.17	36.99	36.93	36.70	--	--	--	--	--
29	37.40	37.31	37.45	37.16		36.93	36.69	--	--	--	--	--
30	37.40	37.32	37.45	37.15		36.93	36.69	--	--	--	--	--
31	37.40		37.45	37.14		36.93		--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγράφη δεν έχει εισαχθεί στο αρχείο

**ΠΑΛΑΙΑ ΣΗΡΑΓΓΑ ΥΠΔΕ
(704)**

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	91.15	90.72	91.97	91.04	91.07	89.90	89.55	88.87	89.33
2	--	--	--	90.62	91.07	91.72	90.95	91.05	89.77	89.54	88.87	89.32
3	--	--	--	90.85	91.03	91.72	90.92	91.03	89.85	89.50	88.85	89.29
4	--	--	--	90.69	90.92	91.42	90.87	90.95	89.89	89.50	88.77	89.25
5	--	--	--	90.62	91.27	91.34	90.93	90.92	89.83	89.47	88.81	89.25
6	--	--	--	90.53	91.33	91.34	91.12	90.81	89.84	89.46	88.83	89.27
7	--	--	--	90.63	91.77	91.17	91.47	90.87	89.83	89.12	88.85	89.32
8	--	--	--	90.97	91.47	91.15	91.87	90.83	89.82	89.27	88.85	89.26
9	--	--	--	91.67	92.67	91.13	91.92	90.77	89.81	89.33	88.86	89.23
10	--	--	--	91.77	92.83	91.07	91.77	90.72	89.81	89.27	88.87	89.25
11	--	--	--	91.72	92.90	91.17	91.62	90.65	89.80	89.17	88.86	89.35
12	--	--	--	91.67	92.53	91.01	91.35	90.60	89.77	89.22	88.87	89.33
13	--	--	--	91.17	92.17	91.17	91.27	90.54	89.75	89.27	88.87	89.35
14	--	--	--	90.97	91.67	91.27	91.25	90.49	89.77	89.17	88.87	89.37
15	--	--	--	90.77	91.47	91.73	91.32	90.42	89.75	88.97	88.91	89.47
16	--	--	--	90.65	91.47	91.53	91.63	90.37	89.77	89.23	88.92	89.44
17	--	--	--	90.62	92.82	91.33	91.57	90.29	89.73	89.22	88.94	89.47
18	--	--	--	90.57	93.07	91.17	91.45	90.17	89.75	89.20	88.92	89.43
19	--	--	--	90.47	92.87	91.11	91.50	90.19	89.87	89.17	88.92	89.47
20	--	--	--	90.47	92.42	90.97	91.57	90.15	89.92	89.17	89.65	89.57
21	--	--	--	90.47	91.95	90.92	91.55	90.07	89.89	89.02	89.52	89.57
22	--	--	--	90.45	91.77	90.97	91.47	90.05	89.87	88.97	89.50	89.55
23	--	--	--	90.52	91.82	91.45	91.35	90.03	89.70	88.97	89.60	89.57
24	--	--	--	90.47	91.69	91.25	91.23	89.97	89.65	88.97	89.62	89.57
25	--	--	--	90.42	91.47	91.37	91.17	89.95	89.57	88.97	89.61	89.64
26	--	--	--	90.42	91.67	91.45	91.07	89.92	89.57	88.90	89.60	89.72
27	--	--	--	90.43	92.17	91.33	91.05	90.02	89.52	88.87	89.57	89.73
28	--	--	--	90.69	92.67	91.21	90.97	89.95	89.53	88.89	89.53	89.73
29	--	--	--	90.75		91.13	90.97	89.79	89.55	88.87	89.51	89.75
30	--	--	--	90.75		91.05	91.02	89.83	89.54	88.92	89.42	89.69
31	--	--	--	90.69		91.13		89.75		88.91	89.37	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγράφη δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.67	89.59	89.68	89.71	89.78	89.90	89.75	89.21	88.87	88.72	88.52	88.67
2	89.67	89.58	89.66	89.71	89.79	89.84	89.74	89.19	88.79	88.72	88.52	88.66
3	89.66	89.58	89.66	89.70	89.70	89.78	89.73	89.59	88.77	88.67	88.52	88.65
4	89.64	89.59	89.66	89.82	89.69	89.76	89.75	89.45	88.75	88.67	88.53	88.66
5	89.63	89.70	89.83	90.12	89.81	89.74	89.74	89.21	88.81	88.47	88.53	88.67
6	89.62	89.77	89.95	89.97	89.86	89.72	89.79	88.67	88.75	88.45	88.52	88.65
7	89.62	89.72	89.82	89.87	89.95	89.71	89.67	88.77	88.75	88.47	88.57	88.66
8	89.63	89.67	89.75	89.85	89.83	89.71	89.81	88.61	88.77	88.45	88.72	88.68
9	89.63	89.65	89.71	90.17	89.80	89.70	89.80	88.67	88.77	88.42	88.77	88.65
10	89.61	89.64	89.69	90.47	89.77	89.69	89.83	88.77	88.79	88.47	88.67	88.76
11	89.60	89.63	89.68	90.24	89.77	89.71	89.84	88.82	88.77	88.43	88.66	88.67
12	89.61	89.62	89.66	90.07	89.75	89.67	89.83	88.87	88.80	88.47	88.67	88.68
13	89.59	89.63	89.64	90.00	89.73	89.66	89.83	88.87	88.79	88.47	88.67	88.72
14	89.58	89.62	89.65	90.03	89.72	89.65	89.67	88.89	88.77	88.45	88.70	88.77
15	89.60	89.59	89.73	89.87	89.73	89.66	89.69	88.95	88.76	88.47	88.72	88.82
16	89.64	89.61	89.71	89.85	89.71	89.66	89.47	89.11	88.71	88.45	88.67	88.80
17	89.58	89.60	89.73	89.83	89.70	89.65	89.42	89.22	88.70	88.45	88.69	88.77
18	89.57	89.59	89.84	89.80	89.68	89.67	89.27	89.09	88.71	88.47	88.64	88.82
19	89.61	89.62	89.80	89.79	89.67	89.73	89.32	89.02	88.77	88.45	88.65	88.87
20	89.61	89.69	89.72	89.77	89.69	89.84	89.37	88.97	88.75	88.47	88.65	89.07
21	89.60	89.65	89.71	89.75	89.71	89.67	89.27	88.95	88.73	88.45	88.66	89.02
22	89.60	89.64	89.72	89.74	89.72	89.65	89.21	88.95	88.71	88.44	88.64	89.09
23	89.61	89.74	89.69	89.72	89.71	89.77	88.95	88.92	88.70	88.45	88.64	89.01
24	89.61	89.94	89.67	89.74	89.70	89.87	88.77	88.95	88.72	88.46	88.65	89.17
25	89.61	89.87	89.67	89.80	89.69	89.81	88.87	88.97	88.69	88.47	88.66	89.13
26	89.59	89.83	89.66	89.82	89.67	89.82	88.86	88.82	88.67	88.45	88.65	89.11
27	89.59	89.80	89.66	89.84	89.72	89.78	88.87	88.77	88.70	88.47	88.65	89.14
28	89.60	89.77	89.68	89.81	90.02	89.78	88.93	88.83	88.69	88.57	88.66	89.13
29	89.60	89.74	89.70	89.78	89.97	89.76	89.33	88.87	88.71	88.57	88.65	89.07
30	89.59	89.69	89.72	89.79		89.77	89.17	88.94	88.72	88.57	88.64	89.77
31	89.59		89.77	89.75		89.75		89.05		88.59	88.65	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΒ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.57	89.27	89.62	93.12	90.43	90.20	89.90	89.62	90.10	88.80	88.45	88.30
2	89.67	89.26	89.60	92.88	90.60	90.10	89.89	89.56	90.00	88.85	88.48	88.36
3	90.97	89.25	89.57	92.80	90.58	90.25	89.90	89.52	89.80	88.58	88.40	88.32
4	90.72	89.26	89.53	92.20	90.48	90.25	89.95	89.52	89.62	88.59	88.25	88.30
5	90.57	89.27	89.52	91.60	90.44	90.20	90.38	89.52	89.60	88.60	88.25	88.31
6	90.17	89.28	89.47	91.30	90.44	90.16	91.30	89.46	89.52	88.60	88.22	88.31
7	89.83	89.27	89.53	91.00	90.48	90.10	91.70	89.53	89.50	88.60	88.24	88.31
8	89.67	89.28	89.57	90.85	90.50	90.10	91.40	89.57	89.45	88.57	88.23	88.90
9	89.57	89.27	89.54	90.75	90.59	90.18	90.93	89.55	89.40	88.54	88.20	88.77
10	89.47	89.26	89.47	90.69	90.56	90.26	90.64	89.59	89.30	88.52	88.20	88.86
11	89.42	89.27	89.57	90.59	90.40	90.18	90.48	89.55	89.28	88.70	88.22	88.89
12	89.35	89.42	89.53	90.52	90.37	90.13	90.35	89.46	89.26	88.75	88.28	89.10
13	89.17	90.17	90.27	90.43	90.88	90.20	90.49	89.47	89.22	88.70	88.30	89.07
14	89.25	89.57	90.22	90.38	90.85	90.18	90.27	89.20	89.22	88.54	88.51	89.06
15	89.23	89.45	89.97	90.30	90.88	90.25	90.22	89.29	89.20	88.27	88.25	89.06
16	89.20	89.57	89.77	90.23	90.75	90.27	90.15	89.38	89.20	88.30	88.24	89.04
17	89.27	89.62	89.70	90.18	90.70	90.28	90.13	89.40	89.18	88.33	88.25	89.04
18	89.27	89.52	89.67	90.13	90.60	90.24	90.09	89.32	89.16	88.33	88.24	89.05
19	89.37	89.48	90.07	90.14	90.50	90.19	90.06	89.30	89.14	88.30	88.30	89.05
20	89.35	89.57	90.47	90.08	90.45	90.17	90.05	89.30	89.15	88.29	88.35	89.04
21	89.27	89.47	91.65	90.07	90.39	90.15	90.05	89.28	89.13	88.30	88.35	89.04
22	89.22	89.67	93.75	91.67	90.30	90.08	89.98	89.30	89.14	88.33	88.60	89.03
23	89.27	89.97	93.22	91.58	90.25	90.09	89.97	89.36	89.13	88.34	88.30	89.05
24	89.25	89.77	93.03	91.30	90.20	90.03	89.92	89.37	89.09	88.62	88.40	89.04
25	89.19	89.87	92.67	90.95	90.17	90.02	89.90	89.24	88.94	88.52	88.30	89.04
26	89.27	90.07	92.07	90.90	90.19	90.01	89.85	89.18	88.98	88.52	88.32	89.07
27	89.27	89.67	91.67	91.20	90.25	90.00	89.77	89.26	88.96	88.48	88.40	89.06
28	89.17	89.47	91.44	90.56	90.22	90.04	89.75	89.14	88.90	88.48	88.70	89.06
29	89.26	89.52	91.17	90.48		90.03	89.60	89.20	88.92	88.48	88.68	89.25
30	89.24	89.67	91.27	90.40		89.98	89.60	89.18	88.87	88.57	88.35	88.88
31	89.25		91.15	90.43		89.91		89.60		88.55	88.35	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	88.84	89.24	89.36	89.34	90.04	90.31	90.43	89.80	89.66	*40	88.54	88.57
2	88.82	89.22	89.19	89.40	90.26	90.42	90.38	89.92	89.96	*40	88.55	88.55
3	88.84	89.21	89.26	89.30	90.07	90.63	90.40	89.80	89.86	*40	88.54	88.57
4	88.84	89.20	89.40	89.17	90.05	90.52	90.70	89.80	89.88	*40	88.54	88.55
5	88.83	89.19	89.35	89.17	89.89	90.48	90.71	89.70	89.80	*40	88.44	88.58
6	89.04	89.20	89.32	89.19	90.24	90.41	90.72	89.70	89.90	*40	88.42	88.58
7	89.13	89.18	89.30	89.58	90.32	90.33	90.80	89.70	89.70	*40	88.42	88.60
8	89.11	88.93	89.29	89.55	90.21	90.30	90.70	89.62	89.64	*40	88.42	88.58
9	89.12	88.94	89.28	89.54	90.21	90.20	90.62	89.60	89.60	*40	88.42	88.58
10	89.11	88.87	89.26	89.49	90.13	90.13	90.58	89.50	89.70	*40	88.44	88.58
11	89.12	89.22	89.26	89.45	90.28	90.10	90.50	89.45	89.60	*40	88.57	88.59
12	89.14	89.20	89.44	89.42	91.30	90.02	90.40	89.40	89.58	*40	88.56	88.59
13	88.94	89.21	89.66	89.40	91.88	90.00	90.39	89.40	89.58	*40	88.56	88.90
14	89.19	89.19	89.44	89.80	92.86	89.93	90.31	89.40	89.54	*40	88.56	88.89
15	88.89	89.20	89.32	90.28	93.25	89.93	90.23	89.80	89.46	*40	88.50	89.05
16	88.86	89.22	89.06	90.15	92.91	89.90	90.20	89.90	89.40	*40	88.44	89.90
17	88.83	89.01	89.03	89.76	92.50	89.90	90.18	89.80	89.42	*40	88.46	88.91
18	88.83	89.20	89.13	89.78	91.80	89.89	90.18	89.68	89.40	*40	88.44	88.91
19	88.81	89.21	89.17	89.52	91.52	89.91	90.17	89.60	89.38	*40	88.45	89.28
20	88.85	89.20	89.17	89.53	91.26	89.82	90.10	89.58	89.46	*40	88.60	89.30
21	88.86	89.20	89.59	89.98	91.20	89.81	90.09	89.52	89.40	*40	88.52	89.10
22	88.88	89.19	89.57	89.85	91.08	90.00	90.20	89.70	89.46	*40	88.51	89.15
23	88.87	89.17	89.54	89.84	90.93	90.40	90.12	89.78	89.46	*40	88.59	89.15
24	88.88	89.23	89.54	89.83	90.80	90.60	90.03	89.72	89.38	*40	88.58	89.15
25	88.90	89.25	89.50	89.95	90.70	90.92	90.00	89.70	89.38	*40	88.50	89.20
26	88.98	89.23	89.46	89.36	90.70	91.51	90.00	89.72	89.34	88.48	88.52	89.22
27	89.26	89.23	89.42	89.85	90.50	91.49	89.92	89.70	89.28	88.62	88.52	89.20
28	89.24	89.24	89.40	89.97	90.40	91.20	89.91	89.70	89.24	88.60	88.55	89.18
29	89.23	89.36	89.37	89.95		90.93	89.90	89.60	89.20	88.62	88.58	89.20
30	89.23	89.35	89.35	89.72		90.78	89.88	89.60	89.16	88.52	88.60	89.19
31	89.25		89.32	90.05		90.63		89.66		88.54	88.58	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.20	89.27	89.36	89.96	89.42	89.55	89.74	89.64	89.20	88.60	88.50	89.36
2	89.20	89.20	89.34	90.12	89.40	89.56	89.74	89.60	89.20	88.60	88.50	88.96
3	89.20	89.22	89.56	90.15	89.34	89.50	89.71	89.55	89.40	88.64	88.52	88.95
4	89.18	89.22	89.60	89.92	89.33	89.56	89.73	89.58	89.26	88.66	88.60	88.86
5	89.38	89.23	89.50	89.81	89.33	89.80	89.76	89.52	89.20	88.66	88.60	88.80
6	89.22	89.24	89.45	89.73	89.40	90.40	89.96	89.50	89.20	88.64	88.60	89.69
7	89.18	89.23	89.40	89.65	89.40	90.15	89.82	89.50	89.44	88.64	88.50	89.69
8	89.20	89.24	89.40	89.60	89.39	89.90	89.80	89.46	89.80	88.66	88.50	89.66
9	89.18	89.25	89.39	89.58	89.38	89.88	89.76	89.36	89.56	88.65	88.50	89.65
10	89.18	89.23	89.34	89.57	89.35	89.70	89.68	89.25	89.56	88.65	88.50	89.65
11	89.18	89.25	89.30	89.70	89.38	89.59	89.66	89.20	89.45	88.65	88.52	89.65
12	89.20	89.25	89.30	90.02	89.35	89.53	89.62	89.14	89.26	88.60	88.54	89.30
13	89.18	89.26	89.29	90.10	89.38	89.60	89.62	89.13	89.26	88.64	88.52	89.10
14	89.19	89.22	89.29	89.77	89.39	89.60	89.58	88.86	89.20	88.65	88.54	89.07
15	89.14	89.24	89.30	89.64	89.40	89.58	89.80	89.07	89.20	88.50	88.54	89.05
16	89.16	89.24	89.37	89.65	89.60	89.58	89.82	89.20	89.12	88.50	88.54	89.19
17	89.20	89.31	89.57	89.66	89.67	89.66	89.71	89.20	89.10	88.40	88.52	89.00
18	89.20	89.56	89.45	89.60	89.56	89.79	89.66	89.10	89.05	88.44	88.66	88.99
19	89.22	89.56	89.43	89.55	89.56	89.92	89.63	89.04	89.10	88.50	88.56	88.99
20	89.20	89.56	89.40	89.53	89.80	89.72	89.61	89.02	89.05	88.52	88.56	88.99
21	89.20	89.74	89.40	89.53	89.64	89.68	89.61	89.01	89.00	88.52	88.54	89.00
22	89.22	89.48	89.38	89.50	89.60	89.62	89.67	89.00	88.70	88.52	88.54	89.00
23	89.21	89.56	89.38	89.50	89.61	89.62	89.60	89.06	88.62	88.54	88.56	89.00
24	89.20	89.58	90.30	89.48	89.53	89.70	89.72	88.83	88.67	88.52	88.70	89.00
25	89.21	89.44	89.85	89.46	89.50	89.90	89.82	89.58	88.58	88.52	88.74	89.00
26	89.20	89.40	89.65	89.44	89.50	89.80	89.80	89.40	88.60	88.50	88.72	89.00
27	89.19	89.46	89.41	89.43	89.48	89.70	89.83	89.20	88.62	88.50	88.70	89.00
28	89.25	89.56	89.66	89.41	89.50	89.70	89.76	89.14	88.64	88.40	88.60	89.15
29	89.22	89.45	89.58	89.40		89.70	89.70	89.10	88.64	88.50	88.76	89.30
30	89.25	89.40	89.85	89.42		89.70	89.66	89.08	88.60	88.60	89.70	89.10
31	89.25		89.97	89.42		89.76		89.10		88.80	89.65	

ΕΠΕΞΗΓΗΤΙΚΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.10	89.10	89.58	90.17	90.45	90.25	89.85	89.50	89.12	89.33	88.54	88.54
2	89.08	89.11	89.55	90.15	90.82	90.13	89.82	89.35	89.12	89.26	88.52	88.54
3	89.10	89.11	89.53	90.95	90.50	90.10	89.80	89.35	89.08	89.22	88.50	88.56
4	89.30	89.11	89.53	90.95	90.30	90.25	89.79	90.20	89.10	89.18	88.50	88.76
5	89.14	89.11	89.52	90.90	90.45	90.03	89.78	90.15	89.10	89.12	88.50	88.86
6	89.10	89.11	89.58	89.90	90.40	90.02	89.77	90.08	89.06	88.94	88.54	88.80
7	89.10	89.11	89.58	91.10	90.32	89.98	89.73	89.90	89.03	88.78	88.70	88.76
8	89.06	89.11	89.56	90.90	90.20	89.96	89.70	89.78	89.02	88.90	88.54	88.97
9	89.06	89.11	89.52	91.20	90.15	90.00	89.68	89.72	89.06	88.94	88.54	88.92
10	89.05	89.11	89.52	90.83	90.12	90.03	89.65	89.72	89.08	89.06	88.50	88.94
11	89.05	89.11	89.51	90.83	90.07	89.95	89.70	89.70	89.12	89.09	88.54	88.98
12	89.05	89.11	89.50	90.64	89.90	89.88	89.66	89.65	89.10	89.02	88.56	88.97
13	89.14	89.11	89.48	90.45	89.88	89.85	89.67	89.65	89.02	88.95	88.54	88.97
14	89.14	89.10	89.48	90.25	89.85	89.82	89.62	89.56	88.84	88.84	88.54	88.98
15	89.09	89.32	89.48	90.20	90.95	89.82	89.62	89.56	88.96	88.79	88.54	88.97
16	89.03	90.75	89.48	90.18	90.77	89.80	89.62	89.50	88.92	88.66	88.54	88.98
17	89.08	89.98	89.48	90.10	90.82	89.78	89.62	89.47	88.88	88.58	88.56	89.02
18	89.10	92.40	90.18	90.10	90.65	89.76	89.60	89.42	88.90	88.70	88.54	89.02
19	89.15	92.70	89.90	90.10	90.53	89.74	89.60	89.42	88.92	88.62	88.50	89.02
20	89.20	92.30	89.84	90.00	90.40	89.73	89.58	89.42	88.80	88.62	88.50	89.04
21	89.19	91.35	89.70	90.00	90.20	89.72	89.56	89.40	88.82	88.58	88.52	89.02
22	89.16	90.65	89.65	89.94	90.25	89.74	89.60	89.37	88.84	88.56	88.52	89.04
23	89.15	90.30	89.85	89.94	90.22	89.72	89.86	89.34	88.88	88.55	88.54	89.04
24	89.15	90.10	89.95	89.90	90.30	89.76	89.90	89.32	88.82	88.62	88.52	89.04
25	89.15	89.96	89.75	89.90	90.37	89.78	89.90	89.20	88.84	88.54	88.56	89.06
26	89.13	89.88	89.65	89.85	90.20	89.85	89.84	89.20	88.82	88.65	88.54	89.06
27	89.13	89.88	89.60	89.85	90.14	90.12	89.74	89.18	89.10	88.54	88.52	89.04
28	89.13	89.72	89.65	89.81	90.40	90.08	89.66	89.26	89.06	88.54	88.54	89.04
29	89.10	89.65	91.10	89.90	90.35	89.98	89.64	89.28	89.60	88.56	88.52	88.98
30	89.10	89.60	90.70	90.03		89.90	89.56	89.10	89.40	88.52	88.54	89.04
31	89.10		90.42	90.28		89.88		89.20		88.52	88.52	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.04	89.14	90.10	89.82	90.34	91.34	91.07	89.88	89.52	89.00	88.34	88.95
2	89.06	89.16	89.98	89.80	90.20	91.52	90.98	89.85	89.52	88.94	88.38	88.92
3	89.04	89.16	89.93	89.79	90.10	92.26	90.92	89.80	89.50	88.92	88.45	88.94
4	89.04	89.16	91.31	89.78	90.07	92.55	90.84	89.76	89.50	88.90	88.51	88.88
5	89.04	89.18	91.94	89.77	90.06	92.20	90.76	89.72	89.48	88.86	88.47	88.88
6	89.04	89.16	92.40	89.80	89.98	91.82	90.70	89.64	89.46	88.80	88.53	88.85
7	89.06	89.18	92.70	89.77	89.91	91.77	90.62	89.68	89.46	88.78	88.50	88.92
8	89.08	89.16	92.35	89.74	89.88	91.72	90.60	89.66	89.46	88.77	88.43	88.94
9	89.06	90.00	92.20	89.73	89.84	91.72	90.55	89.64	89.42	88.68	88.59	88.90
10	89.08	90.76	92.20	89.70	89.83	91.82	90.55	89.64	89.40	88.64	88.43	88.93
11	89.14	91.85	91.46	89.72	89.70	92.20	90.52	89.53	89.67	88.58	88.45	88.97
12	89.12	92.26	91.13	89.72	89.78	92.15	90.52	89.50	89.52	88.56	88.65	88.92
13	89.12	91.70	90.88	89.70	90.26	92.06	90.48	89.44	89.46	88.64	88.65	88.90
14	89.12	90.70	90.70	89.74	90.41	91.72	90.44	89.41	89.46	88.50	88.59	88.96
15	89.12	90.30	90.56	89.70	90.30	91.52	90.44	89.54	89.44	88.56	88.39	88.92
16	89.12	90.08	90.44	89.68	90.70	91.46	90.42	89.53	89.44	88.44	88.43	88.87
17	89.16	89.92	90.32	90.00	90.79	91.35	90.40	89.50	89.46	88.44	88.95	88.89
18	89.12	89.78	90.26	89.88	90.64	91.33	90.36	89.38	89.42	88.50	88.65	88.68
19	89.14	89.68	90.16	89.78	90.64	91.37	90.34	89.42	89.42	88.52	88.77	88.87
20	89.12	89.68	90.17	89.78	90.90	91.32	90.30	89.42	89.40	88.66	88.75	88.85
21	89.18	89.60	90.12	89.74	90.95	91.35	90.28	89.40	89.34	88.66	88.73	88.92
22	89.14	89.58	90.08	89.76	91.14	91.30	90.24	89.44	89.28	88.66	88.92	89.00
23	89.16	89.90	90.07	89.74	91.70	91.28	90.20	89.43	89.27	88.61	88.75	89.04
24	89.18	89.73	90.02	89.90	92.75	91.28	90.16	89.44	89.27	88.44	88.75	89.04
25	89.22	89.90	90.00	89.88	92.88	91.24	90.12	89.52	89.14	88.44	88.76	89.07
26	89.18	90.56	89.98	89.74	92.50	91.24	90.10	89.52	89.46	88.44	88.87	89.08
27	89.14	92.26	89.97	89.70	91.80	91.22	90.00	89.52	89.03	88.38	88.87	89.08
28	89.14	91.20	89.96	89.68	91.52	91.22	90.00	89.44	88.88	88.38	88.87	89.12
29	89.14	90.70	89.90	89.68		91.22	90.00	89.44	88.90	88.36	88.93	89.23
30	89.14	90.30	89.88	89.70		91.18	89.96	89.44	90.12	88.34	88.98	89.20
31	89.14		89.86	90.08		91.15		89.59		88.34	88.95	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.23	89.53	89.42	89.95	90.26	90.17	89.58	88.90	88.77	88.88	88.52	89.05
2	89.26	89.50	89.40	89.90	90.16	90.24	89.58	88.90	88.88	88.88	88.52	89.04
3	89.17	89.48	89.40	89.84	90.11	90.25	89.56	88.88	88.61	88.82	88.55	89.06
4	89.16	89.48	89.39	89.78	90.09	90.18	89.54	88.88	88.75	88.99	88.28	89.04
5	89.16	89.47	89.38	89.70	90.02	90.10	89.53	88.86	88.81	88.87	88.27	89.11
6	89.17	89.46	89.37	90.00	89.99	90.06	89.51	88.85	88.93	88.83	88.27	89.07
7	89.18	89.45	89.39	90.20	89.98	89.98	89.50	88.84	88.87	88.70	88.27	89.02
8	89.18	89.44	89.39	90.04	89.95	89.94	89.50	88.90	88.91	88.70	88.27	89.68
9	89.18	89.44	89.57	90.50	89.92	89.90	89.49	88.93	88.89	88.69	88.27	89.29
10	89.18	89.45	90.07	90.47	89.90	89.85	89.47	88.90	88.90	88.68	88.28	89.15
11	89.18	89.43	89.88	90.10	89.89	89.81	89.50	88.85	88.89	88.71	88.28	89.12
12	89.17	89.42	89.79	90.03	89.89	89.80	89.55	88.83	88.85	88.67	88.38	89.12
13	89.19	89.40	89.90	90.12	89.86	89.80	89.58	88.77	88.85	88.56	88.40	89.13
14	89.22	89.40	89.70	90.20	89.83	89.79	89.56	88.42	88.83	88.60	88.52	89.06
15	89.40	89.40	89.64	90.30	89.82	89.79	89.54	88.38	88.83	88.56	88.52	89.10
16	89.79	89.39	89.64	90.18	89.82	89.79	89.50	88.36	88.81	88.54	88.52	89.10
17	90.16	89.39	89.60	90.24	89.80	89.79	89.46	88.34	88.78	88.53	88.49	89.10
18	91.14	89.39	89.56	90.33	89.78	89.79	89.44	88.34	88.77	88.52	88.54	89.10
19	91.67	89.40	89.53	90.55	89.76	89.70	89.43	88.30	88.75	88.52	88.52	89.10
20	92.10	89.43	89.55	92.30	89.75	89.70	89.42	88.28	88.68	88.52	88.50	89.10
21	91.13	89.40	89.64	92.54	89.75	89.68	89.41	88.37	88.65	88.52	88.49	89.10
22	90.49	89.39	89.69	91.84	89.74	89.66	89.32	88.86	88.73	88.55	88.48	89.10
23	90.24	89.39	89.66	91.30	89.73	89.65	89.24	88.97	88.59	88.53	88.44	89.09
24	90.03	89.38	89.67	91.14	89.73	89.65	89.17	89.01	88.72	88.52	88.47	89.10
25	89.90	89.38	89.66	91.02	89.77	89.64	89.16	88.97	88.70	88.50	88.79	89.11
26	89.79	89.38	89.68	90.80	89.77	89.64	89.16	88.96	88.73	88.35	89.16	89.12
27	89.70	89.37	89.80	90.60	89.82	89.62	89.12	88.90	89.10	88.60	89.19	89.12
28	89.66	89.38	89.79	90.60	90.12	89.62	89.10	88.86	89.04	88.58	89.10	89.13
29	89.60	89.47	89.70	90.34		89.68	88.92	88.90	89.00	88.69	89.04	89.13
30	89.58	89.45	89.76	90.30		89.64	88.91	88.84	88.86	88.54	89.06	89.20
31	89.56		89.73	90.39		89.60		88.76		88.54	89.06	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.15	89.14	90.46	90.73	90.54	91.60	89.90	90.00	89.19	89.04	88.42	88.86
2	89.15	89.39	90.26	90.30	90.52	91.90	89.89	89.98	89.02	88.96	88.42	88.84
3	89.15	89.91	90.10	90.65	90.62	91.23	89.86	89.96	88.98	89.04	88.42	88.92
4	89.10	89.74	90.10	90.50	90.62	90.94	89.86	89.92	88.94	89.04	88.42	88.92
5	89.10	89.42	89.95	90.50	90.52	90.85	90.18	89.90	88.92	89.00	88.42	89.02
6	89.10	88.90	89.88	90.50	90.46	90.78	91.12	89.84	88.91	88.98	88.42	89.04
7	89.13	89.43	89.88	90.45	90.38	90.68	91.08	89.84	88.91	88.93	88.44	89.10
8	89.15	90.69	89.81	90.40	90.38	90.58	90.75	89.82	88.86	88.91	88.42	89.06
9	89.15	90.58	89.77	90.30	90.35	90.46	90.50	89.80	88.84	88.81	88.42	89.10
10	89.15	90.48	89.76	90.20	90.30	90.41	90.38	89.77	88.80	88.70	88.42	89.10
11	89.15	90.02	89.71	90.10	90.26	90.43	90.30	89.69	88.72	88.64	88.42	89.10
12	89.15	89.74	89.75	90.10	90.22	90.36	90.22	89.69	88.76	88.60	88.42	89.16
13	89.16	89.60	89.74	90.16	90.18	90.34	90.37	89.72	88.48	88.56	88.42	89.16
14	89.13	89.72	89.74	90.46	90.13	90.33	90.26	89.68	88.54	88.45	88.42	89.20
15	89.20	90.40	89.70	90.89	90.13	90.26	89.95	89.48	88.48	88.42	88.42	89.20
16	89.20	90.56	89.68	90.78	90.11	90.22	90.17	89.59	88.53	88.38	88.42	89.21
17	89.18	90.11	89.70	90.60	90.12	90.10	90.15	89.59	88.58	88.52	88.42	89.24
18	89.16	89.96	89.68	90.43	91.05	90.13	90.08	89.56	88.76	88.45	88.42	89.30
19	89.15	90.02	89.65	90.30	91.06	90.10	90.05	89.52	89.00	88.47	88.42	89.54
20	89.15	90.14	89.65	90.20	91.40	90.05	90.00	89.50	89.43	88.45	88.42	89.42
21	89.15	90.08	89.64	90.18	91.04	90.04	89.98	89.44	89.38	88.42	88.44	89.34
22	89.18	89.91	89.61	90.53	90.75	90.09	90.10	89.42	89.24	88.42	88.44	89.32
23	89.17	89.80	89.60	90.35	90.75	90.12	90.22	89.42	89.20	88.42	88.44	89.30
24	89.17	89.76	89.80	91.24	90.80	90.12	90.28	89.30	89.20	88.40	88.44	89.30
25	89.17	89.16	89.80	92.12	90.89	90.09	90.18	89.40	89.26	88.42	88.44	89.30
26	89.16	90.18	89.70	92.08	91.04	90.05	90.10	89.28	89.20	88.42	88.48	89.30
27	89.16	91.50	89.69	91.40	90.90	90.00	90.07	89.31	89.12	88.42	88.50	89.30
28	89.16	92.12	89.69	91.10	90.70	89.95	90.08	89.27	89.08	88.42	88.80	89.30
29	89.16	91.56	91.78	91.05		90.00	90.04	89.36	89.12	88.42	88.90	89.21
30	89.16	90.70	91.76	90.90		90.00	90.00	89.24	89.07	88.42	88.86	89.26
31	89.15		91.00	90.65		89.91		89.22		88.42	88.80	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΒ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.37	89.38	89.34	89.30	89.40	89.53	89.23	88.93	88.96	88.20	88.16	88.21
2	89.27	89.41	89.34	89.41	89.43	89.50	89.20	88.95	88.74	88.20	88.16	88.20
3	89.25	89.36	89.33	89.35	89.39	89.58	89.20	88.93	88.92	88.20	88.16	88.53
4	89.23	89.35	89.34	89.35	89.37	89.78	89.17	89.07	88.60	88.20	88.70	88.58
5	89.22	89.34	89.33	89.36	89.50	89.70	89.08	89.02	88.40	88.20	88.65	88.60
6	89.26	89.36	89.33	89.33	89.63	89.66	88.99	89.01	88.78	88.20	88.30	88.62
7	89.22	89.33	89.32	89.33	89.58	89.62	88.94	89.01	88.72	88.20	88.25	88.60
8	89.22	89.35	89.31	89.34	89.54	89.56	88.93	89.01	88.60	88.20	88.23	88.60
9	89.30	89.33	89.32	89.32	89.65	89.53	88.90	88.97	88.38	88.20	88.22	88.62
10	89.59	89.34	89.31	89.31	89.56	89.70	88.88	88.93	88.41	88.20	88.22	88.62
11	89.45	89.33	89.30	89.30	89.52	89.71	88.80	89.04	88.34	88.20	88.22	88.59
12	89.30	89.32	89.30	89.31	90.30	89.65	88.64	88.87	88.34	88.20	88.22	88.57
13	89.28	89.31	89.29	89.33	90.18	89.56	88.37	88.93	88.32	88.19	88.22	88.66
14	89.26	89.30	89.29	89.31	90.20	89.52	88.32	88.90	88.31	88.19	88.21	88.64
15	89.32	89.30	89.29	89.32	90.30	89.50	88.32	88.86	88.30	88.18	88.21	88.60
16	89.29	89.32	89.29	89.32	90.02	89.48	88.24	89.02	88.28	88.17	88.20	88.66
17	89.30	89.30	89.52	89.34	89.83	89.48	88.32	89.10	88.28	88.16	88.20	88.44
18	89.33	89.28	89.43	89.31	89.78	89.46	88.24	89.30	88.29	88.30	88.18	88.64
19	89.32	89.39	89.36	89.30	89.70	89.45	88.23	89.24	88.28	88.16	88.18	88.69
20	89.31	89.33	89.34	89.30	89.60	89.43	88.23	89.13	88.27	88.17	88.17	88.80
21	89.30	89.35	89.32	89.29	89.62	89.42	88.24	89.11	88.27	88.18	88.17	88.80
22	89.36	89.32	89.42	89.32	89.60	89.41	88.23	89.13	88.27	88.18	88.15	88.88
23	89.90	89.32	89.37	89.51	89.55	89.40	88.23	89.15	88.27	88.18	88.15	88.76
24	90.01	89.31	89.36	89.52	89.53	89.38	88.22	89.07	88.25	88.18	88.16	88.55
25	90.02	89.31	89.35	89.43	89.49	89.36	88.25	89.00	88.24	88.18	88.16	88.70
26	89.94	89.30	89.34	89.48	89.49	89.36	88.25	89.09	88.24	88.18	88.16	88.65
27	89.70	89.31	89.32	89.36	89.49	89.35	88.98	89.09	88.24	88.18	88.17	88.85
28	89.59	89.35	89.31	89.34	89.56	89.34	89.38	89.13	88.22	88.16	88.17	88.64
29	89.50	89.35	89.36	89.32	89.56	89.33	89.12	89.03	88.22	88.18	88.18	88.66
30	89.44	89.34	89.36	89.41		89.30	88.99	89.09	88.21	88.18	88.20	88.62
31	89.41		89.36	89.40		89.26		89.03		88.17	88.20	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	88.92	89.04	89.02	89.02	89.64	89.42	88.78	88.25	88.23	88.17	88.12	88.15
2	88.82	89.04	89.02	89.02	89.80	89.42	88.86	88.23	88.22	88.17	88.12	88.13
3	88.84	89.04	89.02	89.02	89.70	89.42	88.70	88.20	88.22	88.16	88.10	88.11
4	88.70	89.04	89.02	89.02	89.64	89.42	88.60	88.20	88.21	88.15	88.09	88.12
5	88.74	89.02	89.02	89.00	89.60	89.42	88.44	88.12	88.22	88.15	88.09	88.11
6	88.92	89.00	89.02	89.00	89.50	89.34	88.30	88.20	88.20	88.16	88.08	88.10
7	88.96	89.00	89.02	89.00	89.42	89.32	88.30	88.20	88.19	88.17	88.21	88.08
8	88.96	89.00	89.02	89.00	89.50	89.30	88.28	88.20	88.16	88.13	88.16	88.06
9	88.92	89.00	89.20	89.00	89.54	89.30	88.30	88.19	88.17	88.12	88.13	88.04
10	88.92	89.06	89.62	89.00	89.72	89.30	88.28	88.18	88.14	88.13	88.12	88.02
11	88.92	89.00	89.40	89.00	89.56	89.42	88.28	88.19	88.15	88.13	88.11	88.01
12	88.92	88.98	89.20	89.00	89.50	89.42	88.29	88.20	88.15	88.12	88.10	87.99
13	88.92	89.00	89.12	89.10	89.42	89.42	88.29	88.20	88.15	88.11	88.11	87.97
14	88.91	89.04	89.10	89.50	89.40	89.30	88.29	88.20	88.14	88.10	88.12	87.95
15	88.96	89.04	89.10	89.34	89.38	89.28	88.28	88.21	88.13	88.08	88.10	87.94
16	88.98	89.04	89.02	89.20	89.32	89.24	88.28	88.23	88.14	88.08	88.08	87.95
17	88.96	89.18	89.02	89.14	89.28	89.20	88.27	88.21	88.15	88.10	88.06	87.94
18	88.94	89.16	89.02	89.10	89.24	89.42	88.28	88.21	88.16	88.13	88.05	88.44
19	88.96	89.12	89.02	89.20	89.24	89.70	88.28	88.28	88.20	88.14	88.04	88.49
20	88.96	89.06	89.02	89.30	89.24	89.44	88.28	88.22	88.17	88.13	88.06	88.47
21	88.96	89.06	89.02	89.30	90.00	89.42	88.27	88.21	88.19	88.11	88.15	88.47
22	89.00	89.06	89.02	89.40	89.70	89.34	88.27	88.22	88.19	88.10	88.15	88.48
23	88.98	89.04	89.02	89.30	89.70	89.28	88.26	88.21	88.16	88.12	88.15	88.48
24	89.00	89.02	89.20	89.22	89.70	89.24	88.27	88.23	88.16	88.11	88.15	88.47
25	88.94	89.00	89.12	89.18	89.64	89.14	88.26	88.12	88.16	88.10	88.16	88.49
26	88.98	89.00	89.10	89.20	89.60	89.14	88.27	88.12	88.15	88.08	88.15	88.55
27	88.96	89.00	89.02	89.28	89.50	89.20	88.26	88.12	88.16	88.07	88.15	88.60
28	88.96	89.00	89.02	89.48	89.44	89.20	88.25	88.12	88.18	88.25	88.16	88.63
29	88.96	89.00	89.02	89.30		89.10	88.34	88.15	88.18	88.22	88.17	88.66
30	88.96	89.00	89.02	89.42		88.62	88.30	88.13	88.17	88.18	88.16	88.66
31	89.00		89.02	89.72		88.82		88.12		88.15	88.16	

ΕΠΕΞΗΓΗΤΗ ΕΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	88.66	88.88	89.08	89.60	89.06	89.56	90.56	89.12	88.80	88.60	88.18	88.76
2	88.66	88.66	89.06	89.44	89.07	89.56	90.34	89.30	88.80	88.60	88.18	88.76
3	88.66	88.66	89.04	89.36	89.08	89.52	90.20	89.40	88.90	88.52	88.16	88.76
4	88.66	88.66	89.02	89.34	89.19	89.48	90.15	89.28	88.70	88.52	88.14	88.86
5	88.66	88.90	89.04	89.36	89.22	89.48	90.10	89.12	88.70	88.54	88.10	88.84
6	88.72	88.98	89.02	89.30	89.19	89.90	90.04	89.12	88.60	88.54	87.76	88.82
7	88.72	88.88	89.00	89.24	89.18	90.85	89.98	89.12	88.60	88.52	87.76	88.80
8	88.70	88.70	89.04	89.24	89.15	90.68	89.95	89.06	88.60	88.46	87.76	88.80
9	88.70	88.69	89.00	89.22	89.15	90.60	90.00	88.88	88.60	88.56	88.10	88.80
10	88.70	89.43	88.98	89.60	89.12	90.50	90.02	88.88	88.64	88.50	88.30	88.80
11	88.72	88.88	88.98	89.94	89.12	90.34	90.00	88.92	88.64	88.40	88.26	88.80
12	88.70	88.70	88.98	89.94	89.08	90.17	89.88	88.80	88.58	88.32	88.12	88.80
13	88.74	88.68	89.10	89.76	89.08	89.98	89.84	88.80	88.66	88.32	88.16	88.90
14	88.74	88.68	89.14	89.54	89.08	89.98	89.80	88.88	88.62	88.30	88.26	89.00
15	88.70	88.88	89.28	89.44	90.20	89.80	89.76	88.80	88.60	88.26	88.20	89.00
16	88.94	88.79	89.22	89.36	90.20	89.76	89.68	88.74	88.58	88.24	88.20	89.15
17	88.72	88.79	89.14	89.34	91.30	89.74	89.66	88.40	88.58	88.22	88.20	89.36
18	88.70	89.70	89.10	89.30	91.00	89.72	89.66	88.40	88.48	88.22	88.20	88.48
19	88.72	90.15	89.08	89.24	90.70	89.70	89.66	88.40	88.54	88.20	88.20	88.50
20	88.72	89.50	89.04	89.28	90.30	89.65	89.60	88.44	88.54	88.20	88.20	88.52
21	88.74	89.10	89.04	89.20	90.30	89.60	89.58	88.44	88.46	88.20	88.20	88.52
22	88.74	89.29	89.04	89.18	90.30	89.62	89.58	88.44	88.44	88.20	88.20	88.52
23	89.10	89.26	89.84	89.18	89.90	90.40	89.50	88.44	88.44	88.20	88.80	88.52
24	88.92	89.26	89.56	89.12	89.80	90.22	89.44	88.36	88.46	88.20	88.68	88.52
25	89.12	89.08	89.36	89.12	89.70	89.94	89.42	88.26	88.46	88.20	88.52	88.52
26	89.10	89.08	89.14	89.08	89.65	89.83	89.38	88.25	88.46	88.20	89.40	88.45
27	89.18	89.08	89.24	89.09	89.65	89.76	89.30	88.25	88.46	88.20	88.90	88.52
28	89.76	89.06	89.46	89.14	89.60	89.90	89.30	88.36	88.44	88.20	89.25	88.50
29	88.90	89.12	89.66	89.10		90.70	89.30	88.28	88.40	88.18	88.70	88.56
30	88.88	89.14	89.44	89.07		90.76	89.30	88.50	88.40	88.18	88.74	88.70
31	88.88		89.56	89.07		90.74		88.68		88.16	88.70	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	88.74	90.50	90.38	89.90	91.70	90.86	90.94	89.85	89.90	89.16	88.33	88.58
2	88.80	90.00	90.20	89.90	91.49	90.90	90.74	89.82	89.82	89.11	88.34	88.58
3	88.95	89.60	91.10	89.86	91.39	90.90	90.65	89.81	89.78	89.05	88.30	89.80
4	88.90	89.40	91.35	89.85	91.30	90.91	90.54	89.68	89.70	88.97	88.32	89.28
5	88.90	89.25	91.06	90.80	91.28	90.80	90.43	89.63	89.70	88.93	88.34	89.22
6	88.90	89.20	90.96	90.60	91.09	90.74	90.38	89.56	89.70	88.43	88.35	89.19
7	88.90	89.15	90.70	90.35	91.00	90.60	90.35	89.65	89.70	88.83	88.35	89.19
8	89.00	89.15	90.50	90.26	90.89	90.51	90.33	89.65	89.70	88.80	88.35	89.23
9	89.50	89.15	90.35	90.40	91.13	90.48	90.32	89.87	89.64	88.80	88.35	90.39
10	89.35	89.15	90.15	91.20	91.22	90.45	90.28	90.04	89.63	88.70	88.28	89.50
11	89.05	89.10	90.05	91.05	91.16	90.44	90.24	90.04	89.62	88.66	88.29	89.46
12	89.06	89.25	90.00	90.90	91.08	90.42	90.24	89.98	89.61	88.60	88.30	89.34
13	89.18	89.20	90.00	90.70	91.03	90.40	90.23	89.84	89.60	88.55	88.30	89.29
14	89.06	89.20	90.00	90.55	90.96	90.38	90.31	89.83	89.58	88.55	88.30	89.22
15	89.00	89.30	90.40	90.40	91.45	90.33	90.28	89.80	89.50	88.43	88.35	89.21
16	89.05	89.25	90.65	90.26	91.84	90.65	90.22	89.74	89.61	88.24	88.35	89.22
17	89.10	90.28	90.58	90.20	92.13	90.54	90.17	89.75	89.64	88.22	88.31	89.20
18	89.00	90.14	90.34	90.16	91.74	90.90	90.11	90.00	89.79	88.26	88.33	89.21
19	89.00	89.80	90.16	90.24	91.53	91.91	90.32	90.20	89.52	88.26	88.35	89.22
20	89.00	89.90	90.10	90.25	91.49	91.42	90.08	90.38	89.42	88.26	88.31	89.22
21	89.04	89.85	90.04	91.05	91.41	91.32	90.08	90.10	89.41	88.30	88.31	89.23
22	89.00	89.95	90.44	90.60	91.27	91.18	90.08	90.30	89.48	88.30	88.30	89.24
23	89.00	90.20	90.40	90.46	91.11	91.00	90.07	90.35	89.44	88.30	88.32	89.23
24	89.00	91.40	90.30	91.00	91.02	90.85	90.07	90.30	89.41	89.09	88.32	89.22
25	88.98	90.85	90.16	91.60	91.00	90.71	90.07	90.24	89.36	88.35	88.35	89.24
26	89.00	91.15	90.06	91.40	90.93	90.63	90.04	90.15	89.35	88.30	88.37	89.23
27	89.25	91.05	90.06	91.35	90.89	90.56	89.96	90.10	89.33	88.30	88.50	89.23
28	89.05	91.00	90.06	92.65	90.83	90.55	89.92	90.03	89.26	88.30	88.52	89.23
29	89.00	90.85	90.06	92.65		90.55	89.91	89.98	89.21	88.30	88.52	89.23
30	89.65	90.66	90.08	92.20		90.63	89.90	89.88	89.17	88.30	88.55	89.22
31	90.35		90.04	91.90		90.96		89.93		88.30	88.56	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.22	89.46	89.47	89.63	89.78	91.80	89.99	89.37	89.90	*40	88.18	89.00
2	89.22	89.39	89.44	89.62	89.74	91.80	89.87	89.20	89.70	*40	88.18	88.86
3	89.20	89.95	89.45	89.76	89.74	91.52	89.90	89.14	89.58	*40	88.18	88.96
4	89.20	90.16	89.53	89.78	89.76	91.03	89.88	89.18	89.46	*40	88.18	88.92
5	89.24	90.37	89.72	89.76	89.70	90.76	89.86	89.20	89.46	*40	88.18	88.88
6	89.22	89.92	89.64	89.84	89.68	90.60	89.84	89.19	89.46	*40	88.17	88.90
7	89.20	89.65	89.60	89.82	89.64	90.45	89.80	89.13	89.44	*40	88.17	88.86
8	89.20	89.55	89.50	89.74	89.64	90.30	89.80	89.15	89.40	*40	88.18	88.95
9	89.20	89.48	89.50	89.72	89.61	90.30	89.78	89.20	89.40	*40	88.22	88.75
10	89.18	89.43	89.56	89.70	89.72	90.34	89.78	89.10	89.40	*40	88.22	88.82
11	89.20	89.40	90.10	89.74	89.68	90.30	89.72	89.10	89.32	*40	88.20	88.87
12	89.17	89.36	89.88	89.70	89.74	90.32	89.70	89.15	89.32	*40	88.22	88.88
13	89.20	89.38	89.70	89.64	89.80	90.38	89.76	89.37	89.38	*40	88.22	88.82
14	89.20	89.61	89.60	89.60	89.70	90.45	89.68	89.20	89.38	*40	88.30	88.82
15	89.20	89.47	89.57	89.54	89.68	90.36	89.76	89.50	89.38	*40	88.30	88.81
16	89.20	89.41	89.56	89.54	89.68	90.30	89.74	89.45	89.16	*40	88.28	88.81
17	89.19	89.39	89.52	89.54	89.68	90.15	89.68	89.37	89.16	*40	88.23	88.90
18	89.19	89.34	89.54	89.54	89.68	90.08	89.68	89.15	89.24	88.30	88.24	88.90
19	89.23	89.35	89.56	89.51	89.64	90.08	89.64	89.15	89.24	88.28	88.24	88.90
20	89.25	89.35	89.58	89.51	89.61	90.08	89.60	89.10	89.24	88.10	88.24	88.90
21	89.28	89.35	89.70	89.48	89.60	90.10	89.58	89.45	89.24	88.10	88.35	88.90
22	89.35	89.35	90.54	89.50	89.64	90.06	89.58	89.32	89.15	88.00	88.34	88.90
23	89.49	89.37	90.76	89.50	89.68	90.04	89.52	89.25	89.15	88.10	88.35	88.93
24	89.71	89.71	90.36	89.80	89.98	90.12	89.50	89.38	89.15	88.10	88.24	88.93
25	89.61	89.68	90.14	90.30	90.04	90.06	89.50	89.34	89.18	88.35	88.40	88.93
26	89.39	89.53	89.94	90.00	89.87	90.00	89.50	89.37	89.18	88.07	88.33	88.92
27	89.32	89.49	89.80	89.82	89.80	89.94	89.48	89.70	89.18	88.07	88.35	88.90
28	89.33	89.48	89.78	89.74	89.76	89.94	89.48	89.52	89.08	88.02	88.47	88.92
29	89.33	89.55	89.76	89.74	90.30	89.94	89.46	89.48	89.08	88.02	88.72	88.92
30	89.50	89.56	89.72	89.74		89.91	89.45	89.45	89.08	88.00	88.90	88.92
31	89.52		89.66	89.82		89.87		90.30		87.93	88.84	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλεισιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	88.90	90.43	90.00	91.52	90.61	90.71	90.30	90.10	89.52	89.20	88.67	89.11
2	88.92	91.60	90.00	91.40	90.58	90.71	90.30	90.05	89.57	89.11	88.75	89.27
3	88.95	91.90	89.97	91.22	90.87	90.78	90.28	90.04	89.54	89.05	88.67	89.30
4	88.95	91.90	89.97	91.17	90.87	90.67	90.24	90.01	89.57	89.04	88.65	89.30
5	88.95	91.60	89.95	91.57	90.81	90.67	90.34	89.99	89.59	88.97	88.63	89.32
6	89.27	92.62	89.95	91.64	90.70	90.67	90.36	89.97	89.90	88.87	88.63	89.27
7	89.57	92.58	89.90	91.64	90.67	90.59	90.27	89.94	89.67	88.82	88.65	89.27
8	89.47	92.12	89.90	91.39	90.67	90.66	90.22	89.91	89.72	88.57	88.63	89.29
9	89.27	91.60	90.10	91.29	90.67	90.72	90.22	90.02	89.85	88.56	88.63	89.31
10	89.18	91.54	90.10	91.17	91.84	90.87	90.22	90.15	89.74	88.54	88.63	89.37
11	89.14	91.24	90.24	91.07	92.27	90.92	90.17	90.06	89.70	88.54	88.65	89.35
12	89.14	91.04	90.12	91.07	92.02	90.97	90.16	89.98	89.69	88.70	88.65	89.35
13	89.27	90.80	90.70	90.97	91.67	90.87	90.13	89.94	89.85	88.72	88.60	89.35
14	89.57	90.71	90.65	90.87	91.45	90.78	90.11	89.92	89.74	88.76	88.55	89.33
15	89.27	90.55	90.65	90.85	91.30	90.71	90.08	89.89	89.64	89.12	88.55	89.35
16	89.27	90.55	90.50	90.81	91.17	90.67	90.07	89.87	89.59	89.00	88.55	89.29
17	89.66	90.43	90.55	90.77	91.07	90.59	90.03	89.85	89.50	88.90	88.56	89.29
18	89.27	90.42	91.14	90.87	91.07	90.45	90.09	89.82	89.50	88.89	88.60	89.32
19	89.27	90.42	93.25	91.41	91.07	90.45	90.25	89.80	89.54	88.93	88.57	89.32
20	89.27	90.58	92.80	91.40	91.29	90.45	90.28	89.80	89.50	88.90	88.59	89.37
21	89.26	90.55	92.50	91.29	91.07	90.39	90.25	89.77	89.47	88.87	88.60	89.37
22	89.40	90.55	92.00	91.22	91.07	90.39	90.16	89.67	89.47	88.83	88.61	89.40
23	90.08	90.40	92.50	91.07	90.97	90.37	90.12	89.70	89.45	88.78	88.67	89.40
24	90.76	90.40	93.05	90.97	90.92	90.37	90.12	89.69	89.37	88.83	88.92	89.37
25	91.00	90.29	92.85	90.87	90.87	90.37	90.22	89.67	89.35	88.83	88.93	89.37
26	91.54	90.29	92.40	90.81	90.85	90.35	90.22	89.64	89.37	88.75	88.92	89.37
27	91.35	90.19	92.20	90.77	90.81	90.37	90.17	89.61	89.35	88.75	88.92	89.35
28	91.24	90.07	92.00	90.70	90.77	90.37	90.32	89.57	89.32	88.67	88.92	89.35
29	90.85	90.07	91.80	90.70		90.37	90.28	89.55	89.27	88.57	88.97	89.57
30	90.46	90.02	91.60	90.67		90.35	90.17	89.57	89.26	88.77	89.08	90.55
31	90.42		91.40	90.67		90.30		89.54		88.67	89.15	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	90.87	89.71	91.27	91.19	91.60	90.91	90.41	89.53	89.59	88.87	88.43	88.41
2	90.67	89.67	91.37	91.17	91.45	90.87	90.37	89.51	89.55	88.87	88.43	88.41
3	90.78	89.67	91.20	91.13	91.39	90.86	90.33	89.47	89.47	88.82	88.43	88.41
4	90.87	89.64	91.10	91.06	91.38	90.83	90.31	89.46	89.47	88.85	88.43	88.41
5	90.82	89.64	90.82	91.36	91.29	90.92	90.27	89.44	89.47	88.82	88.43	88.41
6	90.36	89.60	91.47	92.23	91.22	90.88	90.24	89.57	89.50	88.81	88.43	88.41
7	90.22	89.60	93.08	92.63	91.17	90.82	90.24	89.72	89.41	88.79	88.43	88.41
8	89.97	89.60	93.17	92.47	91.11	90.78	90.25	89.72	89.41	88.55	88.43	88.41
9	89.87	89.62	93.07	92.47	91.35	90.74	90.24	89.73	89.41	88.47	88.43	88.41
10	89.90	89.60	92.82	92.25	91.59	90.72	90.21	89.71	89.41	88.42	88.43	88.41
11	89.77	90.47	92.54	91.82	91.72	90.69	90.18	89.77	89.40	88.40	88.43	88.87
12	89.72	91.17	92.24	91.65	91.66	90.70	90.15	89.74	89.40	88.40	88.39	89.17
13	89.69	91.12	91.90	91.50	91.42	90.69	90.13	89.72	89.40	88.40	88.39	89.22
14	89.69	90.65	92.10	91.40	91.39	90.65	90.09	89.69	89.34	88.39	88.39	89.26
15	89.67	90.36	92.31	91.11	91.31	90.63	90.09	89.68	89.28	88.39	88.37	89.24
16	89.67	90.15	92.40	91.39	91.24	90.62	90.07	89.68	89.27	88.39	88.36	89.24
17	89.64	90.10	92.24	91.46	91.38	90.61	90.07	89.64	89.23	88.39	88.36	89.26
18	89.64	90.22	91.98	91.97	91.33	90.63	90.09	89.63	89.20	88.42	88.35	89.26
19	89.62	90.40	91.80	92.22	91.35	90.61	90.07	89.63	89.15	88.39	88.34	89.26
20	89.62	90.27	91.62	92.47	91.25	90.59	90.03	89.57	89.15	88.31	88.34	89.26
21	89.60	90.20	91.45	92.36	91.15	90.53	89.95	89.56	89.05	88.29	88.34	89.29
22	89.60	90.72	91.37	92.12	91.07	90.49	89.90	89.54	89.07	88.29	88.34	89.29
23	89.60	90.77	91.25	91.96	91.00	90.47	89.81	89.50	89.05	88.29	88.33	89.29
24	89.59	91.87	91.15	91.91	90.97	90.47	89.83	89.53	89.03	88.29	88.33	89.29
25	89.60	92.17	91.07	91.78	90.99	90.44	89.78	89.50	89.03	88.29	88.35	89.28
26	89.62	92.04	91.02	91.66	91.01	90.45	89.74	89.55	89.05	88.29	88.35	89.28
27	89.60	91.52	91.44	91.56	91.01	90.41	89.74	89.57	88.91	88.29	88.37	89.28
28	89.62	91.05	91.60	91.49	90.97	90.37	89.69	89.57	88.90	88.43	88.39	89.29
29	89.67	90.93	91.87	91.51		90.33	89.62	89.63	88.89	88.43	88.41	89.32
30	89.85	91.22	91.43	91.73		90.33	89.54	89.54	88.87	88.43	88.41	89.33
31	89.77		91.29	91.76		90.49		89.57		88.43	88.41	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.36	89.37	89.77	89.93	90.71	90.63	90.19	90.01	89.57	89.67	88.77	89.17
2	89.32	89.37	89.69	89.88	90.57	90.55	90.17	90.08	89.54	89.63	88.79	89.05
3	89.29	89.35	89.62	90.19	90.45	90.47	90.34	91.04	89.54	89.59	88.47	89.04
4	89.29	89.35	89.66	91.89	90.37	90.39	90.35	90.89	89.53	89.52	88.39	89.15
5	89.29	89.35	89.71	92.60	90.30	90.41	90.29	91.67	89.52	89.59	88.37	89.17
6	89.29	89.37	89.84	92.55	90.28	90.51	90.57	91.75	89.42	89.47	88.34	89.20
7	89.29	89.57	89.75	91.91	90.28	90.62	90.41	91.41	89.41	89.47	88.37	89.22
8	89.29	89.42	89.69	91.48	90.32	90.51	90.47	91.07	89.41	89.49	88.37	89.20
9	89.29	89.43	89.73	91.18	90.32	90.39	90.46	90.83	89.45	89.48	88.32	89.24
10	89.29	89.47	89.98	90.95	90.30	90.32	90.58	90.65	89.67	89.41	88.32	89.31
11	89.31	89.47	90.03	91.20	90.34	90.39	90.55	90.53	91.41	89.33	88.32	89.29
12	89.31	89.98	90.61	91.01	90.34	90.42	90.67	90.45	90.61	89.32	88.32	89.29
13	89.32	90.24	90.53	90.94	90.32	90.44	90.60	90.35	90.57	88.91	88.33	89.27
14	89.32	91.12	90.31	90.85	90.89	90.97	90.49	90.27	90.61	89.07	88.33	89.29
15	89.32	91.60	90.12	90.64	91.09	91.31	90.40	90.23	90.61	89.03	88.33	89.29
16	89.37	91.46	90.08	90.60	91.04	91.02	90.57	90.13	90.53	89.01	88.57	89.29
17	89.37	91.21	90.03	90.49	90.94	90.72	90.41	90.13	90.35	88.95	88.81	89.29
18	89.37	90.80	90.01	90.46	90.77	90.62	90.41	90.10	90.20	88.91	88.77	89.27
19	89.37	90.42	89.99	90.83	90.60	90.63	90.38	90.07	90.15	88.89	88.83	89.29
20	89.37	90.17	89.97	90.72	90.45	90.87	90.33	90.01	90.02	88.83	88.80	89.29
21	89.37	90.11	89.92	90.63	90.45	90.83	90.25	89.97	89.99	88.69	88.86	89.25
22	89.37	89.97	89.89	90.51	90.53	90.72	90.21	89.91	89.97	88.73	88.84	89.26
23	89.34	89.97	89.87	90.42	90.57	90.59	90.17	89.89	89.91	88.75	88.83	89.29
24	89.34	89.78	89.83	90.36	90.73	90.51	90.15	89.84	89.87	88.71	88.91	89.31
25	89.34	89.75	89.82	90.34	90.70	90.39	90.13	89.81	89.87	88.77	88.89	89.32
26	89.35	89.70	89.82	90.27	90.70	90.34	90.11	89.81	89.87	88.85	88.85	89.32
27	89.37	89.67	89.85	90.24	90.70	90.29	90.09	89.80	89.87	88.81	88.81	89.32
28	89.37	89.65	89.98	91.16	90.70	90.25	90.07	89.75	89.84	88.81	89.17	89.33
29	89.40	89.71	90.18	91.16		90.23	90.05	89.72	89.72	88.77	89.31	89.33
30	89.37	89.82	90.14	91.06		90.21	89.99	89.66	89.72	88.72	89.17	89.33
31	89.38		90.02	90.92		90.19		89.63		88.71	89.20	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.33	89.40	89.45	89.87	91.44	90.53	90.50	89.17	89.12	88.58	87.92	87.87
2	89.33	89.40	89.43	89.83	91.33	90.61	90.43	89.03	89.09	88.58	87.92	87.87
3	89.35	89.41	89.47	89.81	91.07	90.52	90.33	89.01	89.17	88.52	87.92	87.87
4	89.35	89.40	89.47	89.78	90.77	90.41	90.26	88.99	89.02	88.52	87.92	87.87
5	89.34	89.37	89.46	89.79	90.51	90.34	90.23	88.97	89.02	88.42	87.92	87.87
6	89.36	89.47	89.46	89.91	90.41	90.31	90.20	88.92	89.05	88.32	87.92	87.87
7	89.36	89.77	89.46	90.07	90.50	90.25	90.15	88.62	89.17	88.31	87.92	88.39
8	89.36	89.39	89.46	90.13	90.75	90.24	90.12	88.49	89.06	88.27	87.92	88.52
9	89.37	89.45	89.56	90.11	90.71	90.22	90.08	88.43	89.13	88.27	87.92	88.59
10	89.37	89.45	89.65	89.98	90.54	90.20	90.07	88.50	89.15	88.27	87.92	88.57
11	89.38	89.43	89.57	89.94	90.41	90.17	90.04	88.46	89.38	88.27	87.92	88.57
12	89.39	89.67	89.51	91.28	90.81	90.30	90.03	88.46	89.52	88.20	87.92	88.57
13	89.37	89.47	89.52	91.62	91.27	90.30	89.97	88.71	89.57	88.20	87.92	88.55
14	89.35	89.47	89.54	92.12	91.27	90.32	89.95	88.82	89.40	88.12	87.92	88.55
15	89.39	89.47	89.84	91.65	91.56	90.32	89.87	89.09	89.29	88.12	87.92	88.55
16	89.39	89.45	90.09	90.90	91.17	90.29	89.86	89.65	89.23	88.12	87.87	88.55
17	89.39	89.58	89.89	90.50	90.87	90.75	89.83	89.84	89.13	88.12	87.87	88.55
18	89.41	89.85	89.73	90.28	90.72	90.73	89.79	89.69	89.12	88.12	87.87	88.76
19	89.40	89.65	89.64	90.29	90.72	90.69	89.77	89.61	89.09	88.12	87.87	89.37
20	89.37	89.53	89.61	90.29	90.75	90.61	89.77	89.52	89.07	88.12	87.87	90.65
21	89.39	89.52	89.61	90.55	90.72	90.46	89.77	89.43	89.07	88.12	87.87	90.19
22	89.39	89.47	90.05	90.43	90.61	90.34	89.75	89.39	89.05	88.12	87.87	89.67
23	89.39	89.45	90.11	90.61	90.57	90.32	89.69	89.39	89.02	87.92	87.87	89.37
24	89.39	89.45	90.05	90.33	90.60	90.32	89.61	89.45	88.95	87.92	87.87	89.22
25	89.39	89.44	89.97	90.20	91.05	90.35	89.49	89.57	88.94	87.92	87.87	89.15
26	89.38	89.44	90.01	90.27	90.95	90.35	89.43	89.49	88.88	87.92	87.87	89.15
27	89.39	89.45	89.99	90.07	90.82	90.35	89.43	89.43	88.83	87.92	87.87	89.10
28	89.39	89.44	89.95	90.05	90.61	90.36	89.43	89.43	88.75	87.92	87.87	89.07
29	89.39	89.43	89.93	90.03	90.50	90.43	89.35	89.42	88.74	87.92	87.87	89.02
30	89.39	89.40	89.81	90.07		90.57	89.29	89.37	88.74	87.92	87.87	89.02
31	89.39		89.83	90.44		90.57		89.35		87.92	87.87	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.02	90.07	90.27	90.02	89.77	90.12	90.77	89.99	89.77	89.34	88.07	87.97
2	89.02	89.77	90.25	90.03	89.77	90.05	90.72	89.96	89.77	89.27	88.27	87.97
3	89.02	89.63	90.17	90.02	89.77	90.00	90.65	89.93	89.75	89.17	88.07	87.97
4	89.02	89.63	90.13	90.02	90.17	89.97	90.56	89.88	89.72	88.99	87.97	87.97
5	89.02	89.47	90.07	89.95	91.55	89.93	90.49	89.87	89.67	88.99	87.97	87.97
6	88.99	89.43	90.15	89.95	91.87	90.03	90.37	89.82	89.67	89.01	87.97	87.97
7	88.99	89.40	90.07	89.95	91.59	89.97	90.29	89.81	89.75	88.97	87.97	87.97
8	88.99	89.37	90.02	89.95	91.05	89.92	90.31	89.72	89.72	88.97	87.97	87.97
9	89.02	89.63	90.17	90.21	90.72	89.91	90.27	89.67	89.67	88.97	87.97	87.97
10	89.02	89.72	90.45	90.15	90.61	89.87	90.87	89.65	89.62	88.77	87.97	87.97
11	89.19	90.50	90.87	90.12	90.47	89.78	90.82	89.65	89.62	88.77	87.97	87.97
12	89.37	91.35	90.89	90.11	90.37	89.77	90.77	89.48	89.75	88.77	87.97	87.97
13	89.16	91.15	90.72	90.08	90.32	89.83	90.89	89.51	89.67	88.97	87.97	87.97
14	89.18	90.93	90.65	90.24	90.37	89.87	90.85	89.49	89.62	88.97	87.97	87.97
15	89.34	91.18	90.52	90.25	90.25	89.79	90.77	90.07	89.60	88.97	87.97	88.77
16	89.20	91.67	90.37	90.13	90.19	89.72	90.67	90.12	89.58	89.02	87.97	88.91
17	89.17	91.32	90.45	90.07	90.17	90.37	90.57	90.07	89.57	89.01	87.97	89.01
18	89.11	90.91	90.45	90.05	90.14	91.72	90.43	89.94	89.53	89.00	87.97	89.01
19	89.11	91.22	90.45	90.00	90.14	91.91	90.37	89.86	89.55	88.97	87.97	89.14
20	89.11	91.67	90.42	89.97	90.14	92.15	90.32	90.07	89.43	88.92	87.97	89.14
21	89.10	91.71	90.42	89.92	90.11	92.12	90.29	90.62	89.43	89.09	87.97	89.14
22	89.22	91.71	90.32	89.92	90.09	91.81	90.27	90.72	89.46	88.97	87.97	89.17
23	89.47	91.27	90.27	89.89	90.14	91.59	90.23	90.64	89.72	88.91	87.97	89.17
24	89.27	90.82	90.22	89.87	90.17	91.89	90.20	90.47	89.60	88.87	87.97	89.17
25	89.27	90.52	90.17	89.87	90.47	91.77	90.19	90.31	89.52	88.87	87.97	89.17
26	89.37	90.37	90.15	89.87	90.33	91.69	90.17	90.17	89.51	88.87	87.97	89.37
27	89.60	90.37	90.12	89.87	90.27	91.59	90.16	90.04	89.43	88.75	87.97	89.37
28	89.51	90.52	90.07	89.83	90.20	91.37	90.13	89.95	89.41	88.77	87.97	89.37
29	89.37	90.49	90.05	89.77		91.15	90.07	89.87	89.38	88.65	87.97	89.36
30	89.54	90.37	90.02	89.77		91.01	90.03	89.83	89.36	88.65	87.97	89.36
31	89.97		90.02	89.77		90.87		89.81		88.65	87.97	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.37	89.37	89.87	89.52	89.84	90.78	90.18	88.71	89.32	*40	*40	*40
2	89.37	89.35	89.85	89.52	89.82	90.77	90.18	88.71	88.77	*40	*40	*40
3	89.37	89.35	89.61	89.52	89.78	90.67	90.07	88.71	89.10	*40	*40	*40
4	89.37	89.35	89.52	89.52	89.77	90.53	90.13	88.79	89.15	*40	*40	*40
5	89.36	89.35	89.52	89.53	89.77	90.41	90.07	88.57	89.17	*40	*40	*40
6	89.36	89.35	89.47	89.87	89.77	90.37	90.04	88.57	89.17	*40	*40	*40
7	89.13	89.35	89.52	89.93	89.77	90.35	90.00	88.94	89.19	*40	*40	*40
8	89.22	89.49	89.52	90.03	89.77	90.43	89.97	88.27	89.19	*40	*40	*40
9	89.29	89.37	89.47	90.08	89.77	90.45	89.91	88.27	89.07	*40	*40	*40
10	89.31	89.37	89.47	90.11	89.77	90.38	89.87	88.02	89.07	*40	*40	*40
11	89.31	89.35	89.44	90.75	89.78	90.32	89.85	88.02	88.97	*40	*40	*40
12	89.32	89.33	89.44	90.67	89.78	90.28	89.85	87.97	88.94	*40	*40	*40
13	89.32	89.33	89.44	90.55	89.84	90.67	89.85	87.97	88.94	*40	*40	*40
14	89.37	89.33	89.67	90.75	90.22	90.75	89.83	87.97	88.85	*40	*40	*40
15	89.39	89.33	89.87	90.63	91.06	90.64	89.81	87.97	88.85	*40	*40	*40
16	89.42	89.35	90.14	90.57	90.87	90.55	89.78	87.97	88.81	*40	*40	*40
17	89.42	89.35	90.16	90.72	90.77	90.43	89.78	87.97	88.45	*40	*40	*40
18	89.58	89.35	90.07	90.72	90.59	90.37	89.77	87.97	87.97	*40	*40	*40
19	89.39	89.35	90.07	90.69	90.36	90.32	89.68	87.97	87.97	*40	*40	88.96
20	89.40	89.35	89.94	90.52	90.21	90.28	89.49	87.97	87.92	*40	*40	88.96
21	89.38	89.35	89.77	90.25	90.14	90.28	89.32	87.97	87.92	*40	*40	88.96
22	89.37	89.35	89.71	90.11	90.07	90.39	89.37	87.97	87.92	*40	*40	89.00
23	89.37	89.35	89.65	90.05	90.02	90.51	88.85	87.97		*40	*40	89.10
24	89.37	89.36	89.59	90.11	90.00	90.59	88.62	87.97		*40	*40	89.05
25	89.37	89.36	89.57	90.07	90.41	90.47	88.62	87.97		*40	*40	89.08
26	89.37	89.47	89.57	90.05	90.43	90.45	88.65	88.62		*40	*40	89.09
27	89.37	89.47	89.55	89.98	90.42	90.42	88.65	88.62	87.87	*40	*40	89.10
28	89.37	89.60	89.54	89.92	90.35	90.40	88.85	88.51		*40	*40	89.09
29	89.37	89.62	89.52	89.87		90.35	88.65	88.85		*40	*40	89.07
30	89.37	89.84	89.52	89.87		90.26	88.77	89.10		*40	*40	89.07
31	89.37		89.52	89.87		90.22		89.34		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.09	89.12	89.14	89.50	89.62	89.55	89.36	88.92	*40	*40	*40	*40
2	89.09	89.12	89.15	89.40	89.61	89.60	89.36	88.91	*40	*40	*40	*40
3	89.14	89.12	89.16	89.35	89.61	89.59	89.65	88.86	*40	*40	*40	*40
4	89.15	89.12	89.29	89.32	89.55	89.69	89.51	88.85	*40	*40	*40	*40
5	89.15	89.12	89.20	89.30	89.53	89.72	89.52	88.85	*40	*40	*40	*40
6	89.18	89.12	89.18	89.45	89.67	89.74	89.48	88.84	*40	*40	*40	*40
7	89.15	89.12	89.35	89.36	89.67	89.74	89.42	88.84	*40	*40	*40	*40
8	89.14	89.12	89.60	89.38	89.69	89.70	89.41	88.84	*40	*40	*40	*40
9	89.14	89.12	89.60	89.32	89.69	89.80	89.39	88.84	*40	*40	*40	*40
10	89.14	89.12	89.92	89.30	89.65	89.85	89.38	88.84	*40	*40	*40	*40
11	89.14	89.12	89.70	89.30	89.57	89.90	89.38	88.84	*40	*40	*40	*40
12	89.14	89.12	89.45	89.36	89.52	89.83	89.36	88.78	*40	*40	*40	*40
13	89.15	89.12	89.35	89.28	89.51	89.76	89.34	88.78	*40	*40	*40	*40
14	89.14	89.12	89.31	89.28	89.52	89.70	89.32	88.77	*40	*40	*40	*40
15	89.14	89.11	89.26	89.27	89.50	89.68	89.31	88.78	*40	*40	*40	*40
16	89.14	89.10	89.25	89.26	89.50	89.68	89.32	88.76	*40	*40	*40	*40
17	89.14	89.10	89.23	89.24	89.50	89.66	89.27	88.70	*40	*40	*40	*40
18	89.14	89.11	89.23	89.24	89.52	89.62	89.30	88.67	*40	*40	*40	*40
19	89.13	89.11	89.22	89.25	89.52	89.56	89.31	88.48	*40	*40	*40	*40
20	89.13	89.11	89.22	89.30	89.53	89.50	89.30	*40	*40	*40	*40	*40
21	89.13	89.10	89.22	89.50	89.59	89.47	89.32	*40	*40	*40	*40	*40
22	89.14	89.11	89.22	89.70	89.80	89.46	89.27	*40	*40	*40	*40	*40
23	89.14	89.11	89.24	89.74	89.76	89.44	89.27	*40	*40	*40	*40	*40
24	89.14	89.11	89.34	89.56	89.65	89.40	89.22	*40	*40	*40	*40	*40
25	89.12	89.11	89.51	89.45	89.59	89.40	89.22	*40	*40	*40	*40	88.65
26	89.12	89.12	89.64	89.40	89.52	89.40	89.21	*40	*40	*40	*40	89.00
27	89.12	89.14	89.54	89.56	89.52	89.46	89.15	*40	*40	*40	*40	89.03
28	89.12	89.13	89.45	90.20	89.54	89.44	89.14	*40	*40	*40	*40	89.03
29	89.12	89.13	89.41	90.10		89.44	89.05	*40	*40	*40	*40	89.03
30	89.12	89.14	89.36	89.90		89.44	88.96	*40	*40	*40	*40	89.00
31	89.12		89.42	89.70		89.44		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλεισιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.00	89.33	89.10	89.56	91.10	90.20	91.76	89.84	89.10	88.46	*40	*40
2	89.00	89.33	89.10	89.72	91.98	90.34	91.34	89.80	89.10	88.46	*40	*40
3	89.00	89.33	89.10	90.00	93.06	90.30	91.00	89.75	89.10	88.46	*40	*40
4	89.03	89.32	89.10	90.04	92.47	90.24	90.78	89.74	89.10	88.45	*40	*40
5	89.03	89.30	89.10	89.82	91.85	90.16	90.74	89.72	89.15	88.45	*40	*40
6	89.04	89.25	89.10	89.70	91.40	90.10	90.74	89.70	89.12	88.43	*40	*40
7	89.05	89.22	89.19	89.66	90.94	90.06	90.63	89.70	89.07	88.35	*40	*40
8	89.10	89.19	89.71	89.61	90.70	90.00	90.52	89.64	89.04	*40	*40	*40
9	89.18	89.16	90.42	89.58	90.55	89.99	90.45	89.56	89.04	*40	*40	*40
10	89.18	89.16	90.27	89.54	90.44	89.95	90.42	89.52	89.02	*40	*40	*40
11	89.18	89.16	90.13	89.51	90.35	89.90	90.42	89.48	89.00	*40	*40	*40
12	89.18	89.16	90.02	90.35	90.28	90.10	90.38	89.48	89.00	*40	*40	*40
13	89.16	89.16	89.75	91.70	90.24	90.14	90.35	89.40	88.94	*40	*40	*40
14	89.10	89.20	89.58	91.80	90.16	90.20	90.30	89.34	88.80	*40	*40	*40
15	89.10	89.19	89.58	91.47	90.16	90.60	90.26	89.32	88.80	*40	*40	*40
16	89.09	89.19	89.65	91.15	90.10	90.70	90.23	89.30	89.12	*40	*40	*40
17	89.09	89.16	89.69	90.72	90.05	90.64	90.18	89.30	89.07	*40	*40	*40
18	89.09	89.16	89.64	90.56	90.03	90.90	90.12	89.28	88.82	*40	*40	*40
19	89.09	89.14	89.90	90.70	90.00	90.90	90.10	89.20	88.85	*40	*40	*40
20	89.06	89.14	89.84	90.54	89.96	90.72	90.07	89.15	88.89	*40	*40	*40
21	89.06	89.14	89.76	90.48	89.92	90.56	90.03	89.14	88.85	*40	*40	*40
22	89.06	89.14	89.70	90.48	89.90	90.44	89.98	89.10	88.85	*40	*40	*40
23	89.06	89.14	89.62	90.32	90.00	90.34	89.96	89.07	88.85	*40	*40	*40
24	89.06	89.14	89.58	90.24	90.00	90.30	89.94	89.05	88.85	*40	*40	*40
25	89.06	89.12	89.58	90.15	90.00	90.74	89.98	89.03	88.85	*40	*40	89.15
26	90.10	89.12	89.65	90.10	90.00	91.10	90.00	89.12	88.88	*40	*40	89.25
27	90.65	89.12	89.69	90.05	90.00	91.27	89.98	89.10	88.83	*40	*40	89.28
28	90.10	89.10	89.61	90.00	90.00	92.75	89.94	89.10	88.65	*40	*40	89.25
29	89.80	89.10	89.54	89.98	90.08	93.00	89.90	89.10	88.55	*40	*40	89.23
30	89.53	89.10	89.50	89.95		92.46	89.86	89.07	88.46	*40	*40	89.23
31	89.32		89.50	90.70		92.10		89.10		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλεισιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	89.23	89.22	90.00	89.60	90.26	90.70	89.92	89.50	89.22	88.65	40	40
2	89.21	89.22	90.40	89.60	90.25	91.22	89.92	89.40	89.22	88.73	40	40
3	89.21	89.22	90.38	89.70	90.20	91.22	89.92	89.37	89.27	88.65	40	40
4	89.20	89.21	90.14	89.70	90.10	91.12	89.92	89.34	89.22	88.73	40	40
5	89.20	89.21	90.00	89.75	90.00	90.85	90.02	89.34	89.20	88.77	40	40
6	89.25	89.20	89.90	89.70	89.99	90.71	90.10	89.34	89.23	88.64	40	87.10
7	89.24	89.17	89.94	89.67	89.99	90.63	90.14	89.30	89.17	40	40	87.17
8	89.23	89.19	89.84	89.70	89.95	90.63	90.12	89.29	89.17	40	40	87.40
9	89.24	89.19	89.76	89.72	89.92	90.58	90.14	89.17	89.17	40	40	87.32
10	89.24	89.20	89.70	89.90	89.92	90.45	90.08	89.10	89.18	40	40	87.32
11	89.24	89.20	89.66	89.99	89.92	90.38	90.05	88.84	89.12	40	40	87.32
12	89.24	89.24	89.82	89.99	90.13	90.31	89.99	88.78	89.05	40	40	87.28
13	89.24	89.25	89.94	89.99	90.27	90.35	89.95	88.74	88.94	40	40	87.46
14	89.24	89.28	90.12	89.95	90.44	90.30	89.92	88.74	88.98	40	40	87.38
15	89.24	89.50	90.30	89.90	90.64	90.28	89.90	88.77	88.88	40	40	87.38
16	89.24	90.24	90.34	90.28	90.55	90.20	89.90	89.14	88.84	40	40	87.35
17	89.24	89.99	90.17	90.40	90.48	90.16	89.90	89.14	88.84	40	40	87.40
18	89.24	90.26	89.94	90.66	90.92	90.14	89.90	89.11	88.84	40	40	87.40
19	89.24	90.25	89.90	90.62	92.06	90.11	89.90	89.03	88.84	40	40	87.46
20	89.24	89.95	89.80	90.56	92.06	90.08	89.92	88.98	88.84	40	40	87.46
21	89.24	89.80	89.80	90.28	91.45	90.11	89.92	88.92	88.81	40	40	87.40
22	89.24	89.76	89.78	90.12	91.00	90.11	89.90	89.11	88.80	40	40	87.35
23	89.22	89.54	89.75	90.00	90.70	90.07	89.77	89.12	88.80	40	40	87.35
24	89.22	89.46	89.70	89.92	90.53	90.07	89.75	89.12	88.70	40	40	87.35
25	89.22	89.40	89.70	89.90	90.45	90.07	89.70	89.06	88.84	40	40	87.35
26	89.22	89.40	89.70	89.90	90.45	90.00	89.70	89.17	89.05	40	40	87.35
27	89.22	89.70	89.90	90.10	90.48	89.98	89.70	89.20	88.84	40	40	87.54
28	89.22	89.64	89.86	90.00	90.45	89.98	89.65	89.29	88.93	40	40	87.80
29	89.22	89.90	89.79	90.10		89.96	89.62	89.30	88.73	40	40	88.42
30	89.22	89.90	89.73	90.10		89.94	89.50	89.30	88.68	40	40	88.26
31	89.21		89.69	90.30		89.94		89.30		40	40	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	82.20	87.80	88.22	88.38	88.92	89.84	89.00	88.14	87.17	87.55	*40	*40
2	88.00	87.70	88.10	88.22	88.85	89.63	89.34	88.09	87.15	87.58	*40	*40
3	87.75	87.55	88.00	88.12	88.92	89.52	89.22	88.04	87.02	87.61	*40	*40
4	87.66	87.52	87.90	88.38	88.75	89.42	89.12	88.36	87.00	87.76	*40	*40
5	87.59	87.50	87.87	88.50	88.75	89.43	89.12	88.42	87.00	87.65	*40	*40
6	87.43	87.47	87.80	88.50	88.71	89.43	88.93	88.38	86.95	87.55	*40	*40
7	87.43	87.52	87.80	88.44	88.55	89.43	88.93	88.29	87.10	87.34	*40	*40
8	87.40	87.52	87.77	88.30	88.46	89.35	88.74	88.24	86.70	87.34	*40	*40
9	87.38	87.52	87.70	88.18	88.41	89.30	88.72	88.18	87.00	87.04	*40	*40
10	87.38	87.47	87.70	88.09	88.41	89.32	88.74	88.13	87.20	87.09	*40	*40
11	87.38	87.52	87.70	88.35	88.48	89.34	88.72	88.13	87.10	87.28	*40	*40
12	87.40	87.46	87.66	88.28	88.38	89.30	88.68	88.18	87.10	87.65	*40	*40
13	87.70	87.46	87.63	88.18	88.38	89.50	88.64	88.11	87.08	87.60	*40	*40
14	87.80	87.46	87.63	88.10	88.35	89.76	88.64	88.10	87.10	87.64	*40	*40
15	87.86	87.50	88.16	88.02	88.28	89.74	89.24	88.20	87.00	87.20	*40	86.86
16	87.90	87.47	88.23	87.94	88.24	89.84	89.04	88.10	86.98	87.03	*40	86.98
17	87.90	87.47	88.04	87.90	88.18	89.78	89.00	88.04	87.08	87.00	*40	87.00
18	87.87	87.47	87.93	87.88	88.45	89.48	88.97	88.14	87.30	86.93	*40	87.06
19	87.78	87.46	87.86	87.98	88.96	89.48	88.90	88.14	87.45	86.75	*40	87.10
20	87.72	89.08	87.85	88.13	88.77	89.30	88.83	88.02	87.45	86.60	*40	87.13
21	87.66	88.78	88.03	88.23	89.18	89.24	88.72	87.93	87.45	86.45	*40	87.00
22	87.54	89.21	88.13	88.13	92.15	89.20	88.60	87.90	88.34	86.40	*40	87.13
23	87.51	89.21	88.18	88.05	92.15	89.18	88.55	87.86	88.31	86.45	*40	87.17
24	87.50	89.66	88.12	87.98	92.10	89.14	88.48	87.76	88.20	86.45	*40	87.08
25	87.45	89.85	88.18	87.95	91.73	89.10	88.42	87.70	88.12	86.30	*40	87.20
26	87.45	89.36	88.78	87.93	91.20	89.04	88.38	87.62	87.95	86.10	*40	87.18
27	87.42	89.06	88.71	87.98	90.70	89.00	88.34	87.53	87.90	*40	*40	87.18
28	87.43	88.84	88.46	88.16	90.24	88.95	88.28	87.30	87.78	*40	*40	87.13
29	87.40	88.58	88.42	88.20		89.10	88.22	87.45	87.67	*40	*40	87.10
30	87.59	88.38	88.38	88.95		89.00	88.21	87.30	87.60	*40	*40	87.20
31	87.75		88.50	88.78		88.94		87.23		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.15	87.13	87.15	87.80	87.92	88.88	88.53	88.25	88.07	86.30	40	40
2	87.15	87.12	87.17	87.73	88.55	88.76	88.72	88.17	88.00	40	40	40
3	87.10	87.12	87.15	87.73	88.68	88.90	89.30	88.13	87.90	40	40	40
4	87.13	87.10	87.17	87.84	89.09	88.72	89.07	88.07	87.84	40	40	40
5	87.17	87.17	87.17	87.90	88.90	88.63	89.05	88.01	88.25	40	40	40
6	87.13	87.17	87.27	87.80	88.90	88.57	89.21	87.97	88.04	40	40	86.46
7	87.13	87.21	87.23	87.70	88.90	88.49	89.05	87.90	87.98	40	40	86.55
8	87.10	87.15	87.48	87.61	91.35	88.49	89.07	87.83	87.84	40	40	86.75
9	87.08	87.14	87.33	87.73	90.85	88.46	89.30	87.77	87.80	40	40	86.85
10	87.08	87.13	87.27	88.13	90.45	88.46	91.05	87.74	87.75	40	40	86.87
11	87.05	87.14	87.23	88.38	90.00	88.53	91.49	87.66	87.70	40	40	86.95
12	87.07	87.13	87.21	89.00	89.70	88.53	91.31	87.77	87.66	40	40	86.98
13	87.07	87.16	87.57	88.69	89.33	88.49	90.75	88.04	87.63	40	40	86.92
14	87.07	87.57	87.65	90.41	89.10	88.48	90.19	88.03	87.60	40	40	86.93
15	87.08	87.42	87.55	90.55	88.91	88.45	89.85	87.92	87.53	40	40	86.95
16	87.08	87.33	87.50	90.68	89.93	88.47	89.66	87.84	87.50	40	40	86.98
17	87.07	87.29	87.70	89.83	89.57	88.45	89.45	87.75	87.44	40	40	87.05
18	87.08	87.27	87.77	89.23	90.05	88.41	89.27	87.65	87.49	40	40	87.00
19	87.10	87.25	87.63	88.88	89.85	88.87	89.20	87.60	87.45	40	40	86.98
20	87.08	87.22	87.62	88.63	89.44	88.63	89.05	87.60	87.45	40	40	87.93
21	87.10	87.22	88.10	88.46	89.03	88.50	89.05	87.56	87.40	40	40	87.14
22	87.11	87.21	88.03	88.31	89.37	88.30	88.90	87.50	87.38	40	40	87.06
23	87.11	87.21	88.84	88.20	89.07	88.32	88.74	87.45	87.32	40	40	87.26
24	87.10	87.18	88.35	88.10	89.02	88.30	88.64	87.45	87.15	40	40	87.24
25	87.12	87.17	88.24	87.99	89.17	88.29	88.58	87.42	87.05	40	40	87.19
26	87.14	87.17	88.05	87.92	89.35	88.23	88.55	87.70	87.10	40	40	87.15
27	87.13	87.17	87.94	87.91	89.15	88.55	88.50	88.25	87.00	40	40	87.10
28	87.37	87.17	87.77	88.45	89.02	88.86	88.45	88.18	87.00	40	40	87.15
29	87.33	87.17	87.73	88.25		88.91	88.35	88.41	86.90	40	40	87.14
30	87.21	87.16	87.73	88.10		88.72	88.29	88.25	86.90	40	40	87.15
31	87.19		87.79	87.96		88.63		88.20		40	40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφραγματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.17	87.10	87.25	89.60	87.50	87.75	89.50	87.85	87.00	86.43	85.92	86.85
2	87.00	87.10	87.85	89.59	87.50	87.70	89.63	87.80	86.92	86.50	85.91	86.78
3	87.10	87.10	87.82	89.26	87.50	88.68	89.46	87.75	86.98	86.43	86.15	86.72
4	87.10	87.12	87.70	89.26	87.50	89.00	89.30	87.66	86.72	86.50	86.15	86.72
5	87.10	87.10	87.46	89.07	87.49	89.64	89.19	87.45	86.72	86.50	86.25	86.78
6	87.02	87.10	87.33	88.78	87.47	89.47	89.09	87.38	86.81	86.43	85.95	87.02
7	87.22	87.10	87.27	88.55	87.45	90.05	89.03	87.30	86.81	86.43	85.95	87.02
8	87.15	87.10	87.27	88.40	87.43	90.25	88.98	87.17	86.79	86.40	85.95	86.90
9	87.10	87.10	87.25	88.27	87.43	90.30	88.98	87.12	86.72	86.40	85.92	87.02
10	87.12	87.10	87.42	88.14	87.43	91.33	88.90	86.90	86.75	86.55	85.95	87.02
11	87.17	87.10	87.46	88.11	87.43	90.80	88.82	86.45	86.75	86.43	85.95	87.02
12	87.15	87.10	87.70	88.02	87.75	89.71	88.72	87.65	86.80	86.38	85.95	87.02
13	87.14	87.05	88.35	88.00	87.71	89.80	88.62	87.40	86.72	86.33	85.92	86.94
14	86.98	87.02	88.51	88.00	87.58	89.63	88.50	87.10	86.80	86.12	85.92	86.94
15	86.93	87.07	88.75	88.11	87.58	89.45	88.47	87.10	86.80	85.93	85.92	86.93
16	86.93	87.05	88.49	88.05	87.58	89.33	88.40	87.50	86.70	86.25	85.92	87.06
17	87.20	87.05	88.30	88.05	87.58	89.25	88.35	87.35	86.80	86.10	85.92	87.06
18	87.24	87.11	88.32	87.87	87.98	89.20	88.31	87.20	86.77	86.15	85.92	87.03
19	87.17	87.05	88.66	87.80	89.22	89.15	88.27	87.15	86.85	86.15	86.32	87.03
20	87.26	87.05	88.75	87.78	89.04	89.06	88.23	87.05	86.90	86.20	86.27	86.80
21	87.17	87.07	89.55	87.75	88.85	89.00	88.20	87.05	86.87	85.97	86.40	87.10
22	87.14	87.10	89.33	87.71	89.10	89.05	88.16	87.00	86.80	85.97	86.13	87.23
23	87.14	87.10	89.13	87.70	88.93	89.55	88.10	87.00	86.75	85.96	86.25	87.03
24	87.12	87.10	89.00	87.64	88.66	89.45	88.10	87.07	86.58	85.95	86.45	87.00
25	87.06	87.07	88.73	87.62	88.97	89.78	88.15	87.10	86.72	85.92	86.48	87.00
26	87.14	87.07	88.45	87.63	89.31	89.65	88.06	87.00	86.60	85.95	86.40	87.07
27	87.12	87.07	88.17	87.63	89.23	89.53	88.06	87.07	86.53	85.95	86.42	87.07
28	87.10	87.07	88.08	87.58	89.07	89.61	88.00	87.05	86.25	85.95	86.42	87.05
29	87.10	87.05	88.30	87.55	88.90	89.75	87.97	87.00	86.56	85.95	86.47	87.00
30	87.06	87.10	88.61	87.53		89.87	87.90	87.00	86.47	85.92	86.30	87.03
31	87.06		88.75	87.53		89.65		86.69		85.95	86.80	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΕΣΠ
1	87.00	87.13	87.52	87.17	88.20	88.61	87.19	87.45	87.12	86.63	86.28	86.10
2	87.03	87.24	87.36	87.15	88.12	88.47	87.19	87.39	87.17	86.30	86.28	86.55
3	87.03	87.20	87.32	87.14	88.07	88.30	87.22	87.32	87.20	86.45	86.28	86.50
4	87.03	87.18	87.32	87.14	88.00	88.17	87.25	87.30	87.40	86.47	86.40	86.50
5	87.06	87.13	87.55	87.14	87.93	88.05	87.27	87.21	87.50	86.47	86.30	86.62
6	87.08	87.13	87.58	87.15	87.90	87.98	87.25	87.19	87.58	86.45	86.30	87.14
7	87.06	87.13	87.46	87.14	87.96	87.90	87.20	87.35	87.40	86.30	86.25	87.00
8	87.10	87.13	87.38	87.10	87.73	87.92	87.22	87.25	87.30	86.08	86.54	87.10
9	87.16	87.15	87.32	87.10	87.70	87.67	87.22	87.20	87.30	86.47	86.24	87.06
10	87.05	87.20	87.32	87.07	87.78	87.90	87.50	87.05	87.33	86.40	86.57	87.00
11	87.07	87.20	87.42	87.07	87.89	87.87	88.12	86.95	87.36	86.40	86.54	87.04
12	87.07	87.20	87.31	87.18	88.05	87.93	87.91	86.88	87.30	86.30	86.37	86.91
13	87.08	87.25	87.25	87.20	88.00	87.77	87.80	86.80	87.32	86.30	86.60	86.95
14	87.08	87.25	87.25	87.96	88.03	87.63	87.80	86.80	87.32	86.30	86.69	87.30
15	87.10	88.05	87.25	88.12	88.03	87.63	87.75	86.89	87.27	40	86.56	87.10
16	87.17	88.12	87.25	87.85	88.00	87.65	87.75	86.83	87.20	40	86.60	87.06
17	87.08	88.10	87.24	87.69	87.85	87.52	87.70	86.80	87.18	86.07	86.65	87.12
18	87.08	88.00	87.21	87.55	88.53	87.49	87.70	86.75	87.05	85.97	86.54	87.19
19	87.10	87.70	87.21	87.51	88.58	87.42	87.64	86.80	87.08	86.05	86.40	87.21
20	87.15	87.50	87.20	87.70	88.45	87.40	87.64	87.00	87.02	85.95	86.28	87.32
21	87.20	87.38	87.26	87.80	88.47	87.23	87.63	87.10	87.14	86.10	86.33	86.90
22	87.20	87.35	87.35	88.00	91.00	87.22	87.74	87.30	87.05	86.05	86.63	87.00
23	87.20	87.32	87.32	88.77	89.65	87.35	87.74	87.15	87.04	85.93	86.50	86.93
24	87.10	87.41	87.27	88.85	89.78	87.35	87.72	87.27	86.98	85.97	86.59	86.90
25	87.10	87.67	87.22	88.85	89.41	87.30	87.70	87.27	86.98	85.96	86.59	86.90
26	87.10	87.88	87.22	88.85	89.15	87.28	87.69	87.24	86.89	86.34	86.50	86.95
27	87.10	88.05	87.18	88.90	88.95	87.23	87.61	87.12	86.87	86.33	86.60	87.00
28	87.10	88.05	87.20	88.70	88.78	87.25	87.54	87.08	86.92	85.98	86.54	86.90
29	87.11	87.88	87.20	88.52		87.25	87.54	87.15	86.40	85.90	86.10	86.94
30	87.11	87.63	87.20	88.38		87.21	87.52	87.12	86.59	86.25	86.50	86.90
31	87.10		87.20	88.30		87.19		87.17		86.28	86.55	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	86.90	86.65	87.00	88.42	87.77	88.49	88.45	87.10	87.10	86.85	85.85	86.25
2	86.95	86.65	87.09	88.60	87.87	88.49	88.47	87.00	87.10	86.93	86.00	86.10
3	86.96	86.58	87.72	89.41	87.87	88.45	88.45	86.93	87.10	86.85	86.35	86.09
4	86.95	86.54	88.05	88.89	87.95	88.45	88.55	86.77	87.15	86.75	86.35	86.12
5	86.95	86.80	87.95	88.70	88.25	91.63	89.05	86.86	87.10	86.60	86.30	86.22
6	86.95	86.65	87.55	88.60	91.70	90.50	88.75	86.77	87.05	86.55	85.80	86.32
7	86.95	86.56	87.35	88.40	91.72	91.00	88.62	86.80	87.10	86.41	*40	86.52
8	86.95	86.56	87.33	88.25	91.34	90.78	88.54	86.72	87.00	86.75	86.20	86.52
9	86.93	86.38	87.30	88.15	90.80	90.25	88.40	86.90	87.00	86.60	86.00	86.65
10	86.95	86.54	87.35	88.25	90.25	89.85	88.30	87.38	87.00	86.60	86.05	86.65
11	86.95	86.54	88.35	88.15	89.75	89.57	88.25	86.84	87.00	86.07	86.20	86.67
12	86.98	86.56	88.26	88.00	89.45	89.30	88.23	86.72	87.10	86.13	86.20	86.62
13	87.33	86.65	88.19	87.89	89.23	89.16	88.18	86.77	87.00	86.35	85.95	86.62
14	87.14	86.60	88.06	87.85	89.20	89.05	88.15	87.14	87.00	86.35	85.95	86.70
15	87.06	87.05	87.80	89.85	89.10	88.85	88.05	87.17	87.45	86.40	85.85	86.83
16	87.00	87.03	87.80	89.16	89.00	88.91	88.00	87.14	87.78	86.40	86.25	86.70
17	87.06	87.05	87.80	89.00	88.97	88.85	87.97	87.14	87.55	86.40	*40	86.80
18	86.87	87.03	87.80	88.87	88.85	88.78	87.97	87.14	87.70	86.40	*40	86.80
19	86.73	87.00	87.85	88.85	88.85	88.75	87.92	87.10	87.48	86.26	*40	86.80
20	86.73	87.00	87.80	88.62	88.85	88.75	87.84	87.10	87.63	86.26	*40	86.95
21	86.65	86.86	88.37	88.43	89.05	88.65	87.80	86.88	87.50	86.35	*40	86.87
22	86.69	86.97	88.53	88.25	89.00	88.60	87.72	87.00	87.37	86.40	85.95	86.80
23	86.56	86.96	88.40	88.20	88.88	88.49	87.63	87.00	87.35	86.40	85.95	86.55
24	86.56	86.98	88.13	88.15	88.75	88.42	87.65	86.90	87.37	86.40	86.00	86.83
25	86.58	87.27	87.85	88.05	88.65	88.37	87.55	87.00	87.30	86.40	86.05	86.83
26	86.65	87.34	87.80	87.94	88.55	88.33	87.50	86.90	87.17	86.35	*40	86.52
27	86.65	87.15	87.89	87.87	88.55	88.27	87.45	87.00	87.22	86.25	*40	86.52
28	86.65	87.06	88.00	87.82	88.54	88.20	87.34	87.00	87.08	86.12	86.00	86.50
29	86.58	87.06	87.87	87.78		88.26	87.38	86.85	87.00	86.00	86.15	86.54
30	86.58	87.00	87.80	87.75		88.30	87.22	87.06	87.00	86.00	86.20	86.50
31	86.65		87.73	87.70		88.45		87.00		85.90	86.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	86.60	87.10	87.07	88.25	90.05	88.05	88.63	87.15	86.85	86.85	440	440
2	86.61	87.06	87.06	88.20	89.60	87.98	88.54	86.85	86.94	86.25	440	440
3	86.61	87.06	87.06	88.00	89.18	88.18	88.40	86.43	86.94	86.57	440	440
4	86.60	87.06	87.01	87.85	88.87	88.11	88.20	87.56	86.87	86.52	440	440
5	86.60	87.06	87.01	87.82	88.68	88.20	87.87	87.20	86.85	440	440	440
6	86.55	87.04	87.01	87.82	88.52	88.20	87.70	87.10	86.82	440	440	440
7	86.55	87.04	87.00	88.25	88.41	88.05	87.63	86.90	86.75	440	440	440
8	86.46	87.04	87.00	88.00	88.30	88.18	87.63	86.90	86.78	440	440	86.55
9	86.55	87.04	87.00	88.40	88.18	88.79	87.58	86.85	86.75	440	440	86.35
10	86.98	87.06	87.00	88.40	88.13	88.52	87.55	86.55	86.75	440	440	86.30
11	86.46	86.92	87.17	88.35	88.13	88.56	87.53	86.61	86.70	440	440	86.32
12	87.12	86.95	87.12	88.50	88.52	88.45	87.47	86.70	86.61	440	440	86.32
13	87.18	87.12	87.30	88.25	89.43	88.30	87.63	86.98	86.50	440	440	86.57
14	87.06	87.06	87.32	88.35	89.37	88.25	87.65	86.85	86.50	440	440	86.57
15	87.01	87.06	87.17	89.25	89.35	88.80	87.65	86.85	86.00	440	440	86.42
16	86.97	87.06	87.12	88.65	89.10	88.48	87.60	87.00	86.20	440	440	86.47
17	86.95	87.06	87.19	88.75	88.90	88.40	87.68	86.85	86.50	440	440	86.47
18	86.95	87.06	87.20	88.60	88.70	88.25	87.53	86.85	86.45	440	440	86.52
19	86.92	87.06	87.63	88.45	88.55	88.15	87.55	86.85	86.23	440	440	86.47
20	86.85	87.06	87.30	88.30	88.40	88.05	87.47	86.98	86.37	440	440	86.40
21	86.80	87.06	87.90	88.84	88.32	88.03	87.35	86.98	86.37	440	440	86.47
22	86.80	87.06	88.46	89.65	88.25	87.97	87.35	86.90	86.37	440	440	86.30
23	86.88	87.45	88.25	89.20	88.15	87.77	87.35	86.98	86.78	440	440	86.40
24	87.20	87.70	88.55	89.08	88.07	87.75	87.15	87.05	86.85	440	440	86.05
25	87.30	87.30	88.95	88.95	88.05	87.75	87.30	86.90	87.40	440	440	86.30
26	87.14	87.15	89.09	88.80	88.05	87.75	86.98	86.98	87.40	440	440	86.30
27	87.10	87.15	89.35	88.65	88.05	87.83	87.05	87.12	87.30	440	440	86.05
28	87.12	87.15	88.68	88.74	88.05	88.00	87.20	87.22	86.83	440	440	86.35
29	87.10	87.14	88.68	89.46		88.43	87.30	87.15	86.64	440	440	85.76
30	87.12	87.07	88.50	90.03		88.45	87.15	87.10	86.90	440	440	85.90
31	87.12		88.35	90.21		88.63		86.87		440	440	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	86.40	87.10	87.20	87.45	88.10	87.55	87.20	86.95	87.16	87.30	85.85	*40
2	85.90	87.10	87.10	87.81	88.00	87.50	87.30	86.80	87.16	87.38	85.80	*40
3	85.90	87.05	87.10	88.00	87.81	87.50	87.25	87.08	87.13	87.27	85.85	*40
4	85.90	87.12	87.17	87.71	89.44	87.46	87.20	87.80	87.10	87.03	85.85	*40
5	85.90	87.12	87.30	87.64	88.50	87.42	87.20	87.90	86.83	87.05	85.93	*40
6	85.90	87.12	87.20	88.30	88.42	87.42	87.08	87.88	87.20	87.10	85.93	*40
7	85.90	87.12	87.20	89.87	89.38	87.50	87.08	87.68	87.16	87.10	*40	*40
8	85.90	87.10	87.20	88.80	89.38	87.46	87.00	87.80	87.10	87.08	*40	*40
9	86.20	87.10	87.73	88.71	89.18	87.50	86.90	87.85	87.03	87.05	*40	85.95
10	86.10	87.10	88.53	88.53	88.92	87.42	86.80	87.85	86.98	86.95	*40	86.35
11	86.20	87.06	88.85	88.35	88.62	87.42	86.80	87.80	86.55	86.70	*40	86.44
12	86.52	87.06	89.35	88.15	88.53	87.38	86.85	87.73	86.60	87.03	*40	86.44
13	86.82	87.06	89.60	88.05	88.37	87.35	86.85	88.05	87.10	87.05	*40	86.44
14	86.75	87.06	89.00	87.81	88.25	87.35	86.75	87.85	86.60	86.10	*40	86.44
15	86.10	87.10	90.34	87.75	88.00	87.33	86.70	87.65	86.20	86.10	*40	86.32
16	86.30	87.10	89.35	87.67	87.90	87.30	86.60	87.72	86.45	86.02	*40	86.50
17	86.10	87.10	89.62	88.05	87.92	87.28	86.60	87.55	86.65	85.80	*40	86.50
18	86.10	87.10	89.12	87.90	87.85	87.12	86.60	87.50	86.55	85.92	*40	86.75
19	85.90	87.10	88.71	87.72	87.83	87.14	86.65	87.65	86.55	86.02	*40	87.12
20	85.90	87.10	88.45	87.65	87.81	87.08	86.40	87.65	86.55	86.15	*40	87.05
21	86.92	87.10	88.20	87.55	87.75	87.14	86.55	87.23	86.60	86.15	*40	87.18
22	87.25	87.06	87.97	87.55	87.70	87.12	86.70	87.45	86.55	86.20	*40	86.97
23	87.45	87.06	87.98	87.53	87.65	87.12	86.70	87.40	86.40	86.15	*40	86.97
24	87.32	87.06	88.00	87.50	87.62	87.00	86.95	87.35	86.53	86.02	*40	86.85
25	87.55	87.17	88.15	87.45	87.62	87.00	86.77	87.33	86.55	86.02	*40	86.70
26	87.05	87.13	88.15	87.45	87.60	87.00	86.70	87.33	86.40	86.02	*40	86.70
27	87.30	87.17	87.97	87.38	87.68	86.95	87.28	87.33	86.27	86.15	*40	86.65
28	87.22	87.49	87.81	87.38	87.55	86.90	87.60	87.20	86.75	86.15	*40	86.65
29	87.18	87.67	87.67	87.50	87.55	86.95	87.37	87.20	87.27	86.15	*40	86.45
30	87.52	87.46	87.67	87.45		87.14	87.20	87.35	87.38	85.85	*40	86.45
31	87.10		87.50	87.50		87.40		87.23		85.85	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	86.45	87.42	88.13	87.60	88.02	87.90	87.05	86.85	87.15	86.30	40	40
2	86.43	87.24	88.00	87.55	87.93	87.90	87.55	86.85	87.15	86.30	40	40
3	86.40	87.15	89.75	87.53	87.87	88.02	88.55	87.00	87.05	86.30	40	40
4	86.40	87.16	88.65	87.50	89.59	88.02	88.15	87.00	86.95	86.30	40	40
5	86.45	87.05	88.65	87.50	89.30	87.90	87.90	86.80	86.95	86.35	40	40
6	86.45	87.10	88.20	87.48	89.15	87.85	87.88	87.07	86.80	86.35	40	86.30
7	86.50	87.62	87.90	87.45	88.83	87.80	87.70	87.80	86.80	86.00	40	86.30
8	87.08	87.55	87.75	87.45	88.70	87.80	87.60	87.60	86.65	86.00	40	40
9	87.38	87.50	87.65	87.45	88.65	87.80	87.70	87.35	86.65	86.00	40	86.50
10	87.30	87.25	87.60	87.45	88.53	87.76	87.70	87.20	86.70	86.00	40	86.57
11	87.20	87.15	87.59	87.45	88.40	87.70	87.65	87.23	86.65	86.00	40	86.52
12	87.10	87.15	87.55	87.40	88.25	87.55	87.60	87.20	86.45	86.00	40	86.52
13	87.20	87.10	88.13	87.38	88.15	87.50	87.55	87.20	86.95	86.05	40	86.52
14	87.20	87.10	89.00	87.38	88.25	87.48	87.50	87.17	86.43	86.05	40	86.52
15	87.00	87.07	88.78	87.70	88.25	87.45	87.45	87.05	86.40	86.05	40	86.52
16	87.10	87.07	88.65	87.87	88.92	87.40	87.45	87.02	86.40	86.05	40	86.20
17	87.10	87.10	88.45	87.75	88.65	87.38	87.40	87.02	86.40	86.05	40	86.55
18	87.10	87.10	88.15	87.65	88.42	87.38	87.35	86.80	86.30	86.05	40	86.55
19	87.10	87.07	88.00	87.75	88.30	87.30	87.30	86.95	86.15	86.05	40	86.55
20	87.10	87.15	87.93	87.75	88.30	87.30	87.15	86.90	86.45	86.05	40	86.95
21	87.05	87.87	87.87	87.75	88.45	87.25	87.25	86.90	86.30	86.05	40	86.95
22	87.00	87.87	87.82	87.60	88.45	87.20	87.17	86.90	86.30	86.05	40	86.95
23	87.00	87.97	88.02	87.60	88.35	87.25	87.17	86.60	86.30	86.05	40	86.95
24	87.00	87.82	87.82	87.55	88.25	87.30	87.10	86.60	86.05	40	40	87.25
25	87.05	87.80	87.75	87.55	88.25	87.30	87.07	86.60	86.00	40	40	87.25
26	87.05	87.60	87.70	87.55	88.15	87.28	87.00	86.56	86.45	40	40	87.06
27	87.05	87.40	87.87	87.56	88.05	87.25	86.85	86.56	86.00	40	40	87.30
28	87.05	87.40	87.90	87.56	87.95	87.25	87.00	86.85	86.00	40	40	87.26
29	87.05	87.32	87.74	87.70		87.20	86.85	86.80	86.00	40	40	87.20
30	87.05	87.87	87.65	87.75		87.20	86.73	86.80	86.30	40	40	87.20
31	87.10		87.60	88.02		87.20		86.85		40	40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.02	87.30	89.15	89.95	88.40	89.15	88.40	89.82	87.20	86.85	*40	86.80
2	87.02	87.25	88.50	89.55	88.35	89.05	88.30	89.75	87.07	86.90	*40	86.87
3	87.15	87.25	88.25	89.35	88.25	89.00	88.30	89.65	87.30	87.06	*40	86.98
4	86.75	87.25	88.10	89.30	88.75	89.05	88.30	89.52	86.90	87.16	*40	86.80
5	86.75	87.54	88.50	89.05	92.05	89.38	88.40	89.40	86.95	87.06	*40	86.95
6	86.75	87.85	89.25	88.90	91.65	89.60	88.85	89.25	86.75	86.85	*40	87.00
7	86.75	87.85	89.45	88.75	92.13	89.30	88.85	89.15	86.80	86.75	*40	87.05
8	87.02	87.48	89.30	88.65	92.07	89.15	88.70	88.95	87.06	86.75	*40	87.00
9	87.02	87.44	88.82	88.60	91.60	89.05	88.55	88.85	87.17	86.75	*40	87.00
10	87.02	87.44	88.56	88.45	90.65	88.90	88.45	88.80	87.20	86.85	*40	87.05
11	87.02	87.32	88.35	88.40	90.55	88.85	88.30	88.75	87.45	86.60	*40	87.20
12	87.02	87.26	88.25	88.75	90.05	88.75	89.25	88.75	87.40	86.60	*40	87.15
13	87.02	87.26	88.05	88.82	90.05	88.85	92.00	88.65	87.50	86.75	*40	87.15
14	87.12	87.26	88.05	88.75	90.20	89.25	92.35	88.65	87.35	86.60	*40	87.25
15	87.32	87.26	88.00	88.60	89.85	89.20	92.10	88.65	87.50	86.30	*40	87.42
16	87.32	87.26	88.00	88.40	89.90	88.95	91.73	88.45	87.40	86.30	*40	87.30
17	86.95	87.26	87.81	88.25	89.95	88.75	91.65	88.35	87.40	86.10	*40	87.37
18	87.32	87.26	88.25	88.18	89.75	88.65	91.35	88.20	87.40	*40	*40	87.37
19	89.25	87.26	88.05	88.05	89.63	88.50	91.20	88.10	87.40	*40	*40	87.30
20	88.75	87.67	87.87	88.05	89.45	88.45	90.75	87.95	87.35	*40	*40	87.30
21	88.75	87.40	87.87	88.00	89.75	88.40	90.65	87.85	87.35	*40	*40	87.30
22	88.75	87.32	88.50	88.75	89.85	88.40	90.65	87.80	87.25	*40	*40	87.32
23	88.75	87.32	88.50	89.55	89.63	88.40	90.45	87.65	87.25	*40	*40	87.50
24	88.45	87.32	88.15	89.85	89.38	88.40	90.35	87.65	87.20	*40	86.35	87.45
25	88.00	87.26	87.87	89.45	89.35	88.40	90.15	87.65	87.25	*40	86.50	87.45
26	87.85	87.32	87.87	89.15	89.25	88.37	90.00	87.65	87.20	*40	86.75	87.50
27	87.63	88.80	87.87	88.75	89.20	88.35	89.95	87.52	87.16	*40	86.70	87.45
28	87.50	88.45	88.25	88.60	89.15	88.40	90.15	87.45	87.10	*40	86.90	87.45
29	87.45	88.25	89.15	88.45		88.75	90.05	87.45	87.20	*40	86.80	87.40
30	87.40	89.20	90.30	88.45		88.75	89.85	87.17	87.20	*40	86.80	87.40
31	87.36		90.00	88.35		88.50		87.20		*40	86.85	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.40	87.35	87.30	88.52	88.29	90.50	89.68	87.96	87.55	88.60	440	440
2	87.40	87.35	87.30	88.55	88.76	90.38	89.53	87.96	87.75	88.62	440	440
3	87.40	87.35	89.43	88.30	88.45	90.45	89.45	87.90	88.20	88.40	440	440
4	87.40	87.30	89.05	88.15	88.31	91.35	89.80	87.90	88.00	88.10	440	440
5	87.40	87.30	88.45	88.10	88.15	90.90	89.78	87.86	87.89	88.00	440	440
6	87.40	87.30	88.25	88.18	88.10	90.26	89.57	87.80	87.71	87.50	440	440
7	87.42	87.30	88.30	88.05	88.00	89.98	89.30	87.72	88.05	87.21	440	86.20
8	87.60	87.30	88.15	88.60	87.95	89.73	89.13	87.62	88.30	87.09	440	86.35
9	87.55	87.30	88.75	90.60	87.95	89.61	89.05	87.62	88.20	86.50	440	87.00
10	87.55	87.30	88.33	90.20	87.80	89.45	88.90	87.62	88.00	86.45	440	87.00
11	87.55	87.30	88.05	89.75	87.80	89.58	88.87	87.50	87.85	86.45	440	87.20
12	87.50	87.30	88.15	89.45	87.75	89.68	88.78	87.50	87.73	86.20	440	87.30
13	87.37	87.30	88.60	89.05	87.75	89.86	88.69	87.50	87.62	86.20	440	87.00
14	87.37	87.30	88.27	88.75	87.73	89.65	88.64	87.20	87.79	86.10	440	87.17
15	87.37	87.30	88.10	88.55	87.73	89.55	88.64	87.30	87.79	86.50	440	87.33
16	87.32	87.30	87.90	88.40	87.73	89.30	88.56	86.80	87.60	86.00	440	87.40
17	87.32	87.30	87.85	88.27	87.73	89.25	88.50	87.25	87.57	86.10	440	87.40
18	87.40	87.30	87.80	88.19	87.73	89.25	88.45	87.20	87.55	86.10	440	87.55
19	87.37	87.30	87.85	88.15	87.70	89.08	88.45	87.10	87.55	86.10	440	87.37
20	87.37	87.25	89.65	88.10	87.70	88.87	88.45	87.05	87.50	86.10	440	87.25
21	87.37	87.25	89.05	88.05	87.70	88.72	88.40	87.00	87.50	86.10	440	87.20
22	87.45	87.30	88.75	88.05	87.70	91.15	88.45	86.90	87.50	86.10	440	87.13
23	87.37	87.30	88.75	88.31	88.05	90.38	88.45	87.05	87.16	86.10	440	87.07
24	87.30	87.35	88.45	88.88	88.70	89.87	88.50	87.10	87.70	86.10	440	87.07
25	87.37	87.30	89.55	88.88	88.42	89.87	88.72	87.10	87.50	86.10	440	87.07
26	87.30	87.30	89.40	88.65	88.13	91.35	88.64	87.10	87.50	86.10	440	87.14
27	87.30	87.30	89.15	88.45	87.90	91.08	88.47	87.35	87.50	86.10	440	87.14
28	87.30	87.30	88.90	88.27	88.25	90.61	88.30	87.25	87.24	86.10	440	87.14
29	87.30	87.30	88.75	88.15		90.16	88.19	87.45	87.05	86.10	440	87.80
30	87.30	87.30	88.78	88.15		89.87	88.17	87.55	88.75	86.10	440	87.50
31	87.30		88.90	88.10		89.83		87.70		86.10	440	

ΕΠΕΞΗΓΗΤΑ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.31	87.12	87.10	88.75	88.90	88.20	87.90	87.50	87.55	87.25	**	87.10
2	87.21	87.10	87.10	88.45	89.25	88.12	87.90	87.50	87.50	87.20	**	87.10
3	87.21	87.10	87.10	88.50	89.00	88.12	87.85	87.50	87.55	87.13	**	87.15
4	87.16	87.10	87.10	88.20	88.85	88.12	87.81	87.40	87.50	87.40	**	87.15
5	87.16	87.12	87.10	87.90	88.75	88.00	87.81	87.35	87.50	87.20	**	87.06
6	87.16	87.12	87.10	87.90	88.60	87.95	87.80	87.35	87.50	87.15	**	87.06
7	87.16	87.20	87.10	89.15	88.50	87.95	87.95	87.45	87.65	86.70	87.30	87.04
8	87.10	87.35	87.10	89.30	88.40	87.95	88.05	87.40	87.50	86.85	87.10	87.06
9	87.16	87.20	87.35	88.90	88.45	87.95	87.90	87.85	87.50	86.50	87.23	87.06
10	87.16	87.20	87.25	88.68	88.35	87.90	87.85	87.76	87.50	86.25	87.23	87.10
11	87.16	87.16	87.20	89.00	88.35	87.85	87.80	87.65	87.50	86.30	87.23	87.06
12	87.16	87.16	87.20	89.35	88.35	87.82	87.80	87.60	87.50	86.20	87.00	87.06
13	87.16	87.10	87.33	89.35	88.27	87.82	87.76	87.65	87.50	86.20	86.90	87.06
14	87.16	87.10	87.50	88.90	88.22	87.76	87.76	87.77	87.50	86.20	86.70	87.06
15	87.16	87.20	87.42	88.50	88.30	87.76	88.15	87.70	87.35	86.20	**	87.00
16	87.12	87.20	87.35	88.40	88.30	87.76	88.10	87.60	87.35	86.20	**	86.90
17	87.12	87.18	87.26	89.65	88.18	87.90	87.95	89.15	87.30	86.20	**	87.00
18	87.12	87.10	87.20	89.60	88.12	89.60	87.90	89.05	87.30	86.00	**	87.00
19	87.16	87.10	87.22	89.70	88.75	89.20	87.90	89.05	87.15	**	**	87.00
20	87.16	87.10	87.20	89.73	88.70	88.80	87.75	88.70	87.15	**	**	87.10
21	87.12	87.16	87.35	89.40	88.20	88.42	87.75	88.50	87.15	**	87.00	87.00
22	87.12	87.16	87.70	89.45	88.20	88.30	87.75	88.05	87.15	**	86.75	87.00
23	87.12	87.16	87.60	89.25	88.35	88.15	87.70	88.00	87.10	**	86.95	87.00
24	87.12	87.16	87.42	89.00	88.35	88.15	87.70	87.81	87.10	**	86.75	87.00
25	87.20	87.25	87.35	88.90	88.45	88.12	87.60	87.90	87.00	**	86.95	87.00
26	87.16	87.40	87.35	89.90	88.50	88.05	87.60	88.00	86.90	**	86.85	87.00
27	87.16	87.25	88.40	89.80	88.50	88.03	87.55	87.90	87.30	**	86.85	86.90
28	87.20	87.25	88.90	90.40	88.40	88.05	87.55	87.81	87.25	**	86.97	86.90
29	87.20	87.20	88.95	90.10	88.30	88.12	87.55	87.75	87.30	**	87.05	86.90
30	87.20	87.10	89.60	89.15		88.05	87.50	87.45	87.35	**	87.05	86.90
31	87.07		89.25	89.00		88.00		87.60		**	87.10	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	86.90	87.00	87.12	88.45	88.75	88.60	87.63	88.60	88.03	88.27	87.57	86.60
2	87.00	87.00	87.25	88.50	88.05	88.33	87.63	88.65	88.03	88.00	87.47	86.45
3	87.00	87.00	87.40	88.95	88.00	88.10	87.63	88.65	88.05	87.90	87.40	87.00
4	86.90	87.00	87.25	88.80	88.00	88.05	87.63	88.75	88.05	87.85	87.40	87.00
5	86.60	87.00	87.20	88.75	88.33	88.00	87.48	88.65	88.05	87.85	87.40	87.00
6	86.90	87.00	87.25	88.50	88.20	88.00	87.26	88.65	88.05	87.85	87.40	86.94
7	86.90	87.00	87.30	88.25	90.30	88.00	87.00	88.65	88.00	87.85	87.40	86.94
8	86.97	87.00	88.10	88.10	90.20	87.95	87.00	88.50	88.00	87.70	87.40	86.94
9	86.90	87.10	87.40	88.05	89.85	87.90	87.00	88.50	88.00	87.57	87.40	86.94
10	86.90	87.10	87.70	88.10	89.57	87.85	87.43	88.50	88.00	87.57	87.40	86.90
11	87.00	87.07	87.70	88.05	89.40	87.85	87.40	88.40	88.00	87.50	87.35	86.90
12	87.00	87.02	87.70	88.18	89.00	87.85	87.55	88.40	88.10	87.90	87.35	86.90
13	87.00	87.02	88.80	88.40	88.70	87.85	87.40	88.25	88.05	87.85	87.35	86.98
14	87.00	87.02	88.10	88.75	88.50	87.80	87.45	88.20	88.05	87.85	87.35	86.98
15	87.00	87.02	87.90	88.33	88.33	88.30	87.35	88.20	88.10	87.82	87.35	86.94
16	87.00	87.02	87.75	89.40	88.25	88.05	87.35	88.20	88.10	87.82	87.35	86.90
17	87.00	86.95	88.10	89.40	88.20	87.95	87.48	88.10	88.05	87.82	87.35	86.88
18	87.04	86.95	87.95	89.50	88.18	87.90	87.26	88.10	88.05	87.82	87.62	86.98
19	87.04	86.95	87.75	89.55	88.85	87.85	87.26	88.00	88.05	87.82	88.00	87.00
20	87.04	86.95	87.65	89.20	88.55	88.00	87.26	88.00	88.08	87.82	88.27	87.00
21	87.04	86.95	87.65	88.75	88.40	87.85	87.10	88.00	88.17	87.82	87.27	87.20
22	87.04	86.95	87.60	88.50	88.30	87.80	87.55	88.00	88.25	87.80	87.45	87.10
23	87.10	86.95	88.35	88.33	88.10	87.80	87.50	88.00	88.17	87.80	87.60	87.10
24	87.20	86.95	89.56	88.30	88.07	87.75	87.50	88.00	88.25	87.70	87.50	87.10
25	87.06	86.95	89.40	88.33	88.07	87.75	87.35	88.00	88.05	87.70	87.10	87.10
26	87.06	86.95	89.40	88.40	88.00	87.70	87.35	88.00	88.27	87.70	87.00	87.23
27	87.80	86.95	89.30	88.65	88.10	87.70	87.35	88.00	88.27	87.70	86.60	87.23
28	87.10	86.95	89.65	88.40	88.50	87.68	87.26	88.00	88.27	87.70	86.70	87.30
29	87.00	86.95	90.00	88.33		87.65	87.26	88.05	88.27	87.60	86.70	87.15
30	87.00	87.05	89.50	88.33		87.65	87.35	88.05	88.27	87.60	86.95	87.10
31	87.00		88.75	89.05		87.63		88.05		87.60	86.85	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.10	87.25	87.60	87.45	89.30	89.30	89.28	87.80	86.95	87.68	86.35	87.00
2	87.10	87.20	87.65	87.45	90.20	91.80	89.45	87.75	86.95	87.50	86.35	87.05
3	87.10	87.20	87.60	87.35	90.90	91.15	89.25	87.60	86.95	87.60	86.35	87.05
4	87.20	87.20	87.60	87.30	90.60	90.55	89.00	87.60	87.45	87.30	86.35	87.05
5	87.10	87.20	87.52	87.30	91.30	90.15	88.90	87.60	87.35	87.30	86.35	87.05
6	87.10	87.90	87.52	87.30	90.70	90.05	88.55	87.55	88.10	87.25	86.30	87.10
7	87.10	87.35	87.45	88.45	90.25	89.85	88.50	87.55	87.60	87.10	86.25	87.10
8	87.10	87.35	87.45	89.02	90.15	89.65	88.45	87.45	87.40	87.05	86.25	87.10
9	87.10	87.25	87.52	88.80	90.20	89.55	88.40	87.25	87.35	86.96	86.40	87.05
10	87.10	87.25	88.15	89.50	90.15	89.50	88.35	87.25	87.35	86.85	86.40	86.70
11	87.10	87.25	87.90	88.75	90.05	89.20	88.35	87.25	87.20	86.75	86.40	87.00
12	87.10	87.25	87.65	88.60	90.00	89.15	88.30	87.15	87.30	86.60	86.40	86.95
13	87.10	87.20	87.65	88.45	89.80	88.85	88.30	87.05	87.15	86.60	86.40	87.10
14	87.15	87.25	87.52	88.15	89.70	88.70	88.40	86.95	87.10	86.60	86.70	87.10
15	87.15	88.60	87.45	87.95	89.57	88.60	88.30	87.05	87.08	86.60	86.70	87.10
16	87.15	88.65	87.60	87.90	89.30	88.55	88.20	86.95	86.90	86.40	86.65	87.25
17	88.05	88.30	87.45	88.45	89.02	88.50	88.15	86.95	86.90	86.40	86.65	87.15
18	89.70	87.80	87.45	88.30	88.95	88.47	88.10	86.90	86.90	86.40	86.60	87.00
19	88.65	87.65	87.45	88.45	89.30	88.45	88.07	87.10	86.90	86.40	86.80	87.15
20	87.80	87.60	87.45	88.20	89.25	88.40	88.05	87.25	86.85	86.40	86.60	87.25
21	87.52	87.52	88.05	88.20	89.20	88.67	88.05	87.10	86.85	86.40	86.60	87.10
22	87.45	87.45	87.65	88.10	88.80	89.15	88.00	87.00	86.80	86.40	86.60	87.10
23	87.35	87.45	87.60	88.10	88.70	88.70	88.00	87.00	86.80	86.40	86.40	87.00
24	87.30	87.35	87.52	88.00	88.60	88.50	88.00	87.00	86.90	86.35	86.50	87.00
25	87.25	87.40	87.45	88.10	88.55	88.50	88.00	86.95	87.00	86.35	86.50	87.00
26	87.25	87.52	87.45	88.10	89.02	88.50	87.90	87.05	86.95	86.30	86.60	87.10
27	87.20	87.80	87.45	89.40	89.60	88.40	87.90	86.95	86.90	86.20	86.60	87.10
28	87.20	87.90	87.45	89.40	89.40	88.35	87.90	86.90	86.80	86.20	86.85	87.10
29	87.20	87.65	87.40	89.15		88.40	87.85	87.00	86.80	86.35	86.70	87.10
30	87.35	87.70	87.40	88.90		88.50	87.85	87.05	86.80	86.35	86.85	87.10
31	87.30		87.40	88.85		88.70		86.95		86.35	86.95	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.10	*18	*18	87.40	87.35	87.30	87.20	86.67	86.90	86.78	86.45	86.70
2	87.10	*18	*18	87.40	87.25	87.30	87.40	86.75	86.78	86.50	86.45	86.70
3	87.10	*18	*18	87.40	87.25	87.30	87.45	87.67	86.78	86.50	86.45	86.80
4	87.15	*18	*18	87.40	87.30	87.25	87.50	87.62	86.75	86.50	86.45	86.80
5	87.15	*18	*18	87.45	87.25	87.25	87.35	87.55	86.75	86.50	86.45	86.80
6	87.15	*18	*18	87.45	87.25	87.20	87.25	87.45	86.60	86.50	86.45	86.80
7	*18	*18	*18	87.40	87.25	87.20	87.25	87.40	86.50	86.50	86.50	87.15
8	*18	*18	*18	87.45	87.25	87.00	87.20	87.40	86.45	86.50	86.50	88.30
9	*18	*18	*18	87.45	87.25	87.10	87.17	87.40	86.45	86.50	86.40	88.35
10	*18	*18	*18	87.45	87.35	87.00	87.17	87.40	86.45	86.60	86.20	87.50
11	*18	*18	*18	87.45	87.45	87.15	87.60	87.15	86.60	86.60	86.30	87.30
12	*18	*18	*18	87.50	87.35	88.20	87.40	87.35	86.60	86.60	86.30	87.20
13	*18	*18	*18	87.50	87.90	89.20	87.40	87.25	86.50	86.60	86.30	87.15
14	*18	*18	*18	87.50	87.60	88.75	87.40	87.27	86.60	86.60	86.30	87.15
15	*18	*18	*18	87.45	87.55	88.20	87.30	87.30	86.60	86.50	86.30	87.10
16	*18	*18	*18	87.40	87.55	87.95	87.25	87.60	86.50	86.50	86.40	87.10
17	*18	*18	*18	87.75	87.45	87.75	87.25	87.60	86.50	86.40	86.50	87.10
18	*18	*18	*18	87.45	87.45	87.65	87.30	87.20	86.50	86.40	86.50	87.10
19	*18	*18	*18	87.40	87.45	87.55	87.25	88.45	86.50	86.40	86.50	87.10
20	*18	*18	*18	87.35	87.45	87.50	87.15	87.90	86.50	86.40	86.50	87.00
21	*18	*18	*18	87.25	87.45	87.50	87.15	87.60	86.50	86.40	86.50	87.00
22	*18	*18	*18	87.30	87.45	87.45	87.30	87.45	86.50	86.40	86.50	87.00
23	*18	*18	*18	87.25	87.35	87.45	87.30	87.35	86.50	86.40	86.50	87.00
24	*18	*18	*18	87.25	87.35	87.40	87.25	87.30	86.50	86.40	86.50	87.00
25	*18	*18	*18	87.25	87.35	87.40	87.30	87.35	86.50	86.40	86.60	87.00
26	*18	*18	*18	87.25	87.30	87.35	87.25	87.15	86.50	86.40	86.65	87.00
27	*18	*18	*18	87.30	87.30	87.35	87.15	87.35	86.50	86.40	86.65	87.00
28	*18	*18	*18	87.40	87.30	87.35	87.00	87.00	86.50	86.40	86.65	87.00
29	*18	*18	*18	87.40		87.35	86.97	87.15	86.50	86.45	86.65	86.95
30	*18	*18	*18	87.30		87.40	86.87	87.20	86.78	86.45	86.65	86.95
31	*18		*18	87.40		87.20		87.20		86.45	86.65	

ΕΠΕΞΗΓΡΗΕΣ ΣΥΜΒΟΛΩΝ

*18 : 'Ελλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.00	87.17	87.30	87.45	87.55	88.50	87.70	88.40	86.60	86.90	86.30	87.20
2	87.00	87.10	87.30	88.50	87.50	88.65	87.70	87.90	86.60	86.60	86.30	87.15
3	87.00	87.10	87.30	88.40	87.50	88.50	87.70	87.90	86.60	86.60	86.40	87.10
4	87.00	87.10	87.20	87.80	87.45	88.25	87.70	87.75	86.50	86.60	86.50	87.05
5	87.00	87.10	87.20	87.60	87.45	88.35	87.70	87.70	86.50	86.60	86.50	87.00
6	87.00	87.10	87.20	87.55	87.60	88.05	87.65	87.50	86.50	86.50	86.00	86.95
7	87.00	87.15	87.20	88.50	87.95	88.20	88.05	87.50	86.50	86.50	86.00	86.95
8	87.00	87.30	87.20	88.40	87.70	88.40	88.00	87.55	86.50	86.40	86.00	86.90
9	87.00	87.20	87.20	88.05	87.60	88.25	87.85	87.65	86.60	86.40	86.00	86.80
10	87.00	87.20	87.20	87.88	87.55	88.95	87.85	87.50	86.60	86.40	86.00	86.75
11	87.00	87.15	87.20	87.90	87.50	88.65	87.90	87.45	86.60	86.40	86.00	87.00
12	87.00	87.25	87.20	87.80	87.45	88.55	87.95	87.45	86.60	86.40	86.00	87.00
13	87.20	88.15	87.55	87.75	87.90	88.25	88.50	87.40	86.40	86.40	86.30	87.20
14	87.85	88.05	87.35	87.65	88.60	88.25	88.10	87.40	86.40	86.40	86.50	87.40
15	87.30	87.65	87.30	87.62	87.00	88.20	88.65	87.30	86.50	86.40	86.60	87.00
16	87.10	87.42	87.30	87.55	88.75	88.05	88.40	87.10	86.50	86.40	86.60	87.05
17	87.05	87.35	87.40	87.62	88.55	88.00	88.20	87.10	86.50	86.40	86.60	87.00
18	87.05	87.25	87.40	87.75	88.20	88.20	88.00	87.10	86.60	86.40	86.60	87.00
19	87.00	87.20	87.40	87.75	88.00	88.00	87.95	87.00	87.10	86.40	86.60	87.00
20	87.00	88.50	87.30	87.80	89.80	87.90	87.95	86.93	87.00	86.40	86.60	87.35
21	87.00	88.65	87.30	87.80	90.30	87.85	87.90	86.80	87.10	86.50	86.60	87.20
22	87.00	87.95	87.30	87.70	90.10	87.85	87.85	86.70	87.00	86.50	86.60	87.10
23	87.00	87.50	87.30	87.70	89.40	87.05	87.75	86.60	87.00	86.50	86.60	87.10
24	87.00	87.40	87.30	87.70	89.00	87.85	87.70	86.60	87.10	86.50	86.60	87.05
25	87.00	87.60	87.30	87.75	88.85	87.85	87.75	86.60	87.10	86.50	86.80	87.00
26	87.00	87.40	87.30	87.65	88.60	87.85	87.65	86.95	87.10	86.50	87.05	87.00
27	87.00	87.40	87.30	87.60	88.90	87.85	87.55	86.70	87.10	86.50	88.75	87.05
28	87.00	87.30	87.45	87.75	88.70	87.80	87.60	86.60	87.10	86.50	88.05	87.05
29	87.00	87.35	87.45	87.80	88.80	87.80	87.50	86.60	86.90	86.50	87.60	87.05
30	87.00	87.30	87.40	87.65		87.80	87.55	86.65	86.90	86.50	87.30	87.00
31	87.17		87.35	87.65		87.75		86.65		86.30	87.20	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.00	87.00	87.75	87.95	88.35	88.85	88.00	87.60	86.45	86.50	*40	87.00
2	87.10	87.00	87.60	87.95	88.30	88.60	88.05	87.43	86.45	86.40	*40	86.95
3	87.05	87.05	87.30	88.20	88.00	88.40	88.05	87.60	86.80	86.40	*40	86.95
4	87.05	87.05	87.30	88.30	87.95	88.35	88.00	87.60	86.70	86.40	*40	86.95
5	87.05	87.10	87.50	88.10	87.95	88.35	87.95	87.40	86.35	86.40	*40	86.90
6	87.00	87.10	87.35	88.05	87.90	88.40	88.00	87.40	86.40	86.00	*40	86.90
7	87.00	87.05	87.35	88.25	87.90	88.60	88.05	87.40	87.25	*40	*40	86.90
8	87.00	87.10	87.25	88.35	88.30	88.55	88.00	87.40	87.15	*40	*40	87.05
9	87.10	87.05	87.15	88.70	88.25	88.50	87.95	87.25	87.10	*40	*40	87.60
10	87.00	87.05	87.20	88.25	88.10	88.35	87.95	87.25	*40	*40	*40	87.20
11	87.00	87.10	87.10	88.35	88.00	88.15	87.90	87.20	*40	*40	*40	87.20
12	87.00	87.05	87.30	88.40	88.00	88.10	87.90	87.15	*40	*40	*40	87.15
13	87.05	87.10	87.30	88.05	88.15	88.05	87.85	87.10	*40	*40	*40	87.10
14	87.05	87.00	87.30	87.90	88.05	88.00	87.70	87.10	*40	*40	*40	87.65
15	87.10	87.25	87.75	88.40	87.75	87.95	87.60	87.10	86.20	86.25	*40	87.35
16	87.15	87.40	88.15	88.65	87.85	87.95	87.70	87.05	86.20	86.50	*40	87.30
17	87.00	87.10	87.60	89.00	87.85	87.90	88.00	87.00	86.20	*40	*40	87.20
18	87.00	87.10	87.50	89.70	87.85	87.90	87.90	87.00	85.76	*40	*40	87.20
19	87.00	87.05	87.45	88.50	87.85	87.90	87.85	86.90	85.76	86.40	*40	87.15
20	87.05	87.00	87.40	88.40	87.90	87.90	87.85	86.90	85.76	86.40	*40	87.10
21	87.05	87.40	87.60	88.30	88.00	87.90	87.80	86.90	86.50	86.40	*40	87.10
22	87.00	87.15	87.55	88.40	88.00	87.90	87.70	86.90	86.00	86.40	*40	87.10
23	87.00	87.40	87.45	89.00	88.10	87.90	87.70	86.90	86.70	86.40	*40	87.10
24	87.05	87.30	88.40	88.85	88.15	87.85	87.95	86.60	86.70	86.40	*40	87.10
25	87.30	87.15	88.00	88.25	88.25	87.85	87.90	86.70	86.60	*40	*40	87.10
26	87.20	87.15	87.90	88.40	88.35	87.85	87.70	86.70	86.50	*40	*40	87.05
27	87.15	87.15	87.70	88.60	88.35	87.90	87.60	86.70	86.60	*40	*40	87.05
28	87.15	87.15	87.70	88.25	88.80	87.95	87.50	86.65	86.40	*40	87.05	87.25
29	87.10	87.15	88.60	89.00		87.95	87.60	86.50	86.50	*40	87.00	87.10
30	87.05	87.05	88.40	89.25		88.00	87.55	86.45	86.00	*40	87.00	87.10
31	87.00		88.40	89.00		88.00		86.45		*40	87.05	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.10	87.05	87.95	88.55	89.25	87.90	88.05	87.65	86.70	*40	*40	86.60
2	87.10	87.05	87.75	88.30	89.15	87.90	88.05	87.65	86.70	*40	*40	86.60
3	87.20	87.05	87.60	88.25	88.80	87.90	88.00	87.65	86.70	86.50	*40	86.60
4	87.15	87.05	87.55	89.25	88.60	87.90	89.95	87.65	86.60	86.30	*40	86.85
5	87.15	87.05	87.90	89.50	88.50	88.30	88.00	87.70	86.60	86.30	*40	86.75
6	87.15	87.05	88.30	90.80	88.40	88.30	88.00	87.70	86.60	86.30	*40	86.85
7	87.10	87.05	87.95	91.15	88.35	88.10	88.00	87.70	86.50	86.30	*40	86.95
8	87.10	87.05	88.00	91.05	88.30	88.10	88.00	87.60	87.00	86.30	*40	86.90
9	87.10	87.30	88.00	90.65	88.25	88.15	88.00	87.60	86.20	86.30	*40	86.90
10	87.10	87.20	88.05	90.15	88.25	88.10	88.00	87.70	86.50	86.30	*40	86.90
11	87.10	87.20	88.30	89.75	88.35	88.00	88.00	87.70	86.50	86.30	*40	86.95
12	87.10	87.15	88.80	89.30	88.35	88.25	87.95	87.75	86.40	86.30	*40	86.95
13	87.10	87.10	88.55	89.20	88.25	88.10	87.80	87.75	86.30	86.70	*40	87.00
14	87.10	87.10	88.10	89.25	88.40	88.05	87.80	87.55	86.30	86.80	*40	87.00
15	87.10	87.40	87.90	89.40	88.40	88.00	87.80	87.50	*40	86.80	*40	87.00
16	87.10	87.50	87.80	89.40	88.25	89.35	87.60	87.50	*40	86.80	*40	87.00
17	87.10	87.75	87.75	89.30	88.15	89.85	87.75	87.40	*40	86.30	*40	87.00
18	87.10	89.25	87.70	89.30	88.10	88.95	88.30	87.30	*40	86.30	*40	87.00
19	87.10	88.90	87.65	89.15	88.05	88.55	88.10	87.30	*40	86.30	86.55	87.05
20	87.10	88.95	87.60	88.95	88.05	88.40	88.00	87.20	*40	86.30	86.55	87.10
21	87.10	88.10	87.55	88.80	88.05	88.35	87.90	87.20	*40	86.30	86.55	87.00
22	87.10	87.85	87.55	88.85	88.05	88.25	88.00	87.20	*40	86.30	86.30	87.05
23	87.10	87.90	87.50	88.70	88.15	88.15	87.90	87.20	*40	86.30	86.55	87.05
24	87.10	88.25	87.50	88.55	88.25	88.10	87.90	87.05	*40	*40	86.60	87.15
25	87.10	88.25	88.95	88.90	88.05	88.05	88.00	87.10	86.50	*40	86.60	87.15
26	87.10	88.15	88.20	88.80	88.00	88.00	87.90	88.20	86.50	*40	86.60	87.10
27	87.10	87.90	90.35	88.70	87.95	88.00	87.80	87.50	*40	*40	86.60	87.10
28	87.10	87.75	90.40	89.50	87.90	88.30	87.80	87.20	*40	*40	86.60	87.05
29	87.10	88.65	89.75	89.65		88.65	87.75	87.10	*40	*40	86.60	87.00
30	87.10	88.05	89.25	89.40		88.40	87.70	87.00	*40	*40	86.60	87.15
31	87.10		88.95	89.10		88.20		86.90		*40	86.60	

ΕΠΕΞΗΓΗΤΙΚΑ ΣΥΜΒΟΛΙΑ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΣ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.15	87.20	87.20	--	--	--	--	--	--	--	--	--
2	87.15	87.20	87.20	--	--	--	--	--	--	--	--	--
3	87.10	87.20	87.40	--	--	--	--	--	--	--	--	--
4	87.10	87.20	87.40	--	--	--	--	--	--	--	--	--
5	87.20	87.20	87.40	--	--	--	--	--	--	--	--	--
6	87.20	87.30	87.45	--	--	--	--	--	--	--	--	--
7	87.20	87.50	88.50	--	--	--	--	--	--	--	--	--
8	87.20	87.55	87.90	--	--	--	--	--	--	--	--	--
9	87.20	88.00	87.80	--	--	--	--	--	--	--	--	--
10	87.15	87.85	87.05	--	--	--	--	--	--	--	--	--
11	87.20	87.50	88.10	--	--	--	--	--	--	--	--	--
12	87.20	87.35	87.80	--	--	--	--	--	--	--	--	--
13	87.20	87.25	88.50	--	--	--	--	--	--	--	--	--
14	87.20	87.25	89.05	--	--	--	--	--	--	--	--	--
15	87.20	87.20	88.35	--	--	--	--	--	--	--	--	--
16	87.20	87.15	88.00	--	--	--	--	--	--	--	--	--
17	87.20	87.15	88.80	--	--	--	--	--	--	--	--	--
18	87.25	87.25	89.25	--	--	--	--	--	--	--	--	--
19	87.30	87.40	88.55	--	--	--	--	--	--	--	--	--
20	87.25	87.60	88.35	--	--	--	--	--	--	--	--	--
21	87.20	87.50	88.50	--	--	--	--	--	--	--	--	--
22	87.20	87.55	88.80	--	--	--	--	--	--	--	--	--
23	87.20	87.35	88.65	--	--	--	--	--	--	--	--	--
24	87.20	87.30	88.55	--	--	--	--	--	--	--	--	--
25	87.20	87.25	90.50	--	--	--	--	--	--	--	--	--
26	87.20	87.25	90.10	--	--	--	--	--	--	--	--	--
27	87.30	87.20	90.60	--	--	--	--	--	--	--	--	--
28	87.25	87.20	90.90	--	--	--	--	--	--	--	--	--
29	87.25	87.20	90.50	--	--	--	--	--	--	--	--	--
30	87.25	87.20	90.80	--	--	--	--	--	--	--	--	--
31	87.25		90.70	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	87.40	87.60	87.65	87.85	87.30	87.30	40	40	40
2	--	--	--	87.35	87.60	87.60	87.85	87.30	87.50	40	40	40
3	--	--	--	87.35	87.70	87.55	88.00	86.50	87.30	40	40	40
4	--	--	--	87.40	87.65	89.10	88.20	86.70	87.15	40	40	40
5	--	--	--	89.70	87.60	88.80	88.00	86.70	87.15	40	40	86.85
6	--	--	--	88.55	87.70	88.25	88.00	*18	87.15	40	40	87.00
7	--	--	--	88.05	87.85	88.20	87.95	*18	87.15	40	40	87.25
8	--	--	--	88.25	88.90	88.10	87.90	87.05	87.15	40	40	87.00
9	--	--	--	88.00	89.75	88.65	87.80	86.90	87.15	40	40	87.00
10	--	--	--	87.85	88.80	89.30	87.80	87.80	87.15	40	40	87.10
11	--	--	--	88.00	88.40	88.80	87.80	87.90	87.15	40	40	87.60
12	--	--	--	88.45	88.30	88.30	87.75	87.40	40	40	40	88.00
13	--	--	--	88.80	88.20	88.30	87.75	87.30	40	40	40	87.35
14	--	--	--	88.85	88.00	88.40	87.75	87.50	40	40	40	87.50
15	--	--	--	88.75	88.10	88.30	87.70	88.25	40	40	40	87.50
16	--	--	--	88.30	88.20	88.35	87.70	87.20	40	40	40	87.40
17	--	--	--	89.00	88.35	88.35	87.65	87.50	40	40	40	87.35
18	--	--	--	88.40	88.05	88.40	87.65	87.70	40	40	40	87.40
19	--	--	--	89.20	87.95	88.45	87.65	87.40	40	40	40	87.15
20	--	--	--	89.20	88.10	88.25	87.65	86.85	40	40	40	87.15
21	--	--	--	88.40	88.05	88.20	87.60	*18	40	40	40	87.15
22	--	--	--	88.20	87.95	88.35	87.65	86.90	40	40	40	87.15
23	--	--	--	88.05	87.85	88.30	87.65	86.90	40	40	40	87.05
24	--	--	--	87.95	87.80	88.15	87.60	86.90	40	40	87.00	87.15
25	--	--	--	87.85	88.00	88.10	87.60	86.90	40	40	86.75	87.15
26	--	--	--	87.85	87.85	88.00	87.55	86.90	40	40	86.85	87.15
27	--	--	--	87.80	87.80	88.05	87.50	86.90	40	40	40	87.20
28	--	--	--	87.75	87.70	88.00	87.50	88.10	40	40	40	87.25
29	--	--	--	87.70	87.70	88.00	87.55	87.50	40	40	40	87.20
30	--	--	--	87.70		87.95	87.30	87.35	40	40	40	87.10
31	--	--	--	87.65		87.85		87.10		40	86.90	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγόφο

*40 : Κλείσιμο θυροφραγμάτων

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.05	87.10	87.10	87.75	87.75	87.40	87.75	87.25	✕40	✕40	✕40	✕40
2	87.10	87.10	86.95	87.55	87.70	87.40	87.70	87.20	✕40	✕40	✕40	✕40
3	87.10	87.10	86.95	87.45	87.65	87.85	87.70	87.30	✕40	✕40	✕40	✕40
4	87.05	87.10	86.95	87.45	87.65	91.20	87.65	87.45	✕40	✕40	✕40	✕40
5	87.10	87.10	86.95	87.35	88.05	92.50	87.60	87.45	✕40	✕40	✕40	✕40
6	87.15	87.10	86.95	87.35	87.85	91.80	87.65	87.40	✕40	✕40	✕40	✕40
7	87.25	87.10	86.95	87.35	88.30	90.60	87.65	87.45	✕40	✕40	✕40	✕40
8	87.05	87.10	87.00	87.35	88.05	89.85	87.65	87.25	✕40	✕40	✕40	✕40
9	87.05	87.25	87.10	87.50	87.95	89.15	87.60	87.00	✕40	✕40	✕40	✕40
10	87.05	87.25	87.20	87.45	87.90	89.05	87.60	87.10	✕40	✕40	✕40	✕40
11	87.05	87.20	87.10	87.40	87.80	88.90	87.60	87.05	✕40	✕40	✕40	✕40
12	87.05	87.30	87.60	87.35	87.75	88.70	87.65	87.20	✕40	✕40	✕40	✕40
13	87.05	87.30	87.25	87.30	87.70	88.50	87.75	87.05	✕40	✕40	✕40	✕40
14	87.10	87.05	87.40	87.25	87.70	88.40	87.65	86.90	✕40	✕40	✕40	✕40
15	87.10	87.10	87.35	87.25	87.65	88.30	87.60	87.40	✕40	✕40	✕40	✕40
16	87.10	87.10	87.30	87.25	87.70	88.20	87.55	87.40	✕40	✕40	✕40	✕40
17	87.10	87.10	87.20	88.50	87.60	88.15	87.55	87.20	✕40	✕40	✕40	✕40
18	87.10	87.10	87.20	87.60	87.55	88.10	87.50	87.10	86.90	✕40	✕40	✕40
19	87.20	87.10	87.90	87.45	87.55	88.00	87.45	87.30	86.85	✕40	✕40	✕40
20	87.25	87.10	88.80	87.40	87.55	88.00	87.45	87.20	86.80	✕40	✕40	87.10
21	87.25	87.10	87.80	87.40	87.55	88.00	87.40	87.20	86.85	✕40	✕40	87.10
22	87.45	87.10	87.45	87.35	87.55	88.00	87.40	86.95	✕40	✕40	✕40	87.05
23	86.95	87.10	87.30	87.30	87.50	88.00	87.45	86.85	✕40	✕40	✕40	87.05
24	86.95	87.10	87.25	87.30	87.50	88.25	87.45	86.75	✕40	✕40	✕40	87.05
25	87.20	87.10	87.25	87.40	87.50	88.05	87.45	86.75	✕40	✕40	✕40	87.05
26	87.30	87.15	87.25	87.60	87.45	87.95	87.40	✕40	✕40	✕40	✕40	87.00
27	86.95	87.10	87.25	87.80	87.45	87.85	87.35	✕40	✕40	✕40	✕40	87.00
28	87.10	87.10	89.55	88.50	87.45	87.85	87.40	✕40	✕40	✕40	✕40	86.75
29	87.10	87.10	88.95	88.45		87.80	87.30	✕40	✕40	✕40	✕40	87.00
30	87.10	87.10	88.15	88.10		87.90	87.25	✕40	✕40	✕40	✕40	87.00
31	87.10		87.85	87.85		87.80		✕40		✕40	✕40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.00	87.05	87.00	87.55	87.30	88.05	87.30	140	140	140	140	140
2	87.00	87.05	86.95	87.45	87.40	88.00	87.25	140	140	140	140	140
3	87.00	87.00	86.95	87.35	87.45	88.20	87.25	140	140	140	140	140
4	87.05	87.00	86.95	87.30	87.45	88.00	87.25	140	140	140	140	140
5	87.05	87.00	87.00	87.35	87.45	87.85	87.20	140	140	140	140	140
6	87.05	87.95	87.00	87.40	87.25	87.85	87.20	140	140	140	140	140
7	87.05	87.20	86.95	87.30	87.20	87.85	86.90	140	140	140	140	140
8	87.05	87.35	86.90	87.25	87.15	87.90	87.10	140	140	140	140	140
9	87.05	87.30	87.75	87.20	87.15	87.70	86.80	140	140	140	140	140
10	87.05	87.15	87.35	87.20	87.15	87.50	140	140	140	140	140	140
11	87.20	87.10	87.10	87.20	87.10	87.45	140	140	140	140	140	140
12	87.30	87.10	87.05	87.15	87.15	87.45	140	140	140	140	140	140
13	87.15	87.10	87.05	87.15	87.15	87.45	86.90	140	140	140	140	140
14	87.05	87.05	87.05	87.15	87.45	87.45	86.85	140	140	140	140	140
15	86.95	87.05	87.00	87.15	88.30	87.40	87.15	140	140	140	140	140
16	86.95	87.00	87.00	87.15	88.20	88.50	87.15	140	140	140	140	140
17	86.95	87.00	87.00	87.10	87.70	87.80	87.15	140	140	140	140	140
18	87.00	87.00	87.00	87.10	87.70	87.65	87.10	140	140	140	140	140
19	87.00	87.00	87.00	87.10	87.45	87.70	87.10	140	140	140	140	140
20	87.10	87.00	87.10	87.10	87.35	87.55	86.90	140	140	140	140	87.00
21	87.10	87.00	87.35	87.10	87.30	87.55	86.75	140	140	140	140	87.15
22	87.05	87.00	87.25	87.10	87.30	87.50	86.70	140	140	140	140	87.10
23	87.05	87.00	87.15	87.10	87.45	87.80	86.70	140	140	140	140	86.80
24	87.10	87.00	87.20	87.10	89.35	87.90	86.70	140	140	140	140	86.80
25	87.10	87.00	88.75	87.10	88.85	87.80	86.70	140	140	140	140	86.90
26	87.10	87.00	88.90	87.10	88.25	87.70	140	140	140	140	140	87.25
27	87.10	87.00	88.80	87.05	88.00	87.55	140	140	140	140	140	88.15
28	87.10	87.00	87.95	87.00	88.20	87.45	140	140	140	140	140	87.15
29	87.10	87.00	87.65	87.00		87.40	140	140	140	140	140	86.95
30	87.05	86.95	87.50	87.25		87.40	140	140	140	140	140	86.90
31	87.05		87.90	87.20		87.35		140		140	140	

ΕΠΕΞΗΓΗΡΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	86.85	89.60	87.60	90.10	88.95	89.25	88.40	87.85	87.55	×40	×40	×40
2	86.85	88.30	89.55	88.90	89.90	89.10	88.45	87.75	87.75	×40	×40	×40
3	87.00	87.90	93.00	89.50	91.65	89.40	88.30	87.75	87.60	×40	×40	×40
4	88.60	87.65	92.25	89.30	91.70	89.97	88.35	87.80	87.65	×40	×40	×40
5	87.75	87.45	91.55	89.15	91.60	89.45	88.25	87.70	87.75	×40	×40	×40
6	87.40	87.35	90.90	89.05	91.25	89.10	88.25	87.65	87.50	×40	×40	86.75
7	87.20	87.65	90.40	88.95	90.95	89.00	88.20	87.45	87.65	×40	×40	87.00
8	87.10	87.50	90.05	88.70	90.35	88.90	88.15	87.40	87.55	×40	×40	86.85
9	87.05	87.35	89.55	88.60	89.98	88.90	88.10	87.40	87.65	×40	×40	86.75
10	87.10	87.30	89.10	88.50	89.85	88.85	88.05	87.55	87.60	×40	×40	86.75
11	87.10	87.30	88.95	88.45	89.70	88.80	88.05	×18	87.40	×40	×40	86.95
12	87.05	87.35	88.85	88.40	89.49	88.80	88.00	×18	×40	×40	×40	86.85
13	87.00	87.45	88.80	88.35	89.33	88.75	88.00	87.80	×40	×40	×40	86.65
14	87.00	89.30	88.60	88.45	89.30	88.70	88.00	87.65	×40	×40	×40	86.75
15	87.00	88.20	88.50	88.35	89.40	88.75	87.95	87.75	×40	×40	×40	86.95
16	86.95	87.80	88.70	88.25	89.35	88.55	87.95	87.65	×40	×40	×40	86.80
17	86.95	87.90	88.55	88.20	89.45	88.50	87.95	87.55	×40	×40	×40	86.80
18	87.15	87.75	89.55	88.10	89.05	88.35	87.95	88.35	×40	×40	×40	87.00
19	87.30	87.65	90.60	88.10	88.85	88.30	87.85	88.10	×40	×40	×40	86.90
20	87.20	87.50	90.15	89.50	88.70	88.58	87.80	87.85	×40	×40	×40	86.85
21	87.30	89.15	91.00	89.75	89.10	88.50	87.80	87.80	×40	×40	×40	86.85
22	87.45	88.20	91.10	90.05	88.70	88.35	87.80	87.75	×40	×40	×40	86.95
23	87.60	88.05	90.35	89.55	88.60	88.30	87.80	88.10	×40	×40	×40	87.00
24	87.45	87.60	90.40	89.05	89.10	88.30	87.80	88.05	×40	×40	×40	87.05
25	87.25	87.70	89.95	88.85	88.95	88.30	87.70	87.90	×40	×40	×40	87.00
26	87.15	87.80	89.90	88.75	88.60	88.30	87.75	87.85	×40	×40	×40	87.00
27	87.10	87.70	90.35	88.70	88.55	88.25	87.75	87.80	×40	×40	×40	86.90
28	87.15	87.50	90.80	88.55	88.60	88.25	87.75	87.80	×40	×40	×40	87.10
29	87.10	87.50	91.00	88.60		89.30	87.70	87.75	×40	×40	×40	87.05
30	87.10	87.50	90.35	88.95		88.75	87.85	87.85	×40	×40	×40	87.05
31	87.15		90.10	88.95		88.45		87.70		×40	×40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΣ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.05	88.25	87.55	87.50	89.40	88.20	88.10	87.45	140	140	140	140
2	87.00	88.00	87.55	87.50	89.00	88.25	88.10	87.45	140	140	140	140
3	87.00	87.85	87.85	87.55	88.70	88.40	88.10	87.45	140	140	140	140
4	86.95	87.70	87.60	87.65	88.60	88.25	88.10	87.35	140	140	140	87.35
5	87.15	87.65	87.55	89.90	88.35	88.20	88.00	87.35	140	140	140	87.20
6	87.05	87.60	87.55	88.65	88.25	88.20	87.95	87.35	140	140	140	87.15
7	87.05	87.55	87.70	88.50	88.20	88.25	87.95	87.35	140	140	140	87.10
8	87.15	87.50	87.70	89.45	88.15	88.60	87.85	87.35	140	140	140	87.05
9	87.15	87.45	87.75	88.65	88.10	89.95	87.90	140	140	140	140	87.05
10	87.25	87.45	87.70	88.35	88.10	90.35	87.80	140	140	140	140	87.00
11	88.45	87.45	87.65	88.25	88.05	89.35	87.75	140	140	140	140	87.05
12	87.95	87.45	87.65	88.20	88.00	89.00	87.80	140	140	140	140	87.00
13	87.95	87.45	87.65	88.10	87.95	88.70	87.80	140	140	140	140	86.95
14	87.35	87.40	88.35	88.05	87.95	88.85	87.75	140	140	140	140	87.05
15	87.30	87.40	88.25	88.00	87.90	88.25	87.65	140	140	140	140	87.05
16	87.30	87.40	88.05	88.00	87.90	88.80	87.35	140	140	140	140	87.00
17	87.20	87.40	87.90	88.05	88.10	88.80	87.85	87.50	140	140	140	87.05
18	87.20	87.40	87.75	88.00	88.20	88.75	87.50	88.40	140	140	140	87.00
19	87.25	87.35	88.05	87.90	88.15	88.60	87.60	87.75	140	140	140	87.05
20	87.25	87.40	88.00	87.90	88.30	88.50	87.55	87.45	140	140	140	87.00
21	87.25	87.40	88.55	87.90	88.75	88.45	87.80	87.45	140	140	140	87.05
22	87.25	87.40	88.00	87.90	89.40	88.40	87.35	87.90	140	140	140	87.05
23	87.20	87.35	87.85	87.80	88.90	88.40	87.55	140	140	140	140	87.05
24	87.15	87.35	87.85	87.80	88.55	88.35	87.60	140	140	140	140	87.10
25	87.30	87.35	87.85	87.80	87.85	88.40	87.60	140	140	140	140	87.10
26	87.50	87.35	87.75	87.80	87.65	88.30	87.55	140	140	140	140	87.10
27	87.40	87.35	87.70	87.80	88.25	88.20	87.55	140	140	140	140	87.20
28	90.20	87.35	87.60	87.80	88.45	88.15	87.90	140	140	140	140	87.10
29	89.80	87.35	87.65	87.75	88.30	88.15	87.55	140	140	140	140	87.10
30	89.40	87.50	87.60	89.35		88.15	87.55	140	140	140	140	87.00
31	88.50		87.55	89.90		88.15		140		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.00	87.05	--	--	--	--	--	--	--	--	--	--
2	87.05	87.00	--	--	--	--	--	--	--	--	--	--
3	87.05	87.00	--	--	--	--	--	--	--	--	--	--
4	87.00	--	--	--	--	--	--	--	--	--	--	--
5	86.95	--	--	--	--	--	--	--	--	--	--	--
6	87.00	--	--	--	--	--	--	--	--	--	--	--
7	87.00	--	--	--	--	--	--	--	--	--	--	--
8	87.05	--	--	--	--	--	--	--	--	--	--	--
9	87.05	--	--	--	--	--	--	--	--	--	--	--
10	87.00	--	--	--	--	--	--	--	--	--	--	--
11	87.05	--	--	--	--	--	--	--	--	--	--	--
12	87.00	--	--	--	--	--	--	--	--	--	--	--
13	87.00	--	--	--	--	--	--	--	--	--	--	--
14	86.95	--	--	--	--	--	--	--	--	--	--	--
15	87.00	--	--	--	--	--	--	--	--	--	--	--
16	87.00	--	--	--	--	--	--	--	--	--	--	--
17	87.00	--	--	--	--	--	--	--	--	--	--	--
18	87.00	--	--	--	--	--	--	--	--	--	--	--
19	87.05	--	--	--	--	--	--	--	--	--	--	--
20	87.05	--	--	--	--	--	--	--	--	--	--	--
21	87.00	--	--	--	--	--	--	--	--	--	--	--
22	87.00	--	--	--	--	--	--	--	--	--	--	--
23	87.00	--	--	--	--	--	--	--	--	--	--	--
24	87.05	--	--	--	--	--	--	--	--	--	--	--
25	87.00	--	--	--	--	--	--	--	--	--	--	--
26	87.00	--	--	--	--	--	--	--	--	--	--	--
27	87.00	--	--	--	--	--	--	--	--	--	--	--
28	87.00	--	--	--	--	--	--	--	--	--	--	--
29	87.00	--	--	--	--	--	--	--	--	--	--	--
30	87.00	--	--	--	--	--	--	--	--	--	--	--
31	87.00	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	87.10	87.80	88.02	88.35	88.05	87.55	87.00	86.80	**0	86.75
2	--	--	88.30	87.65	87.97	88.25	88.00	87.65	87.15	86.75	**0	86.70
3	--	--	87.90	87.85	87.95	88.25	88.00	87.45	87.10	**0	**0	86.80
4	--	--	87.65	87.15	87.85	88.25	88.00	87.25	87.05	**0	**0	86.75
5	--	--	87.60	87.95	87.85	88.20	87.95	87.25	86.95	**0	**0	86.90
6	--	--	87.70	87.70	88.55	88.20	87.95	87.55	86.80	**0	**0	86.90
7	--	--	87.55	87.65	89.75	88.20	87.95	87.40	86.85	**0	**0	87.05
8	--	--	87.45	87.65	88.90	88.10	87.90	87.25	86.90	**0	**0	87.15
9	--	--	87.35	88.80	88.55	88.30	87.85	87.45	87.00	**0	**0	87.10
10	--	--	87.35	88.20	88.45	88.35	87.85	87.30	86.75	**0	**0	87.00
11	--	--	87.35	88.20	88.30	88.30	87.85	**0	86.65	**0	**0	86.95
12	--	--	87.30	88.50	88.25	88.30	87.85	87.35	86.85	**0	**0	86.90
13	--	--	87.25	88.85	88.20	90.30	87.85	87.25	87.00	**0	**0	86.95
14	--	--	87.25	88.20	88.20	89.75	87.85	87.30	86.95	**0	**0	87.00
15	--	--	87.85	88.00	88.10	89.25	87.85	87.00	86.80	**0	**0	87.05
16	--	--	88.25	87.45	88.05	89.05	87.80	87.05	87.05	**0	**0	87.10
17	--	--	88.00	87.40	88.05	88.75	87.80	87.65	87.10	**0	**0	87.05
18	--	--	87.90	87.90	88.75	88.70	87.75	87.60	86.85	**0	**0	86.95
19	--	--	87.65	87.90	89.50	88.60	87.75	87.45	86.80	**0	**0	87.05
20	--	87.00	87.75	88.20	89.25	88.50	87.70	87.55	86.75	**0	**0	87.10
21	--	87.20	88.20	89.65	88.70	88.40	87.65	87.50	86.70	**0	86.80	87.05
22	--	87.15	88.95	90.40	88.50	88.35	87.65	87.35	86.65	**0	86.75	87.00
23	--	87.10	88.20	89.35	88.40	88.35	87.65	87.30	86.75	**0	86.85	86.95
24	--	87.10	87.95	88.75	88.30	88.30	87.65	87.35	86.80	**0	86.85	87.05
25	--	87.00	87.85	87.45	88.25	88.25	87.65	87.25	86.70	**0	86.80	87.10
26	--	86.95	87.75	88.45	88.15	88.25	87.65	86.85	86.78	**0	86.75	87.15
27	--	87.00	87.65	88.45	88.15	88.30	87.60	87.30	86.90	**0	86.85	87.20
28	--	87.15	87.70	88.85	88.25	88.20	87.55	87.05	86.95	**0	86.90	87.15
29	--	87.05	87.95	88.80	88.35	88.15	87.55	87.05	87.00	**0	86.85	87.10
30	--	87.00	87.80	88.20		88.10	87.55	87.10	87.05	**0	86.90	87.05
31	--		87.75	88.15		88.10		86.95		**0	86.85	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.00	87.65	87.85	89.80	88.85	88.41	88.64	87.51	110	110	110	87.00
2	87.05	87.55	90.40	89.95	88.80	89.11	88.51	87.66	110	110	110	87.05
3	87.20	87.50	91.20	90.79	88.75	88.81	88.46	87.56	110	110	110	87.10
4	87.30	87.45	91.20	90.68	88.70	88.66	88.41	87.51	110	110	110	87.15
5	87.25	87.40	90.42	90.72	88.65	89.03	88.38	87.76	110	110	110	87.20
6	87.15	87.45	89.65	90.20	88.75	89.06	88.35	87.71	110	110	110	87.00
7	87.15	87.40	89.15	89.85	88.85	89.25	88.33	87.66	110	110	110	87.00
8	87.20	87.35	88.85	89.85	88.75	88.96	88.30	87.61	110	110	110	87.00
9	87.25	87.35	88.65	89.80	88.62	89.16	88.28	87.61	110	110	110	87.20
10	87.30	87.40	88.90	89.65	88.57	89.11	88.28	87.56	110	110	110	87.30
11	87.28	87.40	90.60	89.50	88.55	88.91	88.23	87.50	110	110	110	87.25
12	87.35	87.50	91.75	89.66	88.70	88.76	88.23	87.50	110	110	110	87.30
13	87.40	87.65	91.85	89.43	88.60	88.71	88.18	87.65	110	110	110	87.30
14	87.25	89.50	92.07	89.24	88.62	88.66	88.18	87.55	110	110	110	87.50
15	87.35	88.85	91.95	89.11	88.87	88.58	88.15	87.65	110	110	110	87.58
16	87.30	88.15	91.70	89.29	88.72	88.61	87.96	87.60	110	110	110	87.56
17	87.25	87.90	91.90	89.52	88.63	88.71	88.26	87.55	110	110	87.00	87.65
18	87.30	87.75	91.40	89.83	88.64	88.81	88.16	87.45	110	110	87.00	87.45
19	87.35	87.65	91.25	90.75	88.56	89.08	88.11	87.40	110	110	87.15	87.40
20	87.50	87.70	90.85	90.45	88.48	88.91	88.11	87.35	110	110	87.10	87.35
21	87.65	87.60	90.75	90.18	88.46	88.81	88.06	87.30	110	110	87.05	87.30
22	89.50	87.70	90.45	90.03	88.43	88.76	88.01	87.00	110	110	87.00	87.35
23	88.35	87.70	90.18	89.78	88.39	88.71	88.01	86.85	110	110	86.95	87.35
24	88.55	87.90	89.95	89.59	88.36	88.61	88.06	110	110	110	86.95	87.35
25	87.90	87.90	89.75	89.41	88.41	88.91	88.01	110	110	110	87.00	87.35
26	87.60	87.90	89.65	89.16	88.66	88.71	87.91	110	110	110	87.10	87.40
27	87.60	88.05	89.55	89.06	88.61	88.76	87.86	110	110	110	87.15	87.50
28	87.55	88.05	89.85	88.91	88.46	88.71	87.81	110	110	110	87.10	87.52
29	87.90	88.00	90.47	88.81		88.61	87.76	110	110	110	87.10	87.35
30	88.20	87.90	91.06	88.76		88.51	87.56	110	110	110	87.05	87.37
31	87.90		90.15	88.85		88.54		110		110	87.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*10 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.35	87.45	87.50	87.95	87.90	87.95	87.90	*40	*40	*40	*40	*40
2	87.40	87.45	87.55	87.90	87.85	87.85	87.90	*40	*40	*40	*40	88.27
3	87.50	87.45	87.48	87.85	87.80	87.76	87.85	87.90	*40	*40	*40	88.17
4	87.55	87.45	87.60	87.90	87.78	87.75	87.80	88.90	*40	*40	*40	88.07
5	87.55	87.45	87.60	87.80	87.76	87.75	87.80	88.45	*40	*40	*40	87.97
6	87.50	87.35	87.55	87.75	87.74	87.90	87.77	87.65	*40	*40	*40	87.97
7	87.55	87.40	87.65	87.73	87.72	87.80	87.77	87.90	*40	*40	*40	87.97
8	87.50	87.45	87.70	88.05	87.70	87.80	87.77	87.50	*40	*40	*40	87.92
9	87.55	87.50	87.65	88.10	87.68	88.10	87.75	87.40	*40	*40	*40	87.90
10	87.50	87.45	87.75	88.05	87.66	88.20	87.70	87.05	*40	*40	*40	*40
11	87.50	87.45	87.65	88.00	87.65	88.05	87.70	87.10	*40	*40	*40	*40
12	87.45	87.45	87.60	87.90	87.65	87.95	87.70	87.05	*40	*40	*40	*40
13	87.45	87.40	87.55	87.85	87.65	87.90	87.65	87.00	*40	*40	*40	*40
14	87.30	87.35	87.50	88.00	87.65	87.75	87.60	87.20	*40	*40	*40	*40
15	87.25	87.30	87.55	88.35	87.55	87.90	87.40	86.55	*40	*40	*40	*40
16	87.30	87.30	87.65	88.00	87.55	88.00	*40	*40	*40	*40	*40	*40
17	87.30	87.30	87.75	87.95	87.55	88.05	*40	*40	*40	*40	*40	*40
18	87.40	87.30	87.70	88.35	87.55	89.40	*40	*40	*40	*40	*40	*40
19	87.55	87.35	87.60	88.10	87.55	88.35	*40	*40	*40	*40	*40	*40
20	87.50	87.40	89.55	88.00	87.55	88.15	*40	*40	*40	*40	*40	*40
21	87.45	87.40	88.95	88.05	87.55	89.42	*40	87.45	*40	*40	*40	*40
22	87.45	87.45	88.65	88.05	87.55	88.70	*40	87.45	*40	*40	*40	*40
23	87.35	87.45	88.15	87.95	87.55	88.40	*40	87.50	*40	*40	*40	*40
24	87.30	87.45	88.05	87.85	87.60	88.25	*40	87.55	*40	*40	*40	86.85
25	87.40	87.40	88.25	87.85	87.85	88.20	*40	87.50	*40	*40	*40	86.85
26	87.45	87.40	88.30	87.80	87.75	88.15	*40	87.45	*40	*40	*40	86.80
27	87.50	87.45	88.05	87.75	87.85	88.10	*40	87.50	*40	*40	*40	86.90
28	87.55	87.50	87.95	87.75	87.85	88.05	*40	87.35	*40	*40	*40	86.95
29	87.45	87.45	88.05	87.75		88.05	*40	87.30	*40	*40	*40	86.95
30	87.40	87.50	88.15	87.75		88.00	*40	*40	*40	*40	*40	87.05
31	87.40		88.10	87.75		87.95		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.20	87.27	87.23	89.05	87.50	88.50	88.62	87.68	140	140	140	87.35
2	87.30	87.32	87.20	88.80	87.55	88.57	88.50	87.70	140	140	140	87.35
3	87.35	87.32	87.22	87.95	87.85	88.60	88.45	87.70	140	140	140	87.30
4	87.30	87.32	87.23	87.70	87.65	88.55	88.40	87.65	140	140	140	87.28
5	87.20	87.26	87.25	87.50	87.68	88.60	88.40	87.70	140	140	140	87.27
6	87.20	87.25	87.20	87.40	87.78	90.00	88.30	87.80	140	140	140	87.25
7	87.30	87.25	87.20	87.35	87.68	90.82	88.25	88.05	140	140	140	87.20
8	87.20	87.25	87.20	87.95	87.68	90.22	88.30	88.10	140	140	140	87.15
9	87.15	87.25	87.00	88.15	87.68	89.25	88.30	87.70	140	140	140	87.10
10	87.15	87.22	87.05	87.75	87.63	89.55	88.05	87.80	140	140	140	87.05
11	87.12	87.20	87.20	87.70	87.63	89.40	88.15	87.80	140	140	140	87.05
12	87.12	87.25	87.25	87.55	87.58	89.00	88.30	87.65	140	140	140	87.00
13	87.07	87.26	87.25	87.50	87.58	88.65	88.50	87.70	140	140	140	86.90
14	87.07	87.24	87.20	87.50	87.58	88.45	88.30	87.50	140	140	140	86.90
15	87.07	87.23	87.20	87.65	87.53	88.25	88.13	87.00	140	140	140	86.95
16	87.00	87.23	87.20	87.75	87.53	88.20	88.30	87.00	140	140	140	86.95
17	87.15	87.25	87.22	87.65	87.58	88.63	88.28	87.00	140	140	140	87.05
18	86.95	87.25	87.25	87.65	87.83	88.57	88.20	86.90	140	140	140	87.10
19	87.25	87.30	87.25	87.65	88.50	88.43	88.17	86.85	140	140	140	87.15
20	87.25	87.25	87.20	87.65	88.05	88.32	87.93	140	140	140	140	87.20
21	87.20	87.22	87.20	87.65	88.15	88.25	88.18	140	140	140	140	87.25
22	87.25	87.24	87.20	87.65	88.25	88.25	87.83	140	140	140	140	87.30
23	87.25	87.25	87.65	87.70	88.30	88.25	87.78	140	140	140	140	87.40
24	87.18	87.20	87.35	87.75	87.90	88.25	88.03	140	140	140	140	87.10
25	87.28	87.20	87.30	87.90	89.22	88.25	88.00	140	140	140	140	87.05
26	87.33	87.25	87.25	87.75	88.85	88.17	87.81	140	140	140	140	87.10
27	87.28	87.25	87.25	87.75	88.50	88.12	87.70	140	140	140	140	87.15
28	87.25	87.25	87.25	87.75	88.35	88.07	88.00	140	140	140	140	87.20
29	87.25	87.25	87.25	87.65		88.07	87.85	140	140	140	140	87.15
30	87.25	87.25	87.24	87.65		89.65	87.90	140	140	140	140	87.10
31	87.26		87.23	87.55		89.10		140		140		

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστόμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.15	87.75	87.50	87.40	89.30	89.45	87.85	88.00	*40	*40	*40	87.35
2	87.20	87.55	87.40	87.40	89.15	89.13	87.45	88.00	*40	*40	*40	87.35
3	87.25	87.60	87.35	87.40	89.13	88.85	87.45	88.15	*40	*40	*40	87.35
4	87.20	87.95	87.60	87.40	88.85	89.23	88.15	88.00	*40	*40	*40	87.40
5	87.05	87.90	87.55	87.40	88.70	88.95	88.05	88.00	*40	*40	*40	87.10
6	87.10	87.90	87.40	87.40	88.90	88.75	87.95	87.95	*40	*40	*40	*40
7	87.45	87.95	87.40	87.35	88.83	89.45	87.95	88.55	*40	*40	*40	*40
8	87.45	87.90	87.35	87.35	88.65	89.45	88.00	88.10	*40	*40	*40	*40
9	87.40	87.85	87.35	87.30	88.55	89.20	88.05	88.25	*40	*40	*40	*40
10	87.41	87.80	87.50	87.40	88.43	88.90	88.05	88.15	*40	*40	*40	*40
11	87.43	87.75	88.30	87.40	88.37	88.75	88.05	88.05	*40	*40	*40	*40
12	87.42	87.75	88.15	87.40	88.80	88.85	87.70	88.00	*40	*40	*40	88.00
13	87.40	87.77	87.90	87.40	89.40	88.83	88.50	88.00	*40	*40	*40	87.65
14	86.65	87.70	87.77	87.40	89.60	88.70	88.70	88.10	*40	*40	*40	87.20
15	86.75	87.80	87.70	87.45	89.55	88.55	89.92	88.00	*40	*40	*40	87.25
16	86.80	87.80	87.65	87.40	89.30	88.45	89.70	87.95	*40	*40	*40	87.30
17	86.70	87.85	87.55	87.40	88.95	88.45	89.10	87.90	*40	*40	*40	87.35
18	86.90	87.40	87.55	87.40	88.65	88.40	88.80	87.85	*40	*40	*40	87.20
19	87.00	87.25	87.55	87.45	88.50	88.35	88.60	87.85	*40	*40	*40	87.15
20	87.05	87.26	87.50	90.15	88.40	88.35	88.40	87.80	*40	*40	*40	87.30
21	87.10	87.28	87.50	92.10	88.35	88.30	88.60	87.80	*40	*40	*40	87.25
22	87.25	87.20	87.50	91.80	88.25	88.25	88.55	87.80	*40	*40	*40	87.25
23	87.20	87.20	87.45	90.91	88.40	88.25	88.35	87.85	*40	*40	*40	87.25
24	87.25	87.20	87.45	90.95	88.55	88.20	88.30	87.70	*40	*40	*40	87.30
25	87.25	87.15	87.45	90.45	88.40	88.19	88.20	87.65	*40	*40	*40	87.35
26	87.30	87.10	87.40	90.20	88.35	88.19	88.25	87.75	*40	*40	88.50	87.35
27	87.45	87.20	87.40	89.95	88.45	88.17	88.05	87.65	*40	*40	87.85	87.25
28	87.50	87.20	87.40	89.75	89.05	88.15	88.15	87.60	*40	*40	87.40	87.20
29	87.65	87.20	87.40	89.50	88.80	88.15	88.25	87.60	*40	*40	87.45	87.25
30	87.95	87.50	87.40	89.42		88.13	88.00	87.60	*40	*40	87.45	87.25
31	87.80		87.40	89.50				87.55		*40	87.40	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.25	89.35	87.30	87.40	89.30	88.40	88.20	✕40	✕40	✕40	✕40	✕40
2	87.23	89.70	87.40	87.30	88.65	88.40	88.15	✕40	✕40	✕40	✕40	✕40
3	87.00	89.95	87.45	87.45	88.50	88.35	88.20	✕40	✕40	✕40	✕40	✕40
4	87.10	89.00	87.45	87.95	88.48	88.25	88.20	✕40	✕40	✕40	✕40	✕40
5	87.20	88.45	87.35	87.85	88.60	88.20	88.15	✕40	✕40	✕40	✕40	✕40
6	87.25	88.10	87.35	87.85	88.50	88.15	88.15	✕40	✕40	✕40	✕40	✕40
7	87.25	88.00	87.35	87.87	88.30	88.60	88.10	✕40	✕40	✕40	✕40	✕40
8	87.30	87.90	87.35	87.67	88.17	88.55	88.05	✕40	✕40	✕40	✕40	✕40
9	87.35	87.80	87.35	87.62	88.12	88.55	88.00	✕40	✕40	✕40	✕40	✕40
10	87.40	87.75	87.35	87.57	88.02	88.55	87.85	✕40	✕40	✕40	✕40	✕40
11	87.45	87.65	87.35	87.32	87.97	88.55	88.00	✕40	✕40	✕40	✕40	✕40
12	87.45	87.60	87.35	87.57	87.97	88.55	88.15	✕40	✕40	✕40	✕40	✕40
13	87.30	87.55	87.30	87.52	88.35	88.50	88.15	✕40	87.50	✕40	✕40	✕40
14	87.25	87.55	87.30	87.47	88.57	88.45	87.90	✕40	87.55	✕40	✕40	✕40
15	87.20	87.55	87.30	87.42	88.32	88.30	87.95	✕40	87.60	✕40	✕40	✕40
16	87.15	87.55	87.30	87.37	88.22	88.20	87.90	✕40	87.65	✕40	✕40	✕40
17	87.15	87.50	87.30	87.37	88.07	88.15	87.75	✕40	87.70	✕40	✕40	✕40
18	87.30	87.45	87.25	87.37	88.27	88.45	87.75	✕40	87.72	✕40	✕40	✕40
19	87.30	87.45	87.25	87.47	88.17	88.65	87.40	✕40	87.75	✕40	✕40	✕40
20	87.50	87.40	87.20	87.52	88.04	88.75	88.05	✕40	87.77	✕40	✕40	✕40
21	87.40	87.50	87.20	87.52	88.01	88.40	87.90	✕40	87.00	✕40	✕40	✕40
22	87.50	87.45	87.15	87.52	88.00	88.35	87.75	✕40	86.80	✕40	✕40	✕40
23	87.75	87.45	87.25	87.52	87.95	88.25	87.65	✕40	86.70	✕40	✕40	✕40
24	87.55	87.50	87.30	87.50	87.90	88.20	87.55	✕40	86.65	✕40	✕40	✕40
25	87.50	87.50	87.30	88.85	88.20	88.25	87.60	✕40	86.50	✕40	✕40	✕40
26	87.35	87.50	87.25	90.82	88.45	88.35	87.67	✕40	86.55	✕40	✕40	✕40
27	87.35	87.40	87.30	90.00	88.75	88.20	88.00	✕40	86.45	✕40	✕40	✕40
28	87.35	87.40	87.35	89.00	88.45	88.15	87.70	✕40	86.30	✕40	✕40	✕40
29	87.35	87.35	87.35	88.80		88.15	87.65	✕40	86.30	✕40	✕40	✕40
30	88.65	87.35	87.35	90.37		88.15	87.45	✕40	86.30	✕40	✕40	✕40
31	88.45		87.40	90.80		88.25		✕40		✕40	✕40	✕40

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	*40	87.50	87.55	87.63	89.05	88.35	87.85	*40	*40	*40	*40
2	*40	*40	87.55	87.60	87.63	88.83	88.35	87.80	*40	*40	*40	*40
3	*40	*40	87.50	87.75	87.58	88.85	88.30	87.40	*40	*40	*40	*40
4	*40	87.40	88.05	87.95	87.58	88.55	88.25	87.75	*40	*40	*40	87.25
5	*40	87.40	87.95	87.70	87.58	88.50	88.20	87.60	*40	*40	*40	87.30
6	*40	87.35	87.75	87.65	87.58	89.00	88.15	87.40	*40	*40	*40	87.35
7	*40	87.35	87.50	87.60	87.53	89.35	88.20	*40	*40	*40	*40	87.40
8	*40	87.40	87.45	87.62	87.58	89.71	88.25	*40	*40	*40	*40	87.25
9	*40	87.35	87.75	87.60	88.77	89.25	88.15	*40	*40	*40	*40	87.15
10	*40	87.35	87.70	87.65	88.40	88.90	88.20	*40	*40	*40	*40	87.10
11	*40	87.90	87.90	87.70	88.00	89.15	88.15	*40	*40	*40	*40	87.20
12	*40	87.80	88.65	88.55	87.90	89.07	88.20	*40	*40	*40	*40	87.15
13	*40	87.50	88.00	88.28	87.85	89.45	88.20	*40	*40	*40	*40	87.20
14	*40	87.70	87.80	88.15	87.80	89.45	88.20	*40	*40	*40	*40	87.25
15	*40	87.55	87.90	88.15	87.75	90.11	88.20	*40	*40	*40	*40	87.30
16	*40	87.50	88.00	88.05	88.00	90.22	88.25	*40	*40	*40	*40	87.40
17	*40	87.50	87.90	88.00	88.40	89.75	88.25	*40	*40	*40	*40	87.45
18	*40	87.45	87.75	87.90	88.15	89.55	88.00	88.05	*40	*40	*40	87.50
19	*40	87.45	87.70	88.15	88.00	89.30	88.30	88.05	*40	*40	*40	87.45
20	*40	87.40	87.65	88.05	87.95	89.07	88.20	88.00	*40	*40	*40	87.40
21	*40	87.45	87.60	88.00	88.65	88.95	88.10	88.00	*40	*40	*40	87.35
22	*40	87.45	87.60	87.95	88.40	88.87	88.05	87.95	*40	*40	*40	87.25
23	*40	87.40	87.60	87.85	88.15	88.80	87.35	87.90	*40	*40	*40	87.20
24	*40	87.40	87.55	87.83	89.40	88.75	88.50	87.80	*40	*40	*40	87.20
25	*40	87.40	87.55	87.78	90.85	88.70	87.60	87.70	*40	*40	*40	87.15
26	*40	87.35	87.55	87.76	90.80	88.65	87.75	87.60	*40	*40	*40	87.15
27	*40	87.35	87.50	87.73	90.00	88.65	87.85	87.50	*40	*40	*40	87.10
28	*40	87.50	87.50	87.68	89.40	88.60	87.90	87.45	*40	*40	*40	87.08
29	*40	87.55	87.45	87.68		88.45	87.90	87.40	*40	*40	*40	87.05
30	*40	87.50	87.45	87.68		88.40	87.90	*40	*40	*40	*40	87.20
31	*40		87.45	87.63		88.35		*40	*40	*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφραγματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.15	87.65	87.50	87.70	87.55	88.40	87.70	*40	*40	*40	*40	*40
2	87.20	87.55	87.52	87.95	87.55	88.35	87.80	*40	*40	*40	*40	*40
3	87.17	87.45	87.50	87.85	87.55	88.30	87.75	*40	*40	*40	*40	*40
4	87.13	87.50	87.50	87.85	87.60	88.20	87.50	*40	*40	*40	*40	*40
5	87.25	87.45	87.65	87.90	87.55	88.20	87.40	*40	*40	*40	*40	*40
6	87.30	87.45	87.60	87.85	87.50	88.10	87.35	*40	*40	*40	*40	*40
7	87.35	87.50	87.65	87.75	87.50	88.08	87.45	*40	*40	*40	*40	*40
8	87.40	87.67	87.68	87.75	87.50	88.00	87.50	*40	*40	*40	*40	*40
9	87.55	87.40	87.63	87.73	87.61	87.95	87.45	*40	*40	*40	*40	*40
10	87.60	87.75	87.62	87.67	87.59	87.97	*40	*40	*40	*40	*40	*40
11	87.70	87.75	87.70	87.65	87.54	88.25	*40	*40	*40	*40	*40	*40
12	87.85	87.65	87.63	87.60	87.48	88.38	*40	*40	*40	*40	*40	*40
13	87.75	87.55	87.65	87.60	87.43	88.25	*40	*40	*40	*40	*40	*40
14	87.65	87.45	87.63	87.60	87.40	88.26	*40	*40	*40	*40	*40	*40
15	87.67	87.35	87.68	87.55	87.25	88.22	*40	*40	*40	*40	*40	*40
16	87.69	87.30	87.71	87.55	86.50	88.15	*40	*40	*40	*40	*40	*40
17	87.75	87.40	87.69	87.50	86.50	88.00	*40	*40	*40	*40	*40	*40
18	87.80	87.45	87.50	87.52	89.00	87.90	*40	*40	*40	*40	*40	*40
19	87.70	87.48	87.53	87.50	89.79	87.80	*40	*40	*40	*40	*40	*40
20	87.65	87.50	87.57	87.50	89.05	87.70	*40	*40	*40	*40	*40	87.80
21	87.80	87.55	87.53	87.50	88.65	87.70	*40	*40	*40	*40	*40	87.50
22	88.00	87.75	87.51	87.50	89.60	87.65	*40	*40	*40	*40	*40	87.45
23	87.85	87.60	87.53	87.48	89.05	87.60	*40	*40	*40	*40	*40	87.60
24	87.80	87.60	87.50	87.55	88.65	87.65	*40	*40	*40	*40	*40	87.65
25	87.65	87.65	87.50	87.55	88.53	87.85	*40	*40	*40	*40	*40	87.70
26	87.40	87.63	87.48	87.55	88.35	87.95	*40	*40	*40	*40	*40	87.65
27	87.65	87.67	87.46	87.53	88.25	87.80	*40	*40	*40	*40	*40	87.35
28	87.55	87.62	87.42	87.55	88.37	87.63	*40	*40	*40	*40	*40	87.40
29	87.55	87.58	87.45	87.55		87.55	*40	*40	*40	*40	*40	87.45
30	87.55	87.54	87.38	87.60		87.50	*40	*40	*40	*40	*40	87.35
31	87.45		87.36	87.62		87.55		*40		*40	*40	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	87.30	87.30	87.45	87.78	87.85	88.40	88.20	87.75	140	140	140	140
2	87.25	87.40	87.55	87.76	87.85	88.35	88.25	87.80	140	140	140	140
3	87.45	87.45	87.85	87.71	89.10	88.30	88.05	87.75	140	140	140	140
4	87.40	87.50	88.65	87.68	89.70	88.30	88.00	87.25	140	140	140	140
5	87.38	87.45	88.15	87.65	89.45	88.25	88.00	87.30	140	140	140	140
6	87.50	87.40	87.85	87.60	88.95	88.25	87.95	87.25	140	140	140	140
7	87.65	87.43	87.87	87.60	88.75	88.20	88.00	87.22	140	140	140	140
8	87.70	87.48	87.84	87.70	88.75	88.15	88.00	87.25	140	140	140	140
9	87.55	87.50	87.83	87.75	88.60	88.15	88.00	87.20	140	140	140	140
10	87.35	87.47	87.78	87.70	88.45	88.10	87.65	87.15	140	140	140	140
11	87.20	87.45	87.76	87.65	88.35	88.15	87.85	87.10	140	140	140	140
12	87.25	87.43	87.60	87.65	88.30	88.15	88.55	87.05	140	140	140	140
13	87.29	87.35	87.50	87.70	88.25	88.20	88.35	87.00	140	140	140	140
14	87.26	87.30	88.30	87.65	88.20	88.20	88.25	87.05	140	140	140	140
15	87.20	87.34	88.45	87.65	88.20	88.45	88.05	86.95	140	140	140	140
16	87.15	87.32	88.25	87.75	88.15	88.73	88.10	86.85	140	140	140	140
17	87.10	87.28	88.10	88.30	88.15	88.50	88.10	86.75	140	140	140	140
18	87.00	87.20	88.20	88.27	89.30	88.40	88.05	140	140	140	140	140
19	87.05	87.15	88.40	88.10	90.25	88.40	88.00	140	140	140	140	140
20	87.00	87.20	88.87	88.05	90.05	88.40	87.95	140	140	140	140	140
21	87.00	87.22	88.75	87.95	89.60	88.35	87.90	140	140	140	140	140
22	87.10	87.27	88.45	87.90	89.30	88.25	88.05	140	140	140	140	140
23	87.05	87.30	88.20	87.95	89.10	88.20	88.05	140	140	140	140	140
24	87.00	87.45	88.05	87.90	90.00	88.15	88.05	140	140	140	140	140
25	87.10	87.50	88.00	87.85	88.75	88.15	88.05	140	140	140	140	87.35
26	87.15	87.65	88.00	87.85	88.70	88.15	88.00	140	140	140	140	87.40
27	87.20	87.40	88.05	87.85	88.60	88.10	88.00	140	140	140	140	87.50
28	87.17	87.40	88.00	87.90	88.50	88.15	88.05	140	140	140	140	87.58
29	87.39	87.50	87.90	88.20	88.45	88.10	87.85	140	140	140	140	87.60
30	87.40	87.45	87.90	88.05		88.25	87.85	140	140	140	140	87.57
31	87.30		87.80	87.90		88.20		140		140	140	

ΕΠΕΞΗΓΗΤΙΚΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜΕΡΗΣΙΕΣ ΠΑΡΟΧΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	42.23	31.11	74.10	40.50	39.44	13.96	9.91	3.12	7.48
2	--	--	--	35.50	35.69	62.14	38.16	39.84	14.12	9.91	2.97	7.20
3	--	--	--	31.83	39.57	58.50	36.64	39.31	13.72	9.58	2.90	6.98
4	--	--	--	32.64	37.65	54.09	35.64	38.03	14.67	9.32	2.55	6.60
5	--	--	--	29.97	40.81	48.63	35.77	36.64	14.51	9.12	2.41	6.38
6	--	--	--	28.18	46.37	47.50	38.94	34.91	14.11	8.87	2.62	6.49
7	--	--	--	28.29	53.53	45.12	46.26	34.30	14.11	6.85	2.76	6.87
8	--	--	--	33.38	55.55	42.50	57.02	34.54	13.95	5.82	2.83	6.81
9	--	--	--	47.03	67.59	41.96	63.60	33.34	13.79	6.92	2.86	6.33
10	--	--	--	58.50	84.29	40.89	62.16	32.04	13.72	6.92	2.93	6.28
11	--	--	--	59.24	87.06	41.43	57.75	30.65	13.64	6.07	2.93	6.93
12	--	--	--	57.75	83.46	40.64	51.63	29.29	13.33	5.81	2.93	7.37
13	--	--	--	49.80	74.80	40.64	46.65	28.07	12.95	6.33	2.97	7.37
14	--	--	--	40.11	64.13	44.15	45.25	26.86	12.95	6.07	2.97	7.60
15	--	--	--	35.04	54.07	52.08	45.95	25.58	12.95	4.62	3.12	8.32
16	--	--	--	31.23	51.19	55.83	51.34	24.33	12.95	4.91	3.31	8.74
17	--	--	--	29.52	69.43	50.05	54.94	23.02	12.80	6.12	3.42	8.74
18	--	--	--	28.62	89.02	44.98	52.33	21.06	12.65	5.96	3.42	8.68
19	--	--	--	26.98	89.63	41.97	51.33	20.11	13.72	5.71	3.34	8.68
20	--	--	--	25.90	81.79	39.32	53.05	19.93	15.08	5.56	6.95	9.58
21	--	--	--	25.90	70.90	36.89	53.77	18.82	15.25	4.84	10.45	10.24
22	--	--	--	25.69	62.59	36.89	52.33	17.92	14.84	3.95	9.45	10.11
23	--	--	--	26.22	60.71	43.94	49.48	17.56	13.34	3.74	9.98	10.11
24	--	--	--	26.43	59.53	47.78	46.09	16.86	11.70	3.74	10.79	10.24
25	--	--	--	25.37	54.37	46.65	43.60	16.17	10.79	3.74	10.86	10.72
26	--	--	--	24.85	54.07	49.48	41.43	15.75	10.24	3.46	10.72	11.78
27	--	--	--	24.95	64.13	48.91	39.84	16.35	9.91	3.08	10.44	12.43
28	--	--	--	27.87	76.45	45.54	38.54	16.60	9.64	3.04	9.97	12.50
29	--	--	--	31.46		42.78	37.52	14.68	9.84	3.04	9.58	12.65
30	--	--	--	32.16		40.63	38.15	13.72	9.91	3.16	8.87	12.35
31	--	--	--	31.46		40.63		13.41		3.31	8.01	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	11.77	10.51	11.84	12.65	13.02	15.75	12.80	5.76	3.67	1.98	1.13	1.65
2	11.63	10.44	11.63	12.21	13.33	14.67	12.72	5.86	2.69	1.98	0.99	1.67
3	11.56	10.38	11.49	12.13	12.73	13.72	12.57	8.01	2.35	1.84	0.99	1.62
4	11.35	10.44	11.49	12.95	11.99	13.10	12.65	9.58	2.22	1.70	1.01	1.62
5	11.14	11.28	12.74	16.37	12.80	12.80	12.72	7.28	2.35	1.21	1.02	1.67
6	11.00	12.58	15.00	17.66	14.11	12.50	13.02	3.61	2.35	0.76	1.01	1.65
7	10.93	12.72	14.92	15.50	15.25	12.28	12.51	1.99	2.16	0.76	1.09	1.62
8	11.00	11.99	13.33	14.51	15.00	12.21	12.66	1.82	2.22	0.76	1.57	1.70
9	11.07	11.49	12.50	17.07	13.79	12.13	13.64	1.54	2.28	0.66	2.13	1.67
10	10.93	11.28	12.06	22.85	13.33	11.99	13.79	1.99	2.35	0.70	1.99	1.90
11	10.72	11.14	11.84	23.54	13.10	12.06	14.11	2.45	2.35	0.72	1.67	1.96
12	10.72	11.00	11.63	19.65	12.95	11.92	14.11	2.79	2.38	0.72	1.67	1.73
13	10.65	11.00	11.35	17.47	12.65	11.56	14.03	2.97	2.45	0.79	1.70	1.87
14	10.44	11.00	11.28	17.12	12.43	11.42	12.81	3.04	2.35	0.76	1.78	2.13
15	10.51	10.72	11.92	16.01	12.43	11.42	11.77	3.34	2.25	0.76	1.92	2.45
16	10.93	10.65	12.35	14.51	12.35	11.49	10.39	4.26	2.07	0.76	1.84	2.55
17	10.79	10.72	12.35	14.19	12.13	11.42	8.62	5.51	1.90	0.72	1.76	2.38
18	10.31	10.58	13.33	13.79	11.92	11.49	7.44	5.41	1.90	0.76	1.67	2.45
19	10.51	10.72	13.87	13.48	11.70	12.06	6.87	4.47	2.10	0.76	1.57	2.79
20	10.79	11.42	12.95	13.25	11.77	13.33	7.43	3.95	2.22	0.76	1.59	3.76
21	10.72	11.63	12.28	12.95	12.06	12.89	7.15	3.66	2.10	0.76	1.62	4.38
22	10.65	11.28	12.28	12.72	12.28	11.49	6.28	3.58	1.98	0.70	1.59	4.47
23	10.72	11.92	12.13	12.50	12.28	12.21	4.72	3.46	1.90	0.70	1.54	4.43
24	10.79	14.21	11.77	12.50	12.13	13.88	2.91	3.46	1.92	0.74	1.57	4.80
25	10.79	15.25	11.63	13.10	11.99	14.19	2.62	3.66	1.90	0.77	1.62	5.36
26	10.65	14.35	11.56	13.72	11.77	13.79	2.93	3.16	1.76	0.76	1.62	5.07
27	10.51	13.79	11.49	14.03	11.99	13.56	2.93	2.45	1.78	0.76	1.59	5.12
28	10.58	13.33	11.63	13.95	14.71	13.25	3.19	2.48	1.84	0.99	1.62	5.21
29	10.65	12.87	11.92	13.48	16.77	13.10	5.22	2.83	1.87	1.19	1.62	4.88
30	10.58	12.28	12.21	13.33		13.02	6.39	3.23	1.95	1.19	1.57	8.50
31	10.51		12.72	13.10		12.95		3.95		1.23	1.57	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	11.64	6.49	11.28	73.38	28.73	24.05	18.18	13.24	17.29	4.04	1.69	0.85
2	10.93	6.54	10.79	95.08	30.66	22.84	18.00	12.94	20.88	3.95	1.50	0.87
3	23.40	6.44	10.44	91.13	32.40	23.34	18.00	12.19	18.11	3.10	1.37	0.91
4	34.44	6.44	9.97	82.74	31.00	24.87	18.54	11.90	14.84	2.18	0.86	0.79
5	29.75	6.54	9.64	67.92	29.40	24.35	23.19	11.90	13.24	2.25	0.58	0.77
6	23.88	6.65	9.25	55.66	28.95	23.44	38.84	11.48	12.49	2.28	0.53	0.79
7	16.90	6.65	9.32	46.94	29.40	22.44	57.07	11.55	11.76	2.28	0.51	0.79
8	12.81	6.65	9.97	40.74	30.08	21.85	58.51	12.34	11.26	2.18	0.53	2.44
9	10.93	6.65	10.04	37.52	31.35	22.64	47.41	12.49	10.57	2.00	0.47	4.04
10	9.58	6.54	9.38	35.53	32.05	24.25	37.17	12.64	9.57	1.85	0.42	3.87
11	8.62	6.54	9.58	33.59	29.86	24.25	31.71	12.64	8.79	2.36	0.45	4.38
12	7.89	7.44	9.97	31.58	27.74	22.94	28.40	11.69	8.54	3.15	0.58	5.52
13	6.50	13.70	15.37	29.74	33.31	23.14	28.52	11.12	8.18	3.15	0.72	6.43
14	5.97	14.81	21.35	28.18	39.17	23.64	27.65	9.39	7.94	2.42	1.21	6.22
15	6.28	9.45	18.57	26.77	39.17	24.15	24.76	8.24	7.82	1.22	1.11	6.17
16	6.02	9.45	14.69	25.18	37.90	25.07	23.54	9.37	7.70	0.70	0.56	6.07
17	6.22	10.58	12.58	23.94	35.65	25.39	22.64	10.10	7.58	0.81	0.56	5.96
18	6.60	10.24	11.85	22.94	33.83	25.08	22.05	9.70	7.36	0.87	0.56	6.01
19	7.15	9.32	14.74	22.54	31.47	24.15	21.36	9.05	7.13	0.81	0.65	6.07
20	7.60	9.64	21.89	22.05	29.74	23.44	20.98	8.92	7.08	0.74	0.85	6.01
21	7.03	9.58	40.31	21.36	28.51	23.04	20.88	8.79	7.02	0.74	0.95	5.96
22	6.33	10.25	83.23	40.16	26.87	22.14	20.21	8.79	6.97	0.81	1.57	5.91
23	6.33	13.91	102.61	60.62	25.39	21.56	19.46	9.30	6.97	0.89	1.45	5.96
24	6.49	14.69	93.49	55.37	24.35	21.07	18.91	9.76	6.70	1.60	0.95	6.01
25	6.07	13.88	86.71	46.24	23.54	20.40	18.27	8.99	5.72	2.09	0.95	5.96
26	6.17	16.36	75.28	40.73	23.44	20.21	17.65	7.82	5.17	1.80	0.79	6.12
27	6.60	14.74	62.80	44.13	24.25	20.02	16.51	7.94	5.26	1.69	0.99	6.22
28	6.07	10.25	53.64	39.71	24.56	20.31	15.66	7.71	4.89	1.58	2.01	6.17
29	6.02	9.25	46.53	30.77		20.59	14.27	7.36	4.70	1.58	2.90	7.20
30	6.38	10.59	44.15	28.96		20.03	13.09	7.58	4.56	1.83	1.81	6.27
31	6.33		43.87	28.40		18.91		10.15		2.03	0.95	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.25	8.24	9.63	9.30	20.78	27.09	31.01	17.03	14.03	**0	1.91	2.12
2	3.99	8.06	8.62	9.83	22.85	27.31	28.18	17.39	16.54	**0	1.94	2.03
3	3.99	7.88	8.00	9.57	23.15	30.90	27.85	17.39	18.28	**0	1.94	2.03
4	4.08	7.76	9.31	8.12	21.07	32.05	31.49	16.34	17.56	**0	1.91	2.03
5	4.03	7.64	9.90	7.35	19.38	30.31	35.16	15.50	17.03	**0	1.63	2.06
6	4.95	7.64	9.37	7.47	21.21	29.07	35.40	14.67	17.21	**0	1.32	2.15
7	6.43	7.58	9.05	10.08	25.49	27.41	36.52	14.67	16.35	**0	1.27	2.22
8	6.80	6.14	8.86	12.56	25.18	26.23	36.27	14.03	14.19	**0	1.27	2.22
9	6.75	4.93	8.73	12.27	24.05	24.87	34.07	13.24	13.40	**0	1.27	2.15
10	6.75	4.66	8.54	11.83	23.24	23.14	32.64	12.34	13.87	**0	1.32	2.15
11	6.75	6.05	8.42	11.19	23.95	22.14	31.23	11.26	13.87	**0	1.72	2.18
12	6.91	7.82	9.58	10.71	37.64	21.07	29.18	10.57	12.94	**0	2.06	2.22
13	5.97	7.76	12.36	10.37	59.57	20.12	27.96	10.23	12.79	**0	2.03	3.34
14	6.24	7.70	12.36	13.16	79.59	19.28	26.98	10.23	12.49	**0	2.03	4.56
15	5.99	7.64	9.97	20.76	96.43	18.63	25.28	13.16	11.62	**0	1.85	5.27
16	4.38	7.82	7.61	24.15	97.05	18.36	24.15	17.21	10.64	**0	1.53	11.53
17	4.12	6.76	6.01	19.15	87.78	18.09	23.64	17.21	10.37	**0	1.42	10.66
18	3.99	6.65	6.38	15.83	74.19	18.00	23.44	15.33	10.37	**0	1.42	4.70
19	3.91	7.76	7.13	13.90	61.57	18.09	23.34	13.71	10.10	**0	1.40	6.58
20	3.99	7.76	7.35	11.98	53.93	17.47	22.54	12.94	10.50	**0	1.83	8.79
21	4.21	7.70	10.02	15.65	49.23	16.60	21.75	12.34	10.64	**0	2.03	7.72
22	4.34	7.64	12.79	18.37	46.63	18.20	22.74	13.26	10.64	**0	1.77	6.86
23	4.38	7.47	12.41	17.12	42.87	23.89	23.04	15.33	11.05	**0	1.97	7.13
24	4.38	7.70	12.19	16.94	39.18	30.32	21.36	15.49	10.50	**0	2.18	7.13
25	4.52	8.18	11.90	17.92	36.27	36.55	20.21	14.83	9.96	**0	1.91	7.41
26	4.98	8.18	11.33	14.08	35.04	48.87	19.93	14.83	9.70	0.03	1.74	7.82
27	6.83	8.06	10.78	13.27	32.65	57.12	19.19	14.83	9.05	1.98	1.80	7.82
28	8.30	8.12	10.37	18.28	29.18	52.61	18.36	14.67	8.42	2.35	1.88	7.58
29	8.12	8.92	10.03	19.18		44.54	18.18	13.87	7.94	2.35	2.06	7.58
30	8.06	9.63	9.70	16.96		38.92	17.91	13.09	7.47	2.09	2.22	7.64
31	8.18		9.37	17.86		35.17		13.55		1.85	2.22	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.64	8.42	9.96	19.28	10.50	11.98	15.49	13.87	7.14	2.28	2.65	11.72
2	7.70	8.12	9.56	20.70	10.37	12.41	15.33	13.40	7.70	2.28	1.69	7.31
3	7.70	7.82	10.93	22.54	9.83	12.05	15.08	12.71	8.93	2.41	1.74	5.12
4	7.58	7.94	12.79	20.61	9.37	12.05	15.00	12.56	9.31	2.62	2.03	4.66
5	8.68	8.00	12.34	17.47	9.30	14.37	15.41	12.34	8.06	2.68	2.28	3.99
6	8.93	8.12	11.26	15.83	9.76	21.97	17.40	11.76	7.70	2.62	2.28	8.54
7	7.70	8.12	10.57	14.51	10.23	25.41	17.92	11.62	9.20	2.55	1.97	14.51
8	7.58	8.12	10.23	13.48	10.16	20.42	16.51	11.33	13.45	2.62	1.69	14.27
9	7.58	8.24	10.16	12.94	10.03	17.91	16.00	10.37	14.37	2.65	1.69	13.95
10	7.47	8.18	9.76	12.71	9.76	16.18	15.00	8.99	12.49	2.62	1.69	13.87
11	7.47	8.18	9.17	13.64	9.76	13.79	14.19	8.00	11.69	2.62	1.74	13.87
12	7.58	8.30	8.92	17.42	9.76	12.49	13.71	7.36	9.64	2.45	1.85	11.31
13	7.58	8.36	8.86	21.07	9.76	12.56	13.40	6.97	8.42	2.41	1.85	7.72
14	7.53	8.18	8.79	18.76	10.03	13.09	13.09	5.53	8.06	2.58	1.85	6.43
15	7.30	8.06	8.86	14.76	10.16	12.94	14.53	5.23	7.70	2.13	1.91	6.17
16	7.13	8.18	9.37	13.79	11.63	12.79	16.51	6.97	7.25	1.69	1.91	6.81
17	7.47	8.61	11.21	13.95	13.63	13.40	15.75	7.70	6.69	1.42	1.85	6.55
18	7.70	10.73	11.76	13.55	13.33	15.08	14.43	7.14	6.33	1.27	2.22	5.51
19	7.82	12.49	10.78	12.71	12.49	17.30	13.79	6.27	6.33	1.53	2.35	5.46
20	7.82	12.49	10.43	12.19	14.37	16.70	13.40	5.86	6.33	1.74	2.03	5.46
21	7.70	13.88	10.23	12.05	15.01	14.67	13.24	5.71	5.81	1.80	1.97	5.51
22	7.82	13.27	10.10	11.83	13.40	13.87	13.71	5.61	4.20	1.80	1.91	5.56
23	7.88	11.91	9.96	11.62	13.17	13.40	13.63	5.86	2.69	1.85	1.97	5.56
24	7.76	12.64	17.33	11.47	12.64	14.03	14.03	5.04	2.58	1.85	2.49	5.56
25	7.76	11.77	21.43	11.19	11.83	16.35	15.83	7.98	2.45	1.80	3.12	5.56
26	7.76	10.50	15.51	10.91	11.62	17.21	16.51	11.49	2.22	1.74	3.19	5.56
27	7.64	10.64	12.07	10.71	11.47	15.50	16.60	8.93	2.35	1.69	3.04	5.56
28	7.94	11.76	12.15	10.50	11.47	14.67	16.26	7.36	2.48	1.42	2.62	6.33
29	8.12	11.69	13.40	10.30		14.67	15.16	6.80	2.55	1.42	2.83	8.01
30	8.12	10.57	14.94	10.37		14.67	14.35	6.48	2.41	1.97	8.39	7.72
31	8.30		18.28	10.50		15.16		6.48		2.98	14.27	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	6.59	6.59	12.94	25.83	27.31	25.92	17.47	12.05	7.25	9.76	1.85	1.85
2	6.48	6.64	12.56	23.04	33.51	23.64	16.94	10.58	6.80	8.86	1.85	1.91
3	6.48	6.69	12.19	31.68	34.10	22.14	16.51	9.56	6.59	8.18	1.74	1.97
4	7.72	6.69	12.05	41.39	28.08	23.34	16.25	16.18	6.48	7.70	1.69	2.70
5	7.95	6.69	11.98	40.73	27.53	22.65	16.08	23.34	6.59	7.13	1.69	3.83
6	6.80	6.69	12.34	28.41	28.62	20.40	15.91	22.14	6.38	5.87	1.80	3.99
7	6.59	6.69	12.79	30.80	27.20	19.93	15.49	19.75	6.01	4.26	2.42	3.58
8	6.38	6.69	12.64	42.74	25.08	19.37	14.91	17.04	5.81	4.08	2.42	4.31
9	6.17	6.69	12.19	44.13	23.34	19.56	14.51	15.49	5.96	4.79	1.91	5.03
10	6.12	6.69	11.90	43.19	22.54	20.21	14.11	15.00	6.27	5.56	1.80	4.88
11	6.07	6.69	11.83	38.28	21.75	19.74	14.27	14.83	6.59	6.33	1.80	5.17
12	6.07	6.69	11.69	35.91	19.66	18.36	14.35	14.27	6.69	6.12	1.97	5.31
13	6.54	6.69	11.47	31.36	17.91	17.47	14.11	13.87	6.17	5.41	1.97	5.26
14	7.02	6.64	11.33	26.99	17.47	16.94	13.79	13.17	4.90	4.57	1.91	5.31
15	6.75	7.84	11.33	24.35	28.48	16.68	13.40	12.49	4.61	3.87	1.91	5.31
16	6.17	21.29	11.33	23.64	39.05	16.51	13.40	12.05	4.98	3.16	1.91	5.31
17	6.12	27.51	11.33	22.64	37.39	16.17	13.40	11.40	4.61	2.41	1.97	5.56
18	6.48	48.82	17.03	21.85	35.91	15.83	13.24	10.85	4.52	2.55	1.97	5.76
19	6.86	83.95	20.71	21.85	32.41	15.49	13.09	10.50	4.70	2.69	1.80	5.76
20	7.41	82.72	17.56	20.88	29.52	15.24	12.94	10.50	4.26	2.41	1.69	5.86
21	7.64	65.80	15.84	19.93	25.93	15.08	12.64	10.37	3.82	2.28	1.74	5.86
22	7.41	42.93	14.27	19.37	24.35	15.16	12.79	10.03	3.99	2.09	1.80	5.86
23	7.19	29.78	15.51	18.82	24.56	15.16	15.19	9.63	4.25	2.00	1.85	5.96
24	7.13	23.85	18.10	18.45	25.08	15.33	17.74	9.30	4.17	2.19	1.85	5.96
25	7.13	20.50	17.22	18.09	26.66	15.83	18.09	8.43	3.99	2.16	1.91	6.07
26	7.02	18.46	14.67	17.65	25.61	16.60	17.56	7.70	3.99	2.25	1.97	6.17
27	6.91	17.74	13.48	17.21	23.24	19.67	16.17	7.58	5.20	2.25	1.85	6.07
28	6.91	16.35	13.48	16.86	25.31	21.85	14.67	7.94	6.38	1.91	1.85	5.96
29	6.75	14.43	28.24	17.30	27.52	20.50	13.87	8.54	9.41	1.97	1.85	5.66
30	6.59	13.48	40.13	19.28		18.82	13.09	7.60	11.63	1.91	1.85	5.66
31	6.59		31.72	22.96		17.91		7.14		1.80	1.85	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	5.96	7.02	23.85	17.03	24.07	55.10	45.77	18.46	12.42	12.97	0.91	5.07
2	6.07	7.13	20.69	16.51	25.29	55.10	43.40	17.47	11.90	5.27	0.99	4.93
3	6.07	7.24	19.09	16.25	22.84	67.60	41.39	16.77	11.76	4.88	1.25	4.88
4	5.96	7.24	33.77	16.08	21.56	80.39	39.56	16.00	11.62	4.70	1.58	4.70
5	5.96	7.36	60.52	15.91	21.17	79.67	37.52	15.33	11.47	4.43	1.63	4.43
6	5.96	7.36	74.72	16.08	20.31	70.79	35.77	14.35	11.19	3.99	1.69	4.30
7	6.07	7.36	83.95	16.08	18.91	65.25	34.07	14.03	11.05	3.66	1.77	4.47
8	6.27	7.36	83.34	15.58	18.00	63.90	32.87	14.19	11.05	3.54	1.50	4.88
9	6.27	13.06	77.24	15.24	17.38	63.23	32.05	13.87	10.78	3.16	1.75	4.79
10	6.27	27.83	75.46	14.91	16.94	64.58	31.46	13.71	10.37	2.69	1.75	4.75
11	6.70	51.48	66.03	14.83	15.75	70.79	31.12	12.87	12.15	2.35	1.37	5.07
12	6.91	71.91	51.15	15.00	15.33	74.87	30.77	11.83	13.02	2.09	1.99	5.03
13	6.80	69.98	42.89	14.83	20.38	73.20	30.31	11.19	11.48	2.28	2.62	4.70
14	6.80	48.56	37.28	15.00	26.66	67.73	29.40	10.57	11.05	2.10	2.41	4.89
15	6.80	30.37	33.36	15.00	27.09	60.47	28.95	11.27	10.91	1.85	1.64	4.98
16	6.80	23.65	30.32	14.51	30.37	56.83	28.73	12.12	10.78	1.69	1.22	4.56
17	7.02	19.94	27.63	17.07	36.15	54.38	28.29	11.83	10.91	1.37	3.00	4.43
18	7.02	17.21	25.70	18.82	35.41	52.47	27.63	10.78	10.78	1.53	3.78	3.64
19	6.91	15.16	24.05	16.86	33.59	52.77	26.98	10.23	10.50	1.74	3.05	3.55
20	6.91	14.35	23.14	16.00	36.79	52.62	26.34	10.50	10.37	2.22	3.42	4.25
21	7.13	13.71	22.74	15.66	40.73	52.33	25.70	10.37	9.83	2.68	3.27	4.47
22	7.24	12.94	21.85	15.49	43.97	52.03	25.08	10.50	9.05	2.68	3.96	5.17
23	7.13	15.36	21.36	15.49	54.75	51.00	24.25	10.71	8.61	2.51	4.04	5.76
24	7.36	16.61	20.79	16.69	75.99	50.70	23.44	10.71	8.54	1.84	3.34	5.96
25	7.70	16.61	20.12	17.91	90.51	50.11	22.64	11.34	7.77	1.37	3.38	6.12
26	7.70	24.60	19.74	16.52	87.41	49.53	22.04	11.90	8.96	1.37	3.87	6.32
27	7.24	54.36	19.46	15.00	74.19	49.23	20.88	11.90	8.31	1.22	4.34	6.38
28	7.02	63.21	19.28	14.51	61.57	48.94	19.93	11.34	5.13	1.08	4.34	6.59
29	7.02	41.49	18.64	14.35		48.94	19.93	10.78	4.52	1.03	4.61	7.42
30	7.02	30.37	17.91	14.51		48.36	19.56	10.78	12.32	0.95	5.12	7.88
31	7.02		17.56	17.96		47.34		11.84		0.91	5.22	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.88	12.27	10.71	17.05	26.45	22.74	12.94	4.65	3.46	4.34	1.85	6.12
2	8.24	11.83	10.37	18.54	24.05	23.94	12.79	4.61	3.95	4.43	1.80	6.01
3	7.88	11.47	10.23	17.56	22.54	24.76	12.64	4.52	3.33	4.17	1.88	6.07
4	7.30	11.33	10.16	16.51	21.85	24.15	12.34	4.43	2.83	4.66	1.27	6.07
5	7.24	11.26	10.03	15.33	20.98	22.64	12.12	4.34	3.58	4.89	0.66	6.33
6	7.30	11.12	9.89	17.24	20.02	21.46	11.90	4.21	4.34	4.16	0.65	6.48
7	7.41	10.98	9.96	21.86	19.65	20.31	11.69	4.12	4.61	3.47	0.65	6.02
8	7.47	10.85	10.10	22.25	19.28	19.19	11.62	4.34	4.52	2.97	0.65	9.72
9	7.47	10.78	11.34	25.36	18.73	18.45	11.55	4.75	4.61	2.93	0.65	11.46
10	7.47	10.85	16.77	29.97	18.27	17.65	11.33	4.75	4.56	2.86	0.66	7.94
11	7.47	10.78	19.48	25.64	18.00	16.86	11.40	4.38	4.56	2.93	0.68	6.97
12	7.41	10.57	16.95	21.17	17.91	16.43	11.98	4.08	4.34	2.90	0.87	6.80
13	7.47	10.37	17.12	21.36	17.65	16.34	12.56	3.74	4.16	2.38	1.12	6.86
14	7.76	10.23	16.35	23.04	17.12	16.25	12.64	2.30	4.08	2.15	1.48	6.54
15	9.06	10.23	14.19	24.87	16.77	16.17	12.34	1.17	3.99	2.15	1.80	6.38
16	13.08	10.16	13.71	24.67	16.68	16.17	11.90	1.03	3.91	1.97	1.80	6.59
17	19.51	10.10	13.40	24.05	16.51	16.17	11.33	0.95	3.70	1.88	1.71	6.59
18	34.15	10.10	12.79	25.60	16.17	16.17	10.91	0.91	3.54	1.83	1.77	6.59
19	54.32	10.16	12.27	28.97	15.83	15.41	10.71	0.83	3.42	1.80	1.85	6.59
20	67.58	10.43	12.19	54.76	15.58	14.67	10.57	0.72	3.08	1.80	1.74	6.59
21	60.12	10.43	13.02	80.75	15.49	14.51	10.43	0.85	2.72	1.80	1.66	6.59
22	37.91	10.16	14.11	75.18	15.41	14.19	9.76	2.47	2.90	1.88	1.60	6.59
23	27.33	10.10	14.27	59.02	15.24	13.95	8.67	4.75	2.69	1.91	1.47	6.54
24	22.55	10.03	14.11	48.95	15.16	13.87	7.76	5.46	2.66	1.83	1.45	6.54
25	19.28	9.96	14.11	44.93	15.49	13.79	7.30	5.46	3.04	1.74	2.52	6.64
26	17.12	9.96	14.19	40.35	15.83	13.71	7.24	5.22	3.08	1.30	5.36	6.75
27	15.41	9.89	15.33	35.05	16.26	13.55	7.02	4.89	4.79	1.57	7.41	6.80
28	14.35	9.89	16.25	32.64	19.40	13.40	6.69	4.43	6.27	2.22	7.08	6.86
29	13.55	10.57	15.41	29.65		13.87	5.67	4.43	5.76	2.52	6.27	6.91
30	12.94	11.05	15.16	26.34		14.03	4.75	4.34	4.89	2.39	6.07	7.30
31	12.64		15.41	26.87		13.40		3.74		1.91	6.17	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.41	7.08	32.18	39.20	32.52	47.14	18.18	19.93	7.76	6.12	1.27	3.99
2	7.13	8.51	27.21	30.72	31.00	64.02	18.00	19.74	6.65	5.56	1.27	4.16
3	7.13	13.98	23.45	29.78	31.93	58.84	17.65	19.37	5.56	5.56	1.27	4.43
4	6.86	16.78	21.85	32.06	33.11	45.10	17.38	18.82	5.17	5.96	1.27	4.79
5	6.59	12.83	20.41	30.31	31.93	39.95	20.34	18.27	4.88	5.76	1.27	5.27
6	6.59	7.35	18.36	30.31	30.08	37.90	34.12	17.56	4.75	5.46	1.27	5.86
7	6.75	7.41	17.74	29.74	28.51	35.78	45.48	17.03	4.70	5.12	1.32	6.27
8	7.02	21.61	17.12	28.62	27.63	33.35	40.51	16.86	4.47	4.79	1.32	6.38
9	7.13	33.47	16.17	26.98	27.30	30.77	33.25	16.51	4.16	4.25	1.27	6.38
10	7.13	31.00	15.75	24.87	26.44	28.84	28.96	16.08	3.91	3.39	1.27	6.59
11	7.13	24.94	15.24	22.84	25.49	28.51	26.77	15.16	3.42	2.76	1.27	6.59
12	7.13	17.76	15.16	21.85	24.66	27.96	25.08	14.51	3.27	2.41	1.27	6.91
13	7.19	14.19	15.41	22.44	23.84	26.98	25.81	14.75	2.44	2.15	1.27	7.24
14	7.08	14.03	15.33	26.16	22.94	26.66	26.23	14.67	1.74	1.72	1.27	7.47
15	7.30	21.22	15.00	34.49	22.44	25.81	21.98	12.80	1.74	1.34	1.27	7.70
16	7.70	29.86	14.51	38.41	22.24	24.66	21.09	12.13	1.71	1.17	1.27	7.76
17	7.58	26.73	14.51	34.80	22.14	23.04	23.04	12.94	2.00	1.43	1.27	8.00
18	7.36	20.60	14.51	30.66	32.57	22.14	22.14	12.71	2.76	1.61	1.27	8.54
19	7.19	19.74	14.11	27.31	44.22	22.14	21.17	12.19	4.45	1.47	1.27	10.52
20	7.13	21.46	13.87	24.87	49.25	21.36	20.40	11.76	7.95	1.47	1.27	11.34
21	7.13	22.05	13.79	23.64	48.97	20.78	19.74	11.19	10.30	1.34	1.32	9.96
22	7.30	19.85	13.48	27.13	39.98	21.17	20.69	10.64	9.05	1.27	1.37	9.30
23	7.41	17.30	13.17	28.97	36.27	21.95	23.04	10.50	7.94	1.27	1.37	9.05
24	7.35	16.00	14.68	37.67	36.89	22.24	24.87	9.70	7.70	1.22	1.37	8.92
25	7.35	11.18	16.34	61.94	38.66	21.95	24.46	9.57	8.06	1.22	1.37	8.92
26	7.30	14.58	15.50	73.08	41.79	21.27	22.64	9.44	8.06	1.27	1.47	8.92
27	7.24	39.15	14.59	63.66	41.93	20.40	21.56	8.86	7.25	1.27	1.63	8.92
28	7.24	65.55	14.51	49.83	37.53	19.46	21.36	8.79	6.59	1.27	2.65	8.92
29	7.24	66.36	37.31	44.78		19.46	21.07	9.11	6.59	1.27	4.17	8.36
30	7.24	46.57	64.58	42.06		19.93	20.31	8.92	6.54	1.27	4.43	8.12
31	7.19		53.58	36.91		19.10		8.06		1.27	3.99	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	9.11	10.16	9.43	9.30	10.23	12.27	8.24	5.17	5.51	0.44	0.33	0.44
2	9.18	10.16	9.43	9.63	10.43	11.83	7.88	4.98	4.18	0.42	0.32	0.44
3	8.42	10.03	9.37	9.96	10.37	12.20	7.70	4.98	4.00	0.42	0.32	1.06
4	8.18	9.63	9.37	9.56	9.96	14.36	7.53	5.57	3.46	0.42	1.43	2.00
5	8.00	9.50	9.37	9.63	10.71	15.33	6.86	6.02	1.70	0.42	2.79	2.22
6	8.18	9.56	9.30	9.50	12.57	14.35	5.91	5.71	2.27	0.42	1.59	2.35
7	8.18	9.50	9.24	9.30	13.17	13.71	5.22	5.66	3.34	0.42	0.67	2.35
8	7.94	9.43	9.11	9.37	12.49	12.94	4.93	5.66	2.69	0.42	0.55	2.28
9	8.42	9.43	9.11	9.30	13.02	12.27	4.75	5.46	1.65	0.42	0.50	2.35
10	10.87	9.37	9.11	9.11	13.17	13.33	4.52	5.07	1.15	0.42	0.48	2.41
11	11.91	9.37	8.98	8.98	12.19	14.75	4.08	5.42	1.06	0.42	0.48	2.31
12	9.90	9.24	8.92	8.98	18.48	14.35	3.12	5.13	0.91	0.42	0.48	2.15
13	8.79	9.11	8.86	9.17	24.67	13.17	1.74	4.61	0.87	0.41	0.48	2.38
14	8.54	8.98	8.79	9.17	23.64	12.19	0.93	4.75	0.81	0.39	0.47	2.62
15	8.79	8.92	8.79	9.11	24.87	11.76	0.83	4.43	0.77	0.38	0.45	2.41
16	8.98	9.05	8.79	9.17	23.06	11.47	0.68	4.99	0.72	0.36	0.44	2.48
17	8.86	9.05	10.31	9.30	18.56	11.33	0.68	6.17	0.68	0.33	0.42	1.99
18	9.11	8.79	11.27	9.24	16.43	11.19	0.68	7.72	0.70	0.52	0.39	1.93
19	9.24	9.37	10.16	8.98	15.33	10.98	0.53	8.54	0.70	0.52	0.37	2.72
20	9.11	9.70	9.56	8.92	13.87	10.78	0.51	7.53	0.66	0.33	0.36	3.31
21	8.98	9.43	9.30	8.86	13.24	10.57	0.53	6.80	0.65	0.36	0.34	3.74
22	9.30	9.37	9.83	8.98	13.24	10.43	0.53	6.80	0.65	0.37	0.32	4.08
23	13.67	9.17	10.16	10.44	12.71	10.30	0.51	7.02	0.65	0.37	0.31	3.91
24	19.10	9.11	9.76	11.83	12.19	10.10	0.50	6.70	0.61	0.37	0.32	2.66
25	20.21	9.05	9.63	11.27	11.76	9.83	0.53	5.91	0.56	0.37	0.32	2.45
26	19.56	8.98	9.50	10.98	11.47	9.70	0.58	6.02	0.55	0.37	0.32	2.79
27	16.70	8.98	9.30	10.51	11.47	9.63	2.58	6.48	0.55	0.37	0.33	3.36
28	13.79	9.30	9.11	9.56	11.98	9.50	7.54	6.70	0.51	0.34	0.34	3.32
29	12.27	9.56	9.37	9.30	12.49	9.37	8.33	6.38	0.48	0.34	0.36	2.62
30	11.19	9.50	9.70	9.76		9.11	6.12	6.17	0.47	0.37	0.39	2.55
31	10.57		9.70	10.30		8.67		6.17		0.36	0.42	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	3.53	5.76	5.66	5.76	14.35	10.64	3.74	0.67	0.37	0.34	0.28	0.32
2	4.34	5.96	5.76	5.76	15.01	10.50	3.91	0.55	0.50	0.34	0.26	0.29
3	3.99	5.96	5.76	5.76	15.50	10.50	3.59	0.47	0.48	0.33	0.25	0.26
4	3.51	5.96	5.76	5.76	14.19	10.50	2.62	0.42	0.47	0.32	0.23	0.25
5	3.12	5.86	5.76	5.66	13.40	10.50	1.81	0.33	0.47	0.31	0.22	0.25
6	4.00	5.66	5.76	5.56	12.34	9.96	1.04	0.33	0.45	0.32	0.21	0.24
7	4.98	5.56	5.76	5.56	11.06	9.30	0.75	0.42	0.41	0.33	0.31	0.22
8	5.17	5.56	5.76	5.56	11.06	9.05	0.72	0.42	0.36	0.31	0.38	0.19
9	4.98	5.56	6.71	5.56	11.90	8.92	0.72	0.41	0.33	0.27	0.30	0.17
10	4.79	5.86	10.42	5.56	13.57	8.92	0.72	0.38	0.32	0.27	0.27	0.15
11	4.79	5.86	11.78	5.56	13.72	9.70	0.68	0.38	0.30	0.27	0.25	0.13
12	4.79	5.46	8.93	5.56	12.05	10.50	0.70	0.41	0.31	0.27	0.24	0.11
13	4.79	5.46	7.25	6.07	11.06	10.50	0.72	0.42	0.31	0.25	0.24	0.09
14	4.75	5.76	6.69	8.98	10.37	9.70	0.72	0.42	0.30	0.24	0.25	0.07
15	4.93	5.96	6.59	10.51	10.10	8.79	0.70	0.44	0.28	0.22	0.25	0.05
16	5.26	5.96	6.17	8.55	9.57	8.42	0.68	0.48	0.28	0.21	0.22	0.05
17	5.26	6.70	5.76	7.36	8.92	7.94	0.66	0.48	0.30	0.22	0.19	0.05
18	5.07	7.36	5.76	6.80	8.42	9.06	0.66	0.45	0.32	0.25	0.18	0.51
19	5.07	7.02	5.76	7.14	8.18	12.52	0.68	0.56	0.37	0.28	0.16	1.50
20	5.17	6.48	5.76	8.30	8.18	12.67	0.68	0.58	0.38	0.28	0.17	1.58
21	5.17	6.17	5.76	8.92	13.62	10.64	0.66	0.47	0.37	0.26	0.24	1.52
22	5.36	6.17	5.76	9.57	17.24	9.96	0.65	0.47	0.39	0.24	0.31	1.55
23	5.46	6.07	5.76	9.57	14.67	9.05	0.63	0.47	0.36	0.25	0.31	1.58
24	5.46	5.86	6.71	8.42	14.67	8.42	0.63	0.48	0.32	0.25	0.31	1.55
25	5.27	5.66	7.25	7.70	14.19	7.59	0.63	0.37	0.32	0.24	0.32	1.58
26	5.17	5.56	6.69	7.58	13.40	7.02	0.63	0.26	0.32	0.22	0.32	1.80
27	5.26	5.56	6.17	8.18	12.34	7.36	0.63	0.26	0.32	0.20	0.31	2.12
28	5.17	5.56	5.76	9.97	11.19	7.70	0.60	0.26	0.34	0.35	0.32	2.38
29	5.17	5.56	5.76	10.11		7.14	0.74	0.28	0.37	0.53	0.33	2.58
30	5.17	5.56	5.76	9.70		4.34	0.83	0.29	0.36	0.42	0.33	2.68
31	5.36		5.76	12.68		3.13		0.27		0.33	0.32	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	2.68	4.43	6.70	12.79	6.22	12.79	33.84	7.83	3.27	1.70	0.34	3.19
2	2.68	3.52	6.27	11.91	6.22	12.49	29.20	7.83	3.74	2.28	0.37	3.42
3	2.68	2.68	6.07	10.23	6.32	12.19	25.29	9.57	4.17	2.03	0.34	3.42
4	2.68	2.68	5.86	9.56	6.97	11.62	23.34	9.44	3.76	1.80	0.31	3.83
5	2.68	3.60	5.86	9.56	7.76	11.33	22.34	7.71	2.97	1.85	0.26	4.16
6	2.90	4.98	5.86	9.30	7.76	14.58	21.27	6.80	2.62	1.91	0.07	3.99
7	3.11	4.89	5.66	8.54	7.53	27.83	20.12	6.80	2.28	1.85	0.00	3.82
8	3.04	3.67	5.76	8.18	7.30	36.65	19.28	6.48	2.28	1.63	0.00	3.74
9	2.97	2.93	5.76	8.06	7.13	33.59	19.46	5.28	2.28	1.74	0.07	3.74
10	2.97	6.36	5.46	10.41	6.97	31.47	20.12	4.43	2.41	1.85	0.45	3.74
11	3.04	7.31	5.36	15.87	6.80	28.52	20.12	4.61	2.55	1.42	0.68	3.74
12	3.04	3.67	5.36	18.82	6.59	24.98	18.82	4.26	2.35	0.99	0.41	3.74
13	3.12	2.90	5.97	17.22	6.38	21.37	17.38	3.74	2.41	0.83	0.29	4.17
14	3.26	2.83	6.80	13.89	6.38	19.56	16.68	4.08	2.55	0.79	0.46	5.08
15	3.12	3.59	7.83	11.48	14.19	17.93	16.00	4.08	2.35	0.68	0.51	5.56
16	3.93	4.04	8.30	10.23	23.84	16.00	15.00	3.50	2.22	0.58	0.42	6.33
17	4.01	3.66	7.47	9.56	36.69	15.49	14.19	2.14	2.15	0.51	0.42	8.38
18	3.04	8.55	6.80	9.17	46.94	15.16	14.03	1.17	1.86	0.48	0.42	5.07
19	3.04	18.61	6.48	8.54	38.82	14.83	14.03	1.17	1.74	0.45	0.42	1.63
20	3.11	16.92	6.17	8.42	30.37	14.27	13.55	1.27	1.91	0.42	0.42	1.74
21	3.19	8.98	5.96	8.18	25.91	13.48	12.94	1.37	1.69	0.42	0.42	1.80
22	3.26	7.66	5.96	7.58	25.91	13.24	12.79	1.37	1.42	0.42	0.42	1.80
23	4.84	8.61	11.01	7.47	21.90	20.32	12.20	1.37	1.37	0.42	1.82	1.80
24	5.67	8.42	14.70	7.13	17.21	26.14	11.19	1.17	1.42	0.42	3.27	1.80
25	5.77	7.37	11.07	6.80	15.50	21.48	10.64	0.79	1.47	0.42	2.29	1.80
26	6.69	6.38	8.32	6.59	14.27	17.83	10.23	0.60	1.47	0.42	5.44	1.61
27	7.02	6.38	7.59	6.43	13.87	16.26	9.44	0.58	1.47	0.42	7.23	1.61
28	11.31	6.27	9.58	6.75	13.48	16.86	8.92	0.78	1.42	0.42	6.37	1.74
29	9.58	6.48	12.51	6.80		26.13	8.92	0.83	1.27	0.39	5.42	1.85
30	4.52	6.91	12.36	6.43		35.77	8.92	1.15	1.17	0.37	3.12	2.49
31	4.43		11.62	6.27		36.27		2.23		0.34	3.12	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	3.12	28.63	30.80	19.38	65.37	38.66	41.39	17.65	18.36	7.30	0.81	2.09
2	3.50	24.95	25.71	18.09	59.78	39.56	38.54	16.94	17.38	6.97	0.89	2.15
3	4.39	16.40	34.10	17.74	55.40	40.08	34.92	16.60	16.34	6.38	0.83	8.15
4	4.84	11.63	49.10	17.29	52.62	40.21	32.52	15.42	15.33	5.66	0.79	12.30
5	4.61	9.25	48.52	26.75	51.00	38.92	29.97	13.95	14.67	5.07	0.87	8.30
6	4.61	8.00	43.00	35.05	47.93	36.77	28.18	13.02	14.67	2.92	0.93	7.76
7	4.61	7.41	38.30	29.76	43.95	34.32	27.30	13.17	14.67	2.54	0.95	7.58
8	5.08	7.13	32.65	26.02	41.26	31.58	26.76	13.87	14.67	3.87	0.95	7.82
9	8.40	7.13	28.63	26.56	43.02	30.20	26.44	15.68	14.19	3.74	0.95	17.00
10	10.58	7.13	24.88	37.74	47.63	29.51	25.91	19.10	13.63	3.35	0.81	19.18
11	7.74	6.86	21.85	46.20	48.07	29.06	25.08	20.69	13.48	2.83	0.70	11.33
12	6.12	7.42	20.40	42.06	46.05	28.73	24.66	20.12	13.32	2.48	0.74	10.23
13	6.81	8.00	19.93	37.53	44.22	28.29	24.56	18.28	13.17	2.12	0.75	9.11
14	6.81	7.70	19.93	33.24	42.59	27.85	25.28	16.94	12.94	1.97	0.75	8.36
15	5.86	8.30	23.89	29.75	48.56	27.09	25.81	16.60	12.20	1.64	0.85	7.88
16	5.81	8.61	30.91	26.56	61.14	30.12	24.87	15.83	12.42	0.90	0.95	7.88
17	6.33	16.13	32.99	24.46	70.19	32.52	23.74	15.41	13.48	0.51	0.87	7.82
18	6.07	24.05	29.42	23.44	68.88	35.57	22.64	17.67	14.92	0.55	0.83	7.76
19	5.56	19.41	24.88	23.84	60.89	54.26	24.16	21.86	13.98	0.61	0.91	7.88
20	5.56	17.21	22.44	24.76	57.40	61.67	23.86	25.71	11.20	0.61	0.87	7.94
21	5.76	17.65	21.27	34.04	55.69	53.35	21.46	24.69	10.43	0.68	0.79	8.00
22	5.76	18.10	24.71	38.22	52.47	49.82	21.46	23.85	10.85	0.75	0.77	8.12
23	5.56	21.38	28.51	31.01	48.07	45.22	21.36	26.44	11.05	0.75	0.79	8.12
24	5.56	38.03	26.98	35.87	44.50	40.74	21.27	26.44	10.57	3.16	0.83	8.00
25	5.46	46.31	24.46	51.30	42.99	37.02	21.27	25.28	10.03	3.32	0.89	8.06
26	5.46	42.76	22.05	57.11	41.79	34.31	20.98	23.74	9.63	0.85	0.99	8.12
27	6.88	45.49	21.07	53.50	40.34	32.52	19.93	22.34	9.43	0.75	1.35	8.06
28	7.15	43.40	21.07	70.19	39.04	31.58	18.82	21.17	8.86	0.75	1.74	8.06
29	5.81	40.74	21.07	86.42		31.46	18.36	20.03	8.12	0.75	1.80	8.06
30	9.40	36.40	21.27	80.89		32.40	18.18	18.64	7.58	0.75	1.88	8.00
31	20.09		21.07	71.81		37.43		18.18		0.75	2.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.94	11.48	11.83	13.79	16.34	44.74	18.64	10.37	21.90	**0	0.18	4.80
2	7.94	10.57	10.98	13.48	15.66	65.38	18.64	8.74	16.35	**0	0.37	4.89
3	7.82	14.31	10.85	14.51	15.33	61.57	17.83	7.36	13.72	**0	0.37	4.70
4	7.70	20.99	11.48	15.83	15.49	50.57	17.91	7.24	11.91	**0	0.37	4.98
5	7.94	25.19	13.49	15.83	15.16	39.97	17.56	7.58	11.05	**0	0.37	4.61
6	8.06	22.80	14.35	16.34	14.51	34.56	17.21	7.64	11.05	**0	0.36	4.52
7	7.82	16.11	13.40	16.86	14.03	30.89	16.68	7.24	10.91	**0	0.34	4.43
8	7.70	13.09	12.34	16.00	13.71	27.53	16.34	7.02	10.50	**0	0.36	4.66
9	7.70	11.83	11.62	15.16	13.48	25.91	16.17	7.41	10.23	**0	0.42	4.18
10	7.58	10.98	12.05	14.83	14.11	26.34	16.00	7.14	10.23	**0	0.48	3.62
11	7.58	10.43	16.96	15.00	14.67	26.34	15.49	6.59	9.70	**0	0.45	4.12
12	7.53	9.96	19.76	15.00	14.83	26.12	14.83	6.86	9.17	**0	0.45	4.38
13	7.53	9.83	16.18	14.19	15.83	26.98	15.16	8.44	9.57	**0	0.48	4.17
14	7.70	11.56	13.87	13.40	15.50	28.40	15.00	8.74	9.96	**0	0.61	3.91
15	7.70	12.20	12.86	12.64	14.51	28.18	15.00	9.60	9.96	**0	0.75	3.87
16	7.70	10.78	12.56	12.19	14.35	26.55	15.49	11.26	8.56	**0	0.72	3.82
17	7.64	10.23	12.19	12.19	14.35	24.36	14.83	10.37	7.24	**0	0.60	4.21
18	7.58	9.76	12.05	12.19	14.35	22.14	14.35	8.44	7.70	0.02	0.53	4.61
19	7.82	9.50	12.34	11.98	14.03	21.46	14.03	7.13	8.18	0.72	0.55	4.61
20	8.18	9.56	12.64	11.76	13.48	21.46	13.40	6.86	8.18	0.42	0.55	4.61
21	8.48	9.56	13.72	11.55	13.17	21.65	12.94	8.65	8.18	0.23	0.74	4.61
22	9.11	9.56	22.47	11.47	13.40	21.46	12.79	10.03	7.65	0.17	0.93	4.61
23	10.51	9.70	33.84	11.62	14.03	20.88	12.34	8.73	7.13	0.17	0.93	4.75
24	13.11	12.24	31.75	13.90	16.89	21.46	11.76	9.12	7.13	0.23	0.74	4.88
25	14.03	14.59	24.88	20.96	20.12	21.65	11.62	9.70	7.30	0.53	0.84	4.88
26	11.63	13.18	20.70	22.86	19.10	20.50	11.62	9.63	7.47	0.49	1.01	4.84
27	9.63	11.76	17.57	18.28	16.95	19.37	11.47	12.16	7.47	0.19	0.91	4.70
28	9.24	11.40	16.17	16.00	16.00	18.82	11.33	13.26	6.91	0.16	1.22	4.70
29	9.30	11.83	15.83	15.33	20.59	18.82	11.19	11.62	6.38	0.13	2.27	4.79
30	10.44	12.41	15.33	15.33		18.54	10.98	11.12	6.38	0.12	3.84	4.79
31	11.76		14.51	16.00		17.91		17.90		0.07	4.34	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.70	28.62	20.12	50.90	29.63	31.93	22.42	19.28	9.71	6.17	1.70	5.17
2	4.70	43.61	19.93	50.90	28.62	31.23	22.42	18.19	9.91	5.41	1.93	5.77
3	4.93	64.02	19.65	46.66	31.60	32.04	22.22	17.65	10.04	4.70	1.93	6.76
4	5.07	68.02	19.37	43.46	35.03	31.58	21.64	17.30	10.04	4.38	1.65	6.92
5	5.07	64.02	19.18	48.37	34.30	30.31	22.23	16.86	10.38	4.03	1.54	7.03
6	6.73	73.11	19.00	55.09	32.28	30.31	23.41	16.51	12.76	3.35	1.49	6.87
7	10.53	85.18	18.54	56.12	30.65	29.41	22.72	16.09	13.35	2.79	1.54	6.60
8	11.91	79.08	18.09	52.49	30.31	29.29	21.35	15.58	11.99	1.86	1.54	6.70
9	9.84	66.90	19.94	47.50	30.31	30.77	20.87	16.26	13.34	1.17	1.49	6.92
10	8.00	59.09	21.85	44.43	45.47	33.23	20.87	18.37	13.49	1.10	1.49	7.37
11	7.24	53.92	23.24	41.43	67.72	35.64	20.39	18.73	12.35	1.06	1.54	7.60
12	7.02	46.64	23.44	40.10	70.00	36.89	19.83	17.21	11.99	1.44	1.59	7.48
13	7.77	40.62	28.41	38.80	62.11	36.27	19.46	16.17	13.11	1.92	1.46	7.48
14	10.53	36.39	34.43	36.27	53.79	33.94	19.00	15.66	13.49	2.10	1.21	7.37
15	10.53	33.36	33.83	34.79	48.49	32.04	18.55	15.25	11.92	3.55	1.10	7.37
16	8.54	31.46	32.06	34.06	44.56	30.77	18.19	14.84	10.86	4.52	1.10	7.15
17	11.17	30.09	30.89	33.10	41.43	29.41	17.74	14.51	9.91	3.58	1.12	6.81
18	11.17	28.62	38.78	33.82	40.10	26.98	17.92	14.11	9.32	3.15	1.23	6.98
19	8.54	28.51	74.87	42.06	40.10	25.47	19.93	13.72	9.58	3.27	1.26	7.14
20	8.54	30.32	95.69	49.34	43.06	25.47	21.73	13.56	9.58	3.31	1.23	7.43
21	8.48	31.81	86.42	47.64	43.06	24.85	21.73	13.33	9.12	3.08	1.30	7.71
22	9.31	31.46	76.66	45.12	40.10	24.23	20.59	12.36	8.93	2.83	1.36	7.89
23	15.50	29.75	76.66	42.11	38.80	24.02	19.37	11.85	8.81	2.51	1.54	8.07
24	28.67	28.07	89.51	38.80	36.89	23.82	19.00	11.99	8.19	2.51	2.47	7.89
25	39.58	26.88	93.85	36.27	35.64	23.82	19.93	11.77	7.60	2.69	3.38	7.71
26	50.43	25.70	85.81	34.30	34.79	23.62	20.87	11.42	7.60	2.42	3.38	7.71
27	55.53	24.66	77.84	33.10	34.06	23.62	20.39	11.00	7.60	2.16	3.34	7.60
28	51.15	22.44	73.06	31.81	33.10	23.82	21.35	10.51	7.31	1.93	3.34	7.48
29	44.02	21.27	68.01	31.00		23.82	22.42	10.11	6.87	1.44	3.54	8.83
30	34.00	20.79	62.67	30.65		23.62	20.97	10.11	6.54	1.71	4.21	18.25
31	28.95		57.11	30.31		22.91		10.04		1.99	5.02	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	31.26	12.65	44.84	44.70	57.31	36.76	25.48	9.77	10.38	2.97	0.64	0.56
2	32.64	11.92	46.93	43.05	52.76	35.52	24.23	9.58	10.24	2.97	0.64	0.56
3	31.58	11.63	45.96	42.23	49.76	34.91	23.42	9.19	9.45	2.79	0.64	0.56
4	33.94	11.42	42.24	40.76	48.77	34.42	22.81	8.87	8.93	2.72	0.64	0.56
5	34.42	11.21	37.29	43.90	47.36	35.15	22.22	8.68	8.93	2.72	0.64	0.56
6	28.58	10.93	42.24	60.48	45.12	35.77	21.54	9.39	9.12	2.58	0.64	0.56
7	22.23	10.65	72.61	76.68	43.46	34.54	21.25	11.28	8.75	2.48	0.64	0.56
8	18.57	10.65	93.48	79.53	41.97	33.34	21.35	12.35	8.19	1.72	0.64	0.56
9	15.50	10.79	93.36	77.63	44.44	32.39	21.35	12.43	8.19	0.95	0.64	0.56
10	14.92	10.79	89.02	75.02	51.19	31.69	20.96	12.35	8.19	0.70	0.64	0.56
11	14.12	17.73	82.62	67.21	56.57	31.11	20.39	12.65	8.13	0.56	0.64	1.62
12	12.72	33.99	75.73	58.94	57.61	30.88	19.83	12.87	8.07	0.52	0.56	4.20
13	12.13	42.10	68.15	54.21	53.21	30.88	19.37	12.50	8.07	0.52	0.48	5.81
14	11.92	35.48	66.43	50.62	49.34	30.31	18.82	12.13	7.72	0.50	0.48	6.28
15	11.77	26.68	71.41	45.14	47.78	29.63	18.46	11.84	7.03	0.48	0.45	6.38
16	11.63	21.55	74.89	45.00	45.67	29.29	18.28	11.77	6.65	0.48	0.40	6.28
17	11.42	19.09	74.07	49.91	46.66	29.07	18.10	11.49	6.38	0.48	0.38	6.38
18	11.21	19.74	69.16	58.33	47.92	29.18	18.28	11.14	6.02	0.54	0.36	6.49
19	11.07	22.63	63.44	68.80	47.50	29.18	18.28	11.07	5.61	0.54	0.33	6.49
20	10.93	23.12	58.20	74.67	46.37	28.73	17.74	10.65	5.36	0.35	0.32	6.49
21	10.79	21.16	53.05	76.32	43.60	27.85	16.69	10.17	4.89	0.22	0.32	6.65
22	10.65	25.78	49.48	72.22	41.16	26.76	15.58	9.97	4.52	0.20	0.32	6.81
23	10.65	32.04	46.65	67.47	39.18	26.11	14.43	9.58	4.52	0.20	0.30	6.81
24	10.58	47.21	43.60	64.72	37.90	25.90	13.87	9.51	4.34	0.20	0.29	6.81
25	10.58	66.90	41.16	62.16	37.77	25.58	13.64	9.51	4.25	0.20	0.32	6.76
26	10.79	69.08	39.44	58.50	38.28	25.37	12.95	9.64	4.34	0.20	0.35	6.70
27	10.79	60.20	44.47	55.24	38.54	25.06	12.65	10.11	3.83	0.20	0.38	6.70
28	10.79	46.00	52.62	52.76	38.03	24.23	12.28	10.24	3.23	0.39	0.45	6.76
29	11.28	38.03	58.93	52.04		23.42	11.42	10.65	3.15	0.64	0.52	6.98
30	12.96	40.26	56.44	55.54		23.01	10.38	10.45	3.04	0.64	0.56	7.20
31	13.72		48.06	59.24		24.65		10.04		0.64	0.56	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.43	7.77	13.48	16.43	33.71	30.20	20.30	16.86	10.65	11.99	2.10	5.71
2	7.37	7.71	12.50	15.25	29.64	28.51	20.11	17.65	10.04	11.35	2.35	4.98
3	6.98	7.60	11.42	17.50	26.76	26.76	21.55	28.16	9.84	10.79	1.52	4.38
4	6.81	7.48	11.21	40.24	24.64	25.06	23.31	37.40	9.77	10.04	0.64	4.84
5	6.81	7.48	11.85	72.29	23.12	24.43	22.82	45.95	9.64	10.04	0.45	5.46
6	6.81	7.60	13.18	80.12	22.22	25.69	25.09	58.20	8.94	9.71	0.36	5.71
7	6.81	8.95	13.49	71.94	22.03	27.96	26.33	54.38	8.25	8.93	0.36	5.96
8	6.81	9.26	12.35	57.75	22.42	27.96	25.27	44.73	8.19	9.06	0.41	5.96
9	6.81	8.37	12.21	47.23	22.81	25.48	25.79	37.03	8.44	9.12	0.33	6.07
10	6.81	8.68	14.46	39.99	22.62	23.52	26.98	31.94	10.12	8.62	0.27	6.65
11	6.92	8.93	16.95	40.25	22.81	23.52	27.96	28.51	28.46	7.72	0.27	6.92
12	7.03	12.53	22.93	41.04	23.21	24.54	28.96	26.33	38.78	7.20	0.27	6.81
13	7.09	18.84	28.07	37.64	23.01	25.06	29.52	24.44	28.51	5.08	0.28	6.70
14	7.14	30.80	24.87	35.65	28.95	31.20	27.52	22.62	28.51	3.92	0.29	6.70
15	7.14	48.10	20.78	32.06	38.04	42.00	25.37	21.44	28.96	4.43	0.29	6.81
16	7.43	52.91	18.64	29.18	39.97	42.67	26.23	20.11	28.07	4.16	0.72	6.81
17	7.71	47.37	17.83	27.52	38.03	35.06	26.33	19.18	25.28	3.82	1.83	6.81
18	7.71	38.48	17.21	26.00	34.67	30.31	24.64	18.91	21.94	3.42	2.41	6.70
19	7.71	29.00	16.86	29.79	30.66	29.29	24.33	18.37	20.02	3.19	2.48	6.70
20	7.71	22.34	16.51	32.75	27.09	32.18	23.52	17.56	18.37	2.90	2.58	6.81
21	7.71	19.37	15.92	30.43	25.47	34.54	22.22	16.69	16.95	2.23	2.69	6.60
22	7.71	17.57	15.25	28.07	26.33	32.75	21.06	15.83	16.51	1.92	2.83	6.44
23	7.54	16.34	14.84	25.79	27.63	29.97	20.30	15.16	15.83	2.10	2.72	6.65
24	7.37	14.77	14.35	24.23	29.86	27.63	19.74	14.59	15.00	2.04	2.97	6.92
25	7.37	13.02	13.95	23.41	31.34	25.48	19.37	13.95	14.67	2.10	3.19	7.09
26	7.43	12.43	13.87	22.52	31.00	23.72	19.00	13.72	14.67	2.55	2.97	7.14
27	7.60	11.85	14.11	21.54	31.00	22.72	18.64	13.64	14.67	2.69	2.69	7.14
28	7.71	11.49	15.42	31.28	31.00	21.83	18.28	13.18	14.43	2.55	3.96	7.20
29	7.89	11.77	18.29	42.50		21.25	17.92	12.57	13.26	2.41	6.28	7.26
30	7.89	13.03	19.74	41.16		20.87	17.21	11.92	12.35	2.13	6.28	7.26
31	7.77		18.28	38.03		20.49		11.28		1.95	5.71	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.26	8.01	8.37	14.35	37.12	26.86	27.30	6.18	6.24	1.65	0.00	0.00
2	7.26	8.07	8.56	14.35	48.77	28.07	25.79	4.89	4.93	1.23	0.00	0.00
3	7.37	8.13	8.68	13.87	43.62	27.96	24.03	4.16	5.17	1.11	0.00	0.00
4	7.48	8.13	8.93	13.48	36.30	25.80	22.32	3.99	4.84	0.99	0.00	0.00
5	7.43	7.89	8.87	13.33	29.65	23.92	21.35	3.82	4.16	0.79	0.00	0.00
6	7.48	8.32	8.81	14.36	25.69	22.91	20.77	3.54	4.29	0.42	0.00	0.00
7	7.60	10.96	8.81	16.70	25.58	22.03	20.02	2.32	4.98	0.25	0.00	0.09
8	7.60	10.43	8.81	18.64	29.31	21.35	19.28	1.13	5.03	0.20	0.00	0.73
9	7.66	8.31	9.45	19.00	31.69	21.06	18.64	0.76	4.84	0.16	0.00	1.13
10	7.71	8.68	10.72	17.66	29.30	20.68	18.19	0.77	5.26	0.16	0.00	1.23
11	7.77	8.56	10.79	16.17	26.01	20.21	17.83	0.83	6.56	0.16	0.00	1.19
12	7.89	9.99	9.84	29.57	29.01	21.16	17.47	0.76	8.69	0.10	0.00	1.19
13	7.83	10.25	9.51	50.63	39.40	22.42	16.86	1.29	9.91	0.06	0.00	1.15
14	7.60	8.93	9.71	62.75	45.53	22.62	16.17	2.26	9.13	0.03	0.00	1.10
15	7.72	8.93	11.95	63.19	49.63	22.81	15.33	3.65	7.43	0.01	0.00	1.10
16	7.95	8.81	16.28	45.80	48.22	22.52	14.59	7.84	6.49	0.01	0.00	1.10
17	7.95	9.52	16.70	31.05	38.83	27.04	14.27	12.74	5.66	0.01	0.00	1.10
18	8.07	12.31	13.73	24.25	33.23	31.93	13.72	13.03	5.12	0.01	0.00	1.63
19	8.13	12.81	11.85	22.12	31.46	31.23	13.25	11.35	4.93	0.01	0.00	4.70
20	7.89	10.52	11.00	22.22	31.81	29.86	13.10	10.18	4.70	0.01	0.00	17.62
21	7.83	9.64	10.79	24.87	31.81	27.31	13.10	9.00	4.61	0.01	0.00	24.93
22	7.95	9.25	14.11	26.33	30.20	24.44	12.95	8.19	4.52	0.01	0.00	15.76
23	7.95	8.81	18.28	26.98	28.51	23.01	12.35	7.95	4.29	0.00	0.00	9.61
24	7.95	8.68	18.28	25.93	28.40	22.81	11.35	8.31	3.87	0.00	0.00	6.88
25	7.95	8.62	17.04	21.74	34.01	23.11	9.98	9.45	3.54	0.00	0.00	5.71
26	7.89	8.56	16.69	21.16	38.28	23.41	8.81	9.71	3.27	0.00	0.00	5.36
27	7.89	8.62	16.86	19.94	35.40	23.41	8.43	8.81	2.86	0.00	0.00	5.12
28	7.95	8.62	16.34	17.92	31.36	23.52	8.43	8.43	2.42	0.00	0.00	4.74
29	7.95	8.50	15.83	17.56	27.74	24.33	7.95	8.37	2.13	0.00	0.00	4.38
30	7.95	8.25	14.68	17.74		26.55	7.15	8.01	2.10	0.00	0.00	4.16
31	7.95		13.87	21.59		28.07		7.60		0.00	0.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.16	17.21	22.82	17.21	13.10	19.74	33.82	17.03	13.41	7.48	0.53	0.00
2	4.16	15.53	21.64	17.30	13.10	18.37	32.04	16.43	13.10	6.98	0.05	0.00
3	4.16	12.07	20.68	17.30	13.10	17.30	30.65	15.92	12.95	6.07	0.05	0.00
4	4.16	11.07	19.55	17.21	16.40	16.60	28.85	15.25	12.57	4.71	0.00	0.00
5	4.16	9.98	18.64	16.60	35.45	16.00	27.08	14.75	11.99	3.91	0.00	0.00
6	4.03	8.68	18.82	16.00	58.19	16.52	25.06	14.27	11.63	3.99	0.00	0.00
7	3.91	8.25	18.82	16.00	58.79	16.86	23.02	13.79	12.21	3.91	0.00	0.00
8	3.91	7.89	17.65	16.00	46.99	15.92	22.42	13.03	12.57	3.74	0.00	0.00
9	4.03	9.34	18.55	18.30	35.44	15.41	22.22	11.99	11.99	3.74	0.00	0.00
10	4.16	11.70	22.64	20.11	30.20	15.00	28.19	11.49	11.28	2.98	0.00	0.00
11	4.94	19.02	30.14	19.28	27.41	13.96	34.42	11.35	10.93	2.28	0.00	0.00
12	6.71	36.65	35.27	18.91	24.85	13.18	33.22	10.18	11.85	2.28	0.00	0.00
13	6.56	44.99	33.47	18.55	23.32	13.56	34.06	9.25	12.21	2.98	0.00	0.00
14	5.56	39.33	30.65	19.75	23.32	14.35	35.03	9.32	11.28	3.74	0.00	0.00
15	6.50	39.73	28.40	21.35	22.62	14.03	33.58	13.39	10.79	3.74	0.00	0.67
16	6.60	49.94	25.38	20.30	20.87	12.87	31.46	18.55	10.51	3.95	0.00	2.76
17	5.71	51.92	24.64	18.64	20.11	17.79	29.18	18.55	10.31	4.12	0.00	3.66
18	5.26	41.35	25.47	17.92	19.65	40.05	26.55	16.95	9.97	4.03	0.00	4.08
19	4.98	40.01	25.47	17.30	19.37	61.29	24.43	15.17	9.84	3.86	0.00	4.66
20	4.98	50.50	25.16	16.60	19.37	67.19	23.32	16.27	9.19	3.54	0.00	5.26
21	4.93	57.61	24.85	15.92	19.09	69.80	22.52	23.42	8.43	4.04	0.00	5.26
22	5.46	58.20	23.82	15.50	18.64	65.46	22.03	30.31	8.62	4.25	0.00	5.41
23	7.45	51.79	22.32	15.25	18.91	57.90	21.44	30.54	10.54	3.50	0.00	5.56
24	7.73	39.52	21.35	14.84	19.65	59.08	20.77	27.75	11.49	3.12	0.00	5.56
25	6.60	30.34	20.39	14.67	22.85	61.73	20.39	24.24	10.11	2.97	0.00	5.56
26	7.15	25.38	19.74	14.67	24.44	58.79	20.11	21.26	9.51	2.97	0.00	6.61
27	9.14	23.82	19.28	14.67	22.42	56.12	19.83	18.73	8.94	2.55	0.00	7.71
28	10.04	25.38	18.55	14.35	21.16	51.48	19.46	16.78	8.31	2.22	0.00	7.71
29	8.57	26.65	17.92	13.56		45.27	18.64	15.33	8.01	1.93	0.00	7.66
30	8.76	25.06	17.47	13.10		40.37	17.74	14.35	7.72	1.59	0.00	7.60
31	12.95		17.21	13.10		36.77		13.87		1.59	0.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.66	7.71	14.43	9.58	14.43	28.02	20.49	2.10	7.26	40	40	40
2	7.71	7.60	14.51	9.58	14.03	32.75	20.11	1.92	4.49	40	40	40
3	7.71	7.48	12.52	9.58	13.56	31.46	19.10	1.92	3.50	40	40	40
4	7.71	7.48	10.18	9.58	13.18	28.74	18.64	2.16	5.12	40	40	40
5	7.66	7.48	9.58	9.64	13.10	25.90	18.64	1.77	5.46	40	40	40
6	7.60	7.48	9.25	12.10	13.10	24.23	17.83	1.19	5.56	40	40	40
7	6.35	7.48	9.25	15.16	13.10	23.62	17.21	2.24	5.66	40	40	40
8	5.61	8.32	9.58	16.52	13.10	24.23	16.60	1.52	5.76	40	40	40
9	6.44	8.44	9.25	17.83	13.10	25.26	15.83	0.16	5.17	40	40	40
10	6.92	7.71	8.93	18.55	13.10	24.75	15.00	0.04	4.61	40	40	40
11	7.03	7.60	8.74	25.20	13.18	23.42	14.51	0.00	4.17	40	40	40
12	7.09	7.37	8.56	31.23	13.25	22.42	14.35	0.00	3.62	40	40	40
13	7.14	7.26	8.56	28.96	13.72	26.06	14.35	0.00	3.50	40	40	40
14	7.43	7.26	10.06	29.87	17.43	31.23	14.19	0.00	3.16	40	40	40
15	7.83	7.26	13.12	30.77	29.86	30.89	13.87	0.00	2.83	40	40	40
16	8.13	7.37	16.97	28.73	37.40	28.62	13.48	0.00	2.69	40	40	40
17	8.31	7.48	19.55	29.75	33.82	26.33	13.25	0.00	1.54	40	40	40
18	9.33	7.48	18.91	31.46	30.55	24.43	13.18	0.00	0.17	40	40	40
19	9.14	7.48	18.10	31.11	26.02	23.32	12.43	0.00	0.00	40	40	0.08
20	8.01	7.48	16.95	28.85	22.13	22.42	10.46	0.00	0.00	40	40	3.66
21	7.95	7.48	14.44	24.15	20.02	22.03	8.14	0.00	0.00	40	40	3.66
22	7.77	7.48	12.65	20.12	18.73	23.12	7.43	0.00	0.00	40	40	3.82
23	7.71	7.48	11.77	18.28	17.65	25.48	5.07	0.00	40	40	40	4.43
24	7.71	7.54	10.93	18.28	17.03	27.63	2.09	0.00	40	40	40	4.65
25	7.71	7.60	10.38	18.46	20.64	27.19	1.43	0.00	40	40	40	4.56
26	7.71	8.26	10.24	17.92	24.85	25.69	1.51	0.40	40	40	40	4.74
27	7.71	8.93	10.11	17.12	24.95	25.16	1.59	1.43	0.00	40	40	4.84
28	7.71	9.78	9.91	16.00	24.13	24.64	2.18	1.18	40	40	40	4.84
29	7.71	10.79	9.71	15.08		23.92	2.18	1.79	40	40	40	4.70
30	7.71	12.52	9.58	14.67		22.52	1.93	3.81	40	40	40	4.61
31	7.71		9.58	14.67		21.25		6.09		40	40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλεισιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.70	5.07	5.26	01	01	01	01	01	140	140	140	140
2	4.79	5.07	5.31	01	01	01	01	01	140	140	140	140
3	5.02	5.07	5.41	01	01	01	01	01	140	140	140	140
4	5.31	5.07	6.12	01	01	01	01	01	140	140	140	140
5	5.36	5.07	6.33	01	01	01	01	01	140	140	140	140
6	5.51	5.07	5.76	01	01	01	01	01	140	140	140	140
7	5.51	5.07	6.55	01	01	01	01	01	140	140	140	140
8	5.31	5.07	9.02	01	01	01	01	01	140	140	140	140
9	5.26	5.07	10.65	01	01	01	01	01	140	140	140	140
10	5.26	5.07	12.99	01	01	01	01	01	140	140	140	140
11	5.26	5.07	13.74	01	01	01	01	01	140	140	140	140
12	5.26	5.07	10.33	01	01	01	01	01	140	140	140	140
13	5.31	5.07	8.07	01	01	01	01	01	140	140	140	140
14	5.31	5.07	7.26	01	01	01	01	01	140	140	140	140
15	5.26	5.02	6.76	01	01	01	01	01	140	140	140	140
16	5.26	4.93	6.44	01	01	01	01	01	140	140	140	140
17	5.26	4.88	6.28	01	01	01	01	01	140	140	140	140
18	5.26	4.93	6.17	01	01	01	01	01	140	140	140	140
19	5.21	4.98	6.12	01	01	01	01	01	140	140	140	140
20	5.17	4.98	6.07	01	01	01	01	140	140	140	140	140
21	5.17	4.93	6.07	01	01	01	01	140	140	140	140	140
22	5.21	4.93	6.07	01	01	01	01	140	140	140	140	140
23	5.26	4.98	6.17	01	01	01	01	140	140	140	140	140
24	5.26	4.98	6.82	01	01	01	01	140	140	140	140	140
25	5.17	4.98	8.38	01	01	01	01	140	140	140	140	01
26	5.07	5.02	10.31	01	01	01	01	140	140	140	140	01
27	5.07	5.17	10.52	01	01	01	01	140	140	140	140	01
28	5.07	5.21	9.25	01	01	01	01	140	140	140	140	01
29	5.07	5.17	8.44	01		01	01	140	140	140	140	01
30	5.07	5.21	7.89	01		01	01	140	140	140	140	01
31	5.07		7.95	01		01		140		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

01 : δεν υπάρχει καμπύλη στάθμης-παροχής αυτή την ημερομηνία

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.35	8.39	13.72	9.13	23.78	31.75	9.18	12.42	8.70	3.65	1.54	1.86
2	7.35	9.13	11.93	8.86	22.53	28.93	9.18	11.72	8.70	2.67	1.54	1.86
3	7.51	9.50	10.80	8.70	21.93	26.15	9.34	10.97	9.13	2.08	1.54	3.04
4	7.51	9.18	10.58	8.65	21.52	23.55	9.66	10.47	10.37	2.61	1.88	2.87
5	7.66	8.81	11.87	8.65	21.03	22.07	9.93	9.88	12.04	2.67	1.93	3.29
6	7.92	8.55	13.47	8.70	20.57	21.39	9.93	9.29	13.11	2.61	1.65	6.05
7	7.92	8.55	12.86	8.70	20.72	20.81	9.56	10.04	12.52	2.08	1.52	7.92
8	8.03	8.55	11.72	8.44	19.56	20.52	9.40	10.36	10.92	1.14	2.22	7.72
9	8.55	8.65	10.92	8.23	17.36	18.74	9.50	9.56	10.36	1.58	2.19	8.03
10	8.29	9.02	10.58	8.08	17.87	18.58	11.04	8.50	10.53	2.45	2.29	7.51
11	7.82	9.29	11.15	7.92	19.48	20.21	18.31	7.20	10.86	2.23	3.25	7.41
12	7.92	9.29	11.09	8.50	21.04	20.39	21.37	6.32	10.69	1.93	2.58	6.94
13	7.97	9.56	10.15	9.18	21.46	19.68	19.77	5.58	10.47	1.65	2.79	6.48
14	8.03	9.82	9.82	14.71	21.40	16.89	18.96	5.20	10.58	1.65	3.92	8.51
15	8.13	15.78	9.82	21.56	21.49	14.94	18.54	5.63	10.31	***	3.77	9.29
16	8.60	21.86	9.82	21.10	21.40	15.24	18.10	5.77	9.66	***	3.43	8.03
17	8.49	22.05	9.77	18.38	20.62	13.96	17.57	5.34	9.18	6699.88	3.77	8.13
18	8.03	21.62	9.56	14.79	23.55	12.63	17.00	4.98	8.39	0.56	3.55	8.81
19	8.13	19.55	9.40	12.95	29.20	12.10	16.14	4.98	7.87	0.53	2.68	9.29
20	8.49	14.41	9.34	14.51	28.48	11.62	15.24	6.18	7.72	0.50	1.88	9.99
21	9.02	11.93	9.61	18.06	27.48	10.54	15.09	7.72	8.03	0.57	1.68	8.35
22	9.29	11.09	10.42	20.30	56.80	9.56	16.53	9.29	8.18	0.72	2.76	6.68
23	9.29	10.75	10.75	26.42	72.09	10.20	17.90	9.56	7.66	0.48	3.33	6.84
24	8.76	11.09	10.31	33.90	54.32	10.91	17.69	9.40	7.30	0.37	3.18	6.32
25	8.23	13.36	9.77	34.68	51.28	10.64	17.24	10.04	6.99	0.41	3.51	6.17
26	8.23	18.42	9.50	34.68	43.56	10.25	16.87	9.88	6.53	1.02	3.18	6.42
27	8.23	20.99	9.29	35.18	38.68	9.88	15.55	9.08	5.97	1.84	3.22	6.94
28	8.23	21.62	9.18	33.72	34.99	9.72	13.68	8.23	6.12	1.03	3.36	6.68
29	8.28	20.99	9.29	30.20		9.82	13.08	8.39	4.12	0.35	1.83	6.37
30	8.34	17.96	9.29	27.31		9.61	12.94	8.60	2.85	0.75	1.71	6.37
31	8.28		9.29	25.34		9.29		8.70		1.46	3.04	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ
 *40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	6.17	3.96	7.20	22.05	17.78	28.47	27.31	8.86	7.72	6.43	0.20	0.90
2	6.42	3.96	7.66	28.39	19.25	28.02	27.48	7.72	8.23	6.07	0.31	1.07
3	6.73	3.69	11.85	37.91	20.00	27.66	27.48	6.84	8.23	6.07	1.12	0.78
4	6.73	3.29	19.98	40.82	20.50	27.31	28.20	5.68	8.49	5.21	1.93	0.81
5	6.68	4.13	21.29	33.62	22.10	65.51	33.79	5.34	8.49	4.16	1.79	1.04
6	6.68	4.56	17.62	30.93	64.13	94.20	35.69	5.34	7.97	3.40	0.71	1.49
7	6.68	3.62	12.04	28.21	112.65	84.73	31.57	5.07	7.97	2.74	***	2.36
8	6.68	3.29	10.80	25.08	107.95	88.94	29.66	4.85	7.72	3.46	6689.80	3.01
9	6.58	2.68	10.53	23.03	94.38	77.68	27.67	5.31	7.20	4.16	0.81	3.47
10	6.58	2.61	10.64	23.03	77.98	63.83	25.52	8.67	7.20	3.58	0.57	3.96
11	6.68	3.15	18.55	23.03	62.38	54.22	24.18	8.36	7.20	1.94	0.89	4.04
12	6.84	3.22	24.71	21.81	51.40	47.28	23.60	5.03	7.72	0.80	1.16	3.92
13	8.82	3.62	23.38	20.84	44.96	42.38	23.08	4.72	7.72	1.37	0.73	3.73
14	9.67	3.77	22.21	20.00	42.03	39.76	22.57	6.75	7.20	1.93	0.37	4.04
15	8.23	5.51	20.57	35.87	40.66	36.69	21.98	8.81	9.58	2.08	0.26	4.90
16	7.51	7.61	18.96	49.10	38.68	35.28	21.46	8.81	14.93	2.23	0.68	4.90
17	7.51	7.61	18.96	39.27	37.40	35.28	21.19	8.65	15.95	2.23	***	4.77
18	6.84	7.61	18.96	36.39	35.88	33.99	21.08	8.65	14.93	2.23	***	5.20
19	5.21	7.35	19.34	34.88	34.68	33.04	20.87	8.44	14.24	1.82	***	5.20
20	4.60	7.20	19.34	32.50	34.68	32.76	20.13	8.23	13.42	1.44	***	5.92
21	4.27	6.48	22.12	28.66	36.69	31.84	19.26	7.10	13.57	1.68	***	6.27
22	4.11	6.32	27.31	25.34	38.19	30.47	18.26	6.58	11.88	2.08	6709.21	5.53
23	3.77	6.84	27.58	23.37	36.49	29.02	16.27	7.20	11.03	2.23	0.37	4.17
24	3.29	6.89	24.11	22.69	34.00	27.40	15.24	6.68	11.03	2.23	0.43	4.30
25	3.36	8.50	21.14	21.98	31.84	26.33	14.24	6.68	10.75	2.23	0.57	5.48
26	3.69	10.42	19.34	21.25	30.02	25.52	12.88	6.68	9.66	2.08	***	4.18
27	3.96	9.77	19.63	20.45	29.11	24.62	12.31	6.68	9.24	1.65	***	3.01
28	3.96	8.29	20.84	19.63	29.02	23.53	11.44	7.20	8.76	1.11	6705.32	2.94
29	3.69	7.82	20.74	18.96		23.45	11.03	6.43	7.61	0.68	0.72	3.01
30	3.43	7.51	19.48	18.37		24.27	10.37	6.74	7.20	0.50	1.06	3.01
31	3.69		18.36	17.57		25.97		7.51		0.37	0.81	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	3.22	8.34	7.92	24.63	66.19	21.62	30.57	8.76	5.77	5.92	∞	∞
2	3.62	8.03	7.87	23.37	57.40	21.39	29.75	7.20	6.12	3.32	∞	∞
3	3.65	7.82	7.82	22.03	46.21	21.86	27.67	3.93	6.58	2.32	∞	∞
4	3.62	7.82	7.56	20.62	38.18	22.37	24.65	7.36	6.22	3.18	∞	∞
5	3.58	7.82	7.30	19.49	33.24	22.48	21.52	11.27	5.77	∞	∞	∞
6	3.40	7.71	7.30	19.26	30.02	23.00	18.65	8.76	5.53	∞	∞	∞
7	3.22	7.61	7.25	21.52	27.58	22.22	15.99	7.20	5.07	∞	∞	∞
8	2.91	7.61	7.20	22.30	25.61	22.12	14.94	6.17	4.89	∞	∞	662.84
9	2.91	7.61	7.20	23.34	23.63	27.97	14.30	5.92	4.89	∞	∞	2.55
10	4.97	7.71	7.20	26.42	22.46	31.02	13.47	4.38	4.76	∞	∞	1.79
11	4.61	7.10	8.08	25.97	22.21	28.93	13.08	3.43	4.55	∞	∞	1.70
12	5.27	6.53	8.70	26.86	25.15	28.30	12.58	4.00	4.00	∞	∞	1.76
13	8.76	7.56	9.40	25.97	37.35	25.97	13.35	5.61	3.26	∞	∞	2.53
14	8.44	8.13	10.47	24.63	46.40	24.18	15.24	6.32	2.87	∞	∞	3.36
15	7.56	7.82	9.77	33.88	45.43	28.68	15.54	5.67	1.50	∞	∞	2.84
16	7.10	7.82	8.70	36.72	42.31	30.75	14.82	6.43	0.81	∞	∞	2.51
17	6.79	7.82	8.81	31.84	37.69	27.13	15.26	6.43	1.96	∞	∞	2.67
18	6.68	7.82	9.24	31.38	33.72	25.08	14.44	5.67	2.71	∞	∞	2.84
19	6.53	7.82	11.73	28.66	30.47	23.03	13.08	5.67	1.89	∞	∞	2.84
20	6.02	7.82	12.30	25.97	27.76	21.98	12.71	6.32	1.66	∞	∞	2.45
21	5.43	7.82	14.93	29.49	25.70	21.56	11.60	6.99	2.05	∞	∞	2.45
22	5.20	7.82	23.29	43.07	24.36	21.29	10.91	6.58	2.05	∞	∞	2.15
23	5.58	9.90	25.61	47.07	23.03	19.93	10.91	6.58	3.44	∞	∞	1.93
24	7.62	13.99	26.42	40.46	22.06	18.29	9.83	7.35	5.34	∞	∞	1.33
25	9.83	12.95	32.81	37.99	21.69	18.10	9.56	6.94	8.52	∞	∞	1.09
26	9.50	9.56	38.09	35.18	21.62	18.10	8.66	6.58	11.50	∞	∞	1.65
27	8.44	8.76	42.21	32.30	21.62	18.79	7.35	7.72	10.92	∞	∞	1.09
28	8.34	8.76	38.05	31.75	21.62	20.49	8.50	8.97	7.88	∞	∞	1.21
29	8.34	8.70	31.47	39.85		23.57	9.83	9.13	4.65	∞	∞	0.75
30	8.34	8.29	29.84	55.28		27.13	9.56	8.49	4.97	∞	∞	0.12
31	8.44		26.86	65.89		28.93		7.04		∞	∞	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	1.06	8.23	10.71	12.31	18.18	13.23	10.37	7.98	9.24	10.81	0.15	*40
2	1.06	8.23	8.76	15.26	21.62	12.88	9.83	5.92	8.86	10.81	0.10	*40
3	0.25	7.97	8.23	20.36	20.36	12.57	10.09	6.59	8.70	10.64	0.10	*40
4	0.25	8.08	8.60	19.63	31.27	12.36	9.56	12.51	8.39	8.76	0.15	*40
5	0.25	8.44	9.66	16.28	37.27	11.94	9.29	19.70	6.84	7.61	0.23	*40
6	0.25	8.44	9.83	20.63	27.49	11.73	8.65	20.28	7.36	7.97	0.32	*40
7	0.25	8.44	9.29	40.15	35.86	12.15	8.03	18.53	9.08	8.23	*40	*40
8	0.25	8.34	9.29	45.30	45.91	12.36	7.61	17.84	8.55	8.13	*40	*40
9	0.66	8.23	12.61	32.85	43.54	12.36	6.68	19.34	7.87	7.87	*40	6709.21
10	0.97	8.23	22.83	30.38	38.68	12.15	5.67	19.70	7.25	7.20	*40	1.03
11	0.97	8.03	31.67	27.13	33.17	11.73	5.20	19.34	4.97	5.46	*40	2.20
12	2.02	7.82	39.75	23.83	29.56	11.50	5.43	18.36	3.40	5.86	*40	2.48
13	4.14	7.82	48.26	21.98	27.31	11.09	5.67	20.06	5.76	7.61	*40	2.48
14	5.07	7.82	44.19	20.59	24.81	10.91	5.21	20.83	5.76	3.67	*40	2.48
15	2.51	8.03	53.80	18.63	22.30	10.80	4.55	17.94	2.27	0.80	*40	2.11
16	1.18	8.23	58.23	17.21	20.89	10.53	3.96	16.56	1.81	0.67	*40	2.30
17	1.18	8.23	48.51	19.57	20.52	10.25	3.58	15.20	3.23	0.29	*40	2.87
18	0.80	8.23	45.76	21.08	20.20	9.29	3.58	12.88	3.58	0.17	*40	3.78
19	0.51	8.23	36.00	19.06	19.56	8.55	3.77	13.79	3.22	0.42	*40	6.55
20	0.25	8.23	29.66	16.56	19.26	8.34	3.06	15.54	3.22	0.75	*40	8.08
21	2.62	8.23	25.09	14.24	18.63	8.34	2.71	12.06	3.40	0.96	*40	8.39
22	8.09	8.03	21.92	13.23	17.57	8.55	3.77	10.82	3.40	1.06	*40	7.98
23	10.93	7.82	21.12	13.08	16.29	8.44	4.35	11.78	2.71	1.06	*40	6.89
24	11.32	7.82	21.23	12.75	15.09	7.82	5.46	11.20	2.64	0.75	*40	6.27
25	11.87	8.39	21.81	12.31	14.66	7.20	5.78	10.80	3.15	0.56	*40	4.99
26	10.40	8.76	22.40	12.05	14.40	7.20	4.64	10.69	2.71	0.56	*40	4.35
27	9.03	8.76	21.71	11.67	15.26	6.94	7.13	10.69	1.85	0.75	*40	4.15
28	9.93	10.71	20.21	11.26	14.65	6.42	11.97	9.99	3.00	0.96	*40	3.96
29	9.29	13.95	17.81	11.93	13.23	6.42	12.48	9.29	7.32	0.96	*40	3.23
30	10.93	13.71	16.16	12.31		7.66	10.21	10.10	10.64	0.52	*40	2.54
31	10.50		14.03	12.31		10.05		10.26		0.15	*40	

ΕΠΕΞΗΓΡΗΕΝ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	2.54	9.95	21.23	14.16	21.43	20.68	8.50	5.12	7.20	1.65	*40	*40
2	2.48	10.70	21.73	13.66	21.11	20.40	10.40	5.67	8.76	1.65	*40	*40
3	2.32	9.24	36.00	13.08	20.39	20.97	21.60	6.43	8.23	1.65	*40	*40
4	2.23	8.81	42.26	12.75	33.25	21.43	25.57	7.20	7.20	1.65	*40	*40
5	2.38	8.29	30.93	12.57	47.53	20.97	21.44	6.18	6.68	1.79	*40	*40
6	2.54	7.97	26.88	12.46	42.27	20.07	20.28	6.54	5.92	1.93	*40	6682.08
7	2.71	11.10	21.65	12.20	37.48	19.34	18.72	12.45	5.20	1.12	*40	1.65
8	5.24	13.87	19.32	12.05	33.04	18.96	15.56	16.81	4.56	0.50	*40	*40
9	9.62	12.88	16.93	12.05	31.38	18.96	15.56	12.37	3.96	0.50	*40	6666.68
10	10.81	11.20	14.82	12.05	29.84	18.63	17.00	10.10	4.15	0.50	*40	3.11
11	9.83	9.29	14.05	12.05	27.58	17.68	16.29	9.45	4.15	0.50	*40	3.18
12	8.76	8.76	13.57	11.78	25.08	14.93	14.82	9.45	3.23	0.50	*40	3.01
13	8.76	8.49	18.84	11.38	23.03	12.88	13.66	9.29	4.44	0.57	*40	3.01
14	9.29	8.23	29.49	11.26	23.03	12.46	12.88	9.13	4.36	0.64	*40	3.01
15	8.24	8.08	35.49	13.48	23.76	12.20	12.31	8.34	2.32	0.64	*40	3.01
16	7.72	7.92	32.11	18.65	29.79	11.78	12.05	7.56	2.23	0.64	*40	2.02
17	8.23	8.08	29.11	19.09	33.45	11.38	11.78	7.41	2.23	0.64	*40	2.11
18	8.23	8.23	24.69	16.93	28.84	11.26	11.20	6.28	1.93	0.64	*40	3.22
19	8.23	8.08	21.81	16.93	25.70	10.81	10.64	5.92	1.28	0.64	*40	3.22
20	8.23	8.34	21.03	18.10	24.62	10.36	9.56	6.42	1.68	0.64	*40	4.83
21	7.97	13.59	20.39	18.10	25.97	10.09	9.29	6.17	2.08	0.64	*40	6.68
22	7.46	20.00	19.63	16.23	27.31	9.56	9.40	6.17	1.65	0.64	*40	6.68
23	7.20	20.60	20.52	14.16	26.42	9.56	8.97	4.80	1.65	0.64	*40	6.68
24	7.20	20.28	20.52	13.66	24.63	10.09	8.60	3.58	1.09	*40	*40	8.24
25	7.46	19.11	18.71	13.23	23.76	10.36	8.08	3.58	0.57	*40	*40	9.82
26	7.71	16.81	17.57	13.23	23.03	10.25	7.56	3.43	1.36	*40	*40	8.81
27	7.71	12.66	18.65	13.31	21.98	9.99	6.43	3.29	1.36	*40	*40	9.08
28	7.71	11.50	20.21	13.39	21.29	9.82	6.43	4.42	0.50	*40	*40	10.15
29	7.71	11.03	19.23	15.04		9.56	6.43	5.43	0.50	*40	*40	9.61
30	7.71	14.80	16.82	17.57		9.29	5.12	5.20	1.00	*40	*40	9.29
31	7.97		14.82	20.05		9.29		5.43		*40	*40	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΣ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ.	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.34	10.69	41.17	61.62	25.97	40.65	27.31	57.54	9.29	7.46	**0	5.43
2	7.41	10.09	34.30	55.33	25.97	39.66	25.52	56.16	8.60	5.92	**0	5.53
3	8.08	9.82	25.97	47.64	24.63	38.19	24.62	53.94	9.13	6.99	**0	6.43
4	6.70	9.82	22.74	44.58	28.22	38.19	24.62	51.02	8.25	8.34	**0	6.08
5	4.76	11.43	24.76	41.23	75.20	42.13	25.52	47.88	6.42	8.34	**0	5.92
6	4.76	16.59	35.29	37.19	116.47	48.63	30.49	44.59	5.69	6.74	**0	6.94
7	4.76	19.70	45.20	34.20	117.78	47.65	34.68	41.71	4.98	5.21	**0	7.46
8	6.04	15.96	45.80	31.84	124.68	42.27	33.24	38.68	6.49	4.76	**0	7.46
9	7.41	12.15	38.91	30.47	116.13	39.66	30.47	35.68	8.39	4.76	**0	7.20
10	7.41	11.94	31.66	28.66	96.01	37.19	28.20	34.19	9.13	5.21	**0	7.46
11	7.41	11.26	27.40	26.86	80.22	35.18	25.97	33.23	10.65	4.58	**0	8.50
12	7.41	10.25	24.63	29.57	71.25	33.71	33.42	32.76	11.78	3.58	**0	9.02
13	7.41	9.93	22.51	33.42	63.83	33.71	81.16	31.84	12.04	4.16	**0	8.76
14	7.92	9.93	21.62	33.42	66.04	38.69	127.95	30.93	11.76	4.16	**0	9.29
15	9.51	9.93	21.46	31.38	63.09	42.25	130.03	30.93	11.76	2.57	**0	10.76
16	10.58	9.93	21.30	28.21	58.68	39.18	118.38	29.11	12.04	1.65	**0	11.04
17	8.61	9.93	20.36	25.08	60.15	34.69	112.16	26.42	11.50	1.18	**0	10.75
18	8.61	9.93	21.46	23.23	57.99	31.84	107.17	24.21	11.50	**0	**0	11.14
19	25.58	9.93	22.51	22.12	53.68	29.56	100.59	22.43	11.50	**0	**0	10.75
20	37.69	12.41	20.94	21.62	49.88	27.75	91.51	21.45	11.20	**0	**0	10.36
21	32.76	13.30	20.00	21.46	51.40	26.86	83.23	20.37	10.91	**0	**0	10.36
22	32.76	11.03	23.43	26.25	56.57	26.42	81.72	19.34	10.36	**0	**0	10.47
23	32.76	10.58	28.20	40.97	55.00	26.42	78.72	17.47	9.82	**0	**0	11.59
24	30.02	10.58	25.13	53.97	49.01	26.42	74.22	15.54	9.56	**0	6678.22	12.31
25	23.73	10.25	21.31	52.69	45.55	26.42	69.75	15.54	9.56	**0	2.39	12.05
26	20.62	10.25	20.00	44.04	43.99	26.15	64.56	15.54	9.56	**0	3.78	12.31
27	17.69	21.75	20.00	36.69	42.25	25.70	61.62	13.96	9.08	**0	4.55	12.31
28	13.57	30.48	21.76	31.38	41.17	25.97	63.83	12.42	8.55	**0	5.22	12.05
29	12.31	25.52	31.98	28.66		29.57	65.30	12.05	8.76	**0	5.67	11.78
30	11.78	32.47	55.09	27.31		32.76	60.89	10.49	9.29	**0	5.20	11.50
31	11.26		66.78	26.42		30.47		9.13		**0	5.43	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	11.50	10.64	10.36	32.05	23.03	47.55	55.37	21.75	14.93	31.38	***	***
2	11.50	10.91	10.36	28.84	28.67	75.42	51.53	21.00	15.59	30.20	***	***
3	11.50	10.91	27.08	26.86	30.11	74.67	48.62	20.72	20.87	28.39	***	***
4	11.50	10.64	42.71	23.41	26.06	89.26	52.04	20.40	22.03	23.91	***	***
5	11.50	10.36	32.86	22.18	23.49	96.04	56.29	20.14	20.84	21.62	***	***
6	11.50	10.36	25.52	22.32	22.18	79.63	53.31	19.41	18.90	17.50	***	***
7	11.62	10.36	24.18	22.12	21.62	65.89	47.28	18.26	19.90	10.98	***	6689.80
8	12.77	10.36	23.41	25.28	21.11	58.15	42.06	16.12	22.84	8.76	***	1.53
9	13.66	10.36	27.36	52.73	20.92	53.17	39.46	14.66	23.78	5.29	***	4.29
10	13.23	10.36	28.94	74.23	20.03	49.63	37.19	14.66	22.03	2.71	***	7.20
11	13.23	10.36	23.06	61.65	18.96	49.25	35.38	13.46	20.62	2.54	***	8.24
12	12.88	10.36	21.98	51.40	18.54	52.16	34.19	12.57	18.77	1.81	***	9.83
13	11.88	10.36	26.01	42.94	18.10	55.78	32.48	12.57	16.26	1.16	***	8.77
14	11.14	10.36	27.04	35.69	17.90	55.39	31.20	10.93	16.97	0.97	***	8.08
15	11.14	10.36	22.88	30.93	17.69	51.40	30.75	9.83	18.80	1.71	***	9.83
16	10.86	10.36	21.26	27.76	17.69	47.03	30.02	7.73	16.70	1.50	***	11.09
17	10.58	10.36	20.07	25.25	17.69	43.40	28.75	7.47	13.85	0.64	***	11.50
18	11.03	10.36	19.34	23.46	17.69	42.82	27.75	9.56	13.39	0.80	***	12.32
19	11.32	10.36	19.34	22.62	17.36	40.99	27.31	8.76	13.23	0.80	***	12.16
20	11.14	10.09	33.72	22.18	17.00	37.19	27.31	7.97	12.88	0.80	***	10.47
21	11.14	9.82	45.34	21.79	17.00	33.62	26.86	7.46	12.57	0.80	***	9.56
22	11.61	10.09	35.69	21.62	17.00	61.89	26.86	6.68	12.57	0.80	***	8.92
23	11.61	10.36	32.76	22.91	19.82	85.19	27.31	6.94	10.71	0.80	***	8.23
24	10.75	10.64	30.02	29.95	26.15	66.05	27.75	7.97	12.08	0.80	***	7.92
25	10.75	10.64	37.98	35.28	29.30	58.54	30.20	8.23	14.41	0.80	***	7.92
26	10.75	10.36	48.25	33.06	24.28	80.57	31.47	8.23	12.57	0.80	***	8.29
27	10.36	10.36	43.44	29.11	21.37	98.77	29.20	9.56	12.57	0.80	***	8.65
28	10.36	10.36	38.18	25.70	21.90	87.59	26.15	10.36	11.15	0.80	***	8.65
29	10.36	10.36	34.20	23.18		73.78	23.70	10.93	8.71	0.80	***	12.89
30	10.36	10.36	33.04	22.40		62.80	22.74	12.59	19.41	0.80	***	15.63
31	10.36		34.49	22.18		57.96		14.93		0.80	***	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγμα

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	11.54	8.18	8.23	37.69	36.69	23.78	20.89	12.57	13.66	10.36	***	8.23
2	9.93	8.34	8.23	30.02	39.19	22.53	20.40	12.57	12.88	9.56	***	8.23
3	9.40	8.23	8.23	27.75	40.19	22.13	20.07	12.57	12.88	8.92	***	8.49
4	9.13	8.23	8.23	25.54	36.19	22.13	19.41	12.04	12.88	10.00	***	8.76
5	8.86	8.34	8.23	21.65	33.71	21.69	19.11	11.20	12.57	10.37	***	8.29
6	8.86	8.44	8.23	20.40	31.38	21.11	19.04	10.91	12.57	9.02	***	7.82
7	8.86	8.86	8.23	29.16	29.11	20.92	20.03	11.49	13.79	6.46	6605.83	7.71
8	8.55	10.10	8.23	42.27	27.31	20.92	21.29	11.78	13.79	4.99	9.29	7.71
9	8.55	10.10	9.56	39.72	26.86	20.92	21.08	15.24	12.57	4.19	8.92	7.82
10	8.86	9.29	10.36	33.53	26.42	20.68	20.07	19.02	12.57	2.10	9.61	8.03
11	8.86	9.08	9.56	34.52	25.52	20.07	19.34	17.05	12.57	1.52	9.61	8.03
12	8.86	8.86	9.29	41.28	25.52	19.49	18.96	14.82	12.57	1.39	8.40	7.82
13	8.86	8.55	9.99	45.19	24.80	19.26	18.63	14.82	12.57	1.16	6.68	7.82
14	8.86	8.23	11.65	40.26	23.68	18.79	18.29	17.16	12.57	1.16	5.22	7.82
15	8.86	8.76	12.15	31.87	23.94	18.29	20.71	17.78	11.76	1.16	***	7.51
16	8.65	9.29	11.32	27.31	24.62	18.29	22.18	15.56	10.91	1.16	***	6.68
17	8.44	9.18	10.42	38.61	23.63	19.40	21.45	26.95	10.64	1.16	***	6.68
18	8.44	8.65	9.61	52.03	22.41	33.58	20.68	39.66	10.36	0.81	***	7.20
19	8.65	8.23	9.40	52.67	27.11	46.44	20.40	38.68	9.56	***	***	7.20
20	8.86	8.23	9.40	54.32	32.29	37.68	19.32	35.21	8.76	***	***	7.72
21	8.65	8.55	10.10	50.52	27.33	30.21	18.10	30.02	8.76	***	6628.51	7.72
22	8.44	8.86	13.28	47.01	23.00	25.70	18.10	24.43	8.76	***	5.94	7.20
23	8.44	8.86	15.56	45.20	24.21	23.41	17.57	21.46	8.49	***	5.69	7.20
24	8.44	8.86	12.77	40.19	25.52	22.40	17.00	20.36	8.23	***	5.69	7.20
25	8.86	9.34	11.32	36.69	26.42	22.26	15.56	19.78	7.72	***	5.69	7.20
26	9.08	10.64	10.91	46.77	27.75	21.86	14.16	20.89	6.68	***	6.17	7.20
27	8.86	10.64	18.90	57.97	28.20	21.56	13.66	20.89	8.25	***	5.67	6.68
28	9.08	9.82	30.96	65.32	27.31	21.56	13.23	19.78	10.09	***	6.27	6.17
29	9.29	9.56	36.19	69.75	25.52	21.86	13.23	18.63	10.09	***	7.30	6.17
30	9.29	8.76	43.65	52.31		21.86	12.88	14.59	10.64	***	7.71	6.17
31	8.60		47.04	39.17		21.46		12.95		***	7.97	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θύροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	6.17	7.20	8.08	30.02	35.69	29.11	14.94	20.39	21.56	24.10	13.85	4.58
2	6.68	7.20	9.13	27.75	26.59	27.58	14.94	30.47	21.49	22.42	12.84	3.05
3	7.20	7.20	10.64	32.35	21.46	23.34	14.94	30.93	21.56	20.89	11.89	4.67
4	6.68	7.20	10.64	35.18	21.30	21.79	14.94	31.84	21.62	20.07	11.50	7.20
5	4.80	7.20	9.56	33.23	22.82	21.46	13.42	31.84	21.62	19.70	11.50	7.20
6	4.80	7.20	9.56	30.47	24.03	21.30	11.15	30.93	21.62	19.70	11.50	6.89
7	6.17	7.20	10.09	25.97	44.43	21.30	8.55	30.93	21.46	19.70	11.50	6.58
8	6.53	7.20	16.51	22.74	69.74	21.11	7.20	29.56	21.30	18.48	11.50	6.58
9	6.53	7.72	17.31	21.79	63.09	20.68	7.20	28.20	21.30	15.16	11.50	6.58
10	6.17	8.23	13.62	21.79	54.22	20.07	9.47	28.20	21.30	13.56	11.50	6.37
11	6.68	8.08	17.00	21.79	48.50	19.70	11.67	27.31	21.30	13.03	11.20	6.17
12	7.20	7.66	17.00	22.12	41.84	19.70	12.32	26.42	21.62	16.65	10.91	6.17
13	7.20	7.41	24.74	24.49	34.71	19.70	12.32	25.08	21.79	20.07	10.91	6.58
14	7.20	7.41	27.41	29.57	30.02	19.34	11.78	23.37	21.62	19.70	10.91	6.99
15	7.20	7.41	21.26	28.94	26.68	21.69	11.49	23.00	21.79	19.49	10.91	6.79
16	7.20	7.41	19.32	35.22	24.45	22.84	10.91	23.00	21.97	19.26	10.91	6.37
17	7.20	7.04	20.43	46.40	23.37	21.29	11.66	22.43	21.79	19.26	10.91	6.07
18	7.41	6.68	21.45	47.63	22.87	20.68	11.15	21.97	21.62	19.26	12.52	6.48
19	7.61	6.68	19.66	49.50	28.52	20.07	9.93	21.62	21.62	19.26	18.77	7.10
20	7.61	6.68	16.93	45.83	31.85	20.62	9.93	21.30	21.72	19.26	22.42	7.20
21	7.61	6.68	15.54	37.18	27.76	20.62	9.08	21.30	22.19	19.26	17.40	8.24
22	7.61	6.68	14.82	30.47	25.52	19.34	10.66	21.30	23.16	19.11	11.04	8.76
23	7.92	6.68	20.61	26.68	23.10	18.96	12.88	21.30	23.16	18.96	12.95	8.23
24	8.76	6.68	37.13	24.89	21.86	18.54	12.57	21.30	23.16	18.06	13.27	8.23
25	8.55	6.68	48.38	24.89	21.75	18.10	11.76	21.30	22.51	17.00	10.39	8.23
26	7.82	6.68	46.40	25.79	21.52	17.57	10.91	21.30	22.64	17.00	7.72	8.92
27	12.39	6.68	45.19	28.66	21.62	17.00	10.91	21.30	24.10	17.00	5.27	9.61
28	12.63	6.68	48.28	28.66	24.76	16.73	10.42	21.30	24.10	17.00	3.96	9.99
29	7.72	6.68	57.35	25.79		16.00	9.93	21.46	24.10	15.56	4.35	9.56
30	7.20	7.20	55.38	25.16		15.54	10.42	21.62	24.10	14.16	5.46	8.49
31	7.20		40.40	31.75		15.24		21.62		14.16	6.17	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.23	10.09	15.56	11.78	39.21	45.19	37.51	19.34	6.68	9.90	1.93	6.94
2	8.23	9.56	14.82	12.05	55.59	78.99	45.56	18.54	6.68	14.16	1.93	7.46
3	8.23	9.29	14.82	11.49	78.73	106.27	45.20	16.23	6.68	13.27	1.93	7.71
4	8.76	9.29	14.16	10.64	84.73	87.74	40.19	14.16	9.32	12.08	1.93	7.71
5	8.76	9.29	13.42	10.36	90.76	72.73	36.69	14.16	11.49	10.36	1.93	7.71
6	8.23	14.20	12.81	10.36	92.27	65.30	32.33	13.66	16.90	10.09	1.79	7.97
7	8.23	15.32	12.42	18.89	76.47	60.89	28.66	13.23	19.17	9.02	1.52	8.23
8	8.23	10.91	12.05	32.57	68.26	55.25	27.75	12.59	12.66	7.97	1.39	8.23
9	8.23	10.36	12.42	35.89	67.52	51.40	26.86	10.93	11.20	7.25	1.80	7.97
10	8.23	9.82	18.68	40.91	67.52	49.50	25.97	9.82	10.91	6.22	2.23	5.96
11	8.23	9.82	21.44	40.40	65.30	45.21	25.52	9.82	10.10	5.21	2.23	5.71
12	8.23	9.82	18.36	31.38	63.09	41.17	25.07	9.29	9.83	4.16	2.23	6.94
13	8.23	9.56	15.54	28.66	59.43	37.68	24.62	8.23	9.56	3.58	2.23	7.46
14	8.49	9.56	13.96	24.69	55.23	33.24	25.52	7.20	8.49	3.58	3.24	8.23
15	8.76	19.65	12.42	21.63	52.29	30.93	25.52	7.20	8.13	3.58	4.35	8.23
16	8.76	30.47	12.95	20.68	47.28	29.56	23.78	7.20	7.10	2.88	4.15	9.02
17	15.06	27.76	12.95	23.21	40.93	28.66	22.69	6.68	6.17	2.23	3.96	9.29
18	35.88	21.69	12.05	25.97	37.40	27.93	22.18	6.42	6.17	2.23	3.77	7.97
19	41.68	17.47	12.05	25.97	40.22	27.48	21.86	7.20	6.17	2.23	4.36	7.97
20	24.19	14.82	12.05	25.09	43.40	26.86	21.69	9.02	5.92	2.23	4.36	9.29
21	15.84	13.42	17.39	23.00	42.25	28.84	21.62	9.02	5.67	2.23	3.58	9.02
22	12.42	12.42	19.38	22.43	37.68	35.91	21.46	7.72	5.43	2.23	3.58	8.23
23	11.49	12.05	14.82	21.97	32.76	36.20	21.30	7.20	5.20	2.23	2.88	7.72
24	10.64	11.49	13.42	21.62	30.93	30.02	21.30	7.20	5.67	2.08	2.54	7.20
25	10.09	11.20	12.42	21.62	29.56	28.20	21.30	6.94	6.68	1.93	2.87	7.20
26	9.82	12.15	12.05	21.97	33.49	28.20	20.89	7.20	6.94	1.79	3.22	7.72
27	9.56	15.84	12.05	33.12	44.40	27.31	20.40	7.20	6.42	1.39	3.58	8.23
28	9.29	19.70	12.05	46.40	48.88	25.97	20.40	6.42	5.67	1.16	4.58	8.23
29	9.29	18.36	11.78	43.44		25.97	20.07	6.68	5.20	1.53	4.99	8.23
30	10.10	16.29	11.50	38.18		27.31	19.70	7.46	5.20	1.93	4.99	8.23
31	10.64		11.50	35.18		30.02		7.20		1.93	6.17	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.23	*18	*18	6598.30	11.20	10.36	9.29	4.95	7.72	5.02	2.54	4.15
2	8.23	*18	*18	11.50	10.36	10.36	10.37	4.43	5.58	3.90	2.54	4.35
3	8.23	*18	*18	11.50	9.82	10.36	11.78	9.56	5.02	2.87	2.54	4.77
4	8.49	*18	*18	11.50	10.09	10.09	12.31	15.40	4.89	2.87	2.54	5.20
5	8.76	*18	*18	11.78	10.09	9.82	11.76	13.87	4.76	2.87	2.54	5.20
6	8.76	*18	*18	12.05	9.82	9.56	10.36	12.59	4.16	2.87	2.54	5.20
7	*18	*18	*18	11.78	9.82	9.29	9.82	11.78	3.22	2.87	2.71	6.95
8	*18	*18	*18	11.78	9.82	8.24	9.56	11.50	2.71	2.87	2.87	16.75
9	*18	*18	*18	12.05	9.82	7.72	9.13	11.50	2.54	2.87	2.54	25.07
10	*18	*18	*18	12.05	10.36	7.72	8.97	11.50	2.54	3.22	1.66	19.75
11	*18	*18	*18	12.05	11.49	7.97	11.35	10.10	3.05	3.58	1.39	11.48
12	*18	*18	*18	12.31	11.49	16.08	12.66	9.83	3.58	3.58	1.65	9.83
13	*18	*18	*18	12.57	15.32	32.01	11.50	10.36	3.22	3.58	1.65	9.02
14	*18	*18	*18	12.57	17.77	37.18	11.50	9.93	3.22	3.58	1.65	8.76
15	*18	*18	*18	12.31	13.66	27.78	10.92	10.20	3.58	3.22	1.65	8.49
16	*18	*18	*18	11.78	13.23	21.85	10.09	12.08	3.22	2.87	1.93	8.23
17	*18	*18	*18	14.19	12.59	19.66	9.82	14.16	2.87	2.54	2.54	8.23
18	*18	*18	*18	14.59	12.05	16.93	10.09	11.52	2.87	2.23	2.87	8.23
19	*18	*18	*18	11.78	12.05	14.24	10.09	18.17	2.87	2.23	2.87	8.23
20	*18	*18	*18	11.20	12.05	12.88	9.29	23.21	2.87	2.23	2.87	7.72
21	*18	*18	*18	10.36	12.05	12.57	8.76	17.77	2.87	2.23	2.87	7.20
22	*18	*18	*18	10.09	12.05	12.31	9.56	12.95	2.87	2.23	2.87	7.20
23	*18	*18	*18	10.09	11.49	12.05	10.36	11.49	2.87	2.23	2.87	7.20
24	*18	*18	*18	9.82	10.91	11.78	10.09	10.64	2.87	2.23	2.87	7.20
25	*18	*18	*18	9.82	10.91	11.50	10.09	10.64	2.87	2.23	3.22	7.20
26	*18	*18	*18	9.82	10.64	11.20	10.09	9.83	2.87	2.23	3.77	7.20
27	*18	*18	*18	10.09	10.36	10.91	9.29	9.83	2.87	2.23	3.96	7.20
28	*18	*18	*18	10.92	10.36	10.91	7.97	9.03	2.87	2.23	3.96	7.20
29	*18	*18	*18	11.50		10.91	7.05	7.97	2.87	2.38	3.96	6.94
30	*18	*18	*18	10.92		11.20	6.37	9.02	3.90	2.54	3.96	6.68
31	*18		*18	10.92		10.37		9.29		2.54	3.96	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγόρσο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	6.94	8.97	10.36	11.49	14.24	30.93	17.57	20.52	3.77	6.17	1.65	9.29
2	7.20	8.60	10.36	20.41	12.88	29.56	17.00	22.85	3.58	4.80	1.65	9.02
3	7.20	8.23	10.36	27.31	12.57	29.56	17.00	20.40	3.58	3.58	1.93	8.49
4	7.20	8.23	9.83	22.33	12.31	25.97	17.00	19.32	3.22	3.58	2.54	7.97
5	7.20	8.23	9.29	16.81	12.05	24.63	17.00	17.57	2.87	3.58	2.87	7.46
6	7.20	8.23	9.29	13.66	12.95	23.21	16.29	14.41	2.87	3.22	1.50	6.94
7	7.20	8.49	9.29	21.23	18.19	22.22	19.38	12.57	2.87	2.87	0.50	6.68
8	7.20	9.56	9.29	27.31	19.24	24.65	21.46	12.88	2.87	2.54	0.50	6.42
9	7.20	9.83	9.29	23.61	15.56	25.08	20.62	14.24	3.22	2.23	0.50	5.67
10	7.20	9.29	9.29	20.99	13.66	30.07	19.70	13.79	3.58	2.23	0.50	4.98
11	7.20	9.02	9.29	20.28	12.88	33.74	20.07	12.31	3.58	2.23	0.50	5.94
12	7.20	9.29	9.29	19.70	12.31	30.02	20.68	12.05	3.58	2.23	0.50	7.20
13	8.24	16.47	11.21	18.54	16.17	26.42	23.86	11.78	2.88	2.23	1.00	8.24
14	13.75	21.98	12.04	16.93	24.38	23.76	24.76	11.50	2.23	2.23	2.24	10.37
15	14.46	19.38	10.64	15.09	17.91	23.37	26.07	10.92	2.54	2.23	3.22	9.30
16	9.29	13.22	10.36	13.87	19.06	22.22	28.66	9.29	2.87	2.23	3.58	7.46
17	7.97	11.32	10.92	13.87	30.93	21.46	24.65	8.23	2.87	2.23	3.58	7.46
18	7.71	10.36	11.50	16.51	25.98	22.03	22.03	8.23	3.22	2.23	3.58	7.20
19	7.46	9.56	11.50	18.10	22.03	22.03	21.11	7.72	5.76	2.23	3.58	7.20
20	7.20	18.54	10.92	18.54	36.55	20.89	20.92	6.84	7.72	2.23	3.58	9.03
21	7.20	29.56	10.36	18.96	63.84	20.07	20.68	5.82	7.72	2.54	3.58	10.10
22	7.20	25.08	10.36	18.06	68.26	19.70	20.07	4.77	7.72	2.87	3.58	8.76
23	7.20	17.09	10.36	17.00	55.48	12.76	18.94	3.96	7.20	2.87	3.58	8.23
24	7.20	12.04	10.36	17.00	41.84	12.76	17.57	3.58	7.72	2.87	3.58	7.97
25	7.20	12.66	10.36	17.57	36.19	19.70	17.57	3.58	8.23	2.87	4.36	7.46
26	7.20	12.66	10.36	16.93	32.31	19.70	16.93	5.03	8.23	2.87	6.43	7.20
27	7.20	11.50	10.36	14.82	32.79	19.70	14.24	5.46	8.23	2.87	19.41	7.46
28	7.20	10.92	11.21	16.23	33.72	19.34	13.66	3.96	8.23	2.87	26.59	7.71
29	7.20	10.64	12.05	18.54	32.76	18.96	13.27	3.58	7.20	2.87	18.87	7.71
30	7.20	10.64	11.78	17.47		18.96	12.88	3.77	6.17	2.87	12.08	7.46
31	8.08		11.20	15.54		18.54		3.96		2.24	9.83	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.20	7.20	11.88	23.09	31.46	34.19	21.30	13.66	2.54	1.50	*40	7.46
2	7.72	7.20	16.23	20.92	25.07	32.31	21.46	12.83	2.54	2.54	*40	6.94
3	7.97	7.46	12.08	21.85	22.61	28.21	21.62	12.83	3.80	2.23	*40	6.68
4	7.71	7.71	10.36	23.78	21.11	25.97	21.46	14.16	4.77	2.23	*40	6.68
5	7.71	7.97	11.48	23.10	20.92	25.52	21.11	12.66	3.08	2.23	*40	6.42
6	7.46	8.23	11.76	21.79	20.68	25.97	21.11	11.50	2.08	1.24	*40	6.17
7	7.20	7.97	10.91	22.51	20.40	28.21	21.46	11.50	5.66	*40	*40	6.17
8	7.20	7.97	10.36	24.63	22.18	29.56	21.46	11.50	9.29	*40	*40	6.94
9	7.72	7.97	9.29	28.67	24.18	28.66	21.11	10.64	8.49	*40	*40	10.69
10	7.72	7.71	9.02	27.77	22.74	26.86	20.92	9.82	*40	*40	*40	11.52
11	7.20	7.97	8.76	24.63	21.62	23.83	20.68	9.56	*40	*40	*40	9.29
12	7.20	7.97	9.29	25.97	21.30	22.18	20.40	9.02	*40	*40	*40	9.02
13	7.46	7.97	10.36	23.61	21.81	21.79	20.07	8.49	*40	*40	*40	8.49
14	7.71	7.72	10.36	21.08	21.98	21.46	18.48	8.23	*40	*40	*40	11.32
15	7.97	8.50	13.46	22.85	20.20	21.11	15.56	8.23	6689.80	6685.94	*40	12.78
16	8.49	10.64	20.64	28.66	18.94	20.92	15.56	7.97	1.16	2.10	*40	10.64
17	7.97	9.83	19.44	34.24	19.70	20.68	19.55	7.46	1.16	*40	*40	9.83
18	7.20	8.23	13.27	45.40	19.70	20.40	20.89	7.20	0.49	*40	*40	9.29
19	7.20	7.97	12.31	40.16	19.70	20.40	20.07	6.68	0.00	6674.37	*40	9.02
20	7.46	7.46	11.78	27.31	20.07	20.40	19.70	6.17	0.00	2.23	*40	8.49
21	7.71	9.30	12.66	25.52	20.89	20.40	19.34	6.17	1.08	2.23	*40	8.23
22	7.46	10.10	13.66	25.52	21.30	20.40	18.06	6.17	1.50	2.23	*40	8.23
23	7.20	10.10	12.59	31.91	21.62	20.40	17.00	6.17	2.10	2.23	*40	8.23
24	7.46	10.92	19.68	36.19	22.18	20.07	19.24	4.80	4.35	2.23	*40	8.23
25	9.03	9.56	23.34	29.14	23.03	19.70	20.68	3.96	3.96	*40	*40	8.23
26	9.83	8.76	20.89	25.08	24.63	19.70	18.88	4.35	3.22	*40	*40	7.97
27	9.02	8.76	18.88	28.21	25.52	20.07	15.56	4.35	3.22	*40	*40	7.71
28	8.76	8.76	17.00	26.87	29.58	20.68	13.27	4.15	2.88	*40	6624.72	8.76
29	8.49	8.76	23.16	30.55		20.92	13.27	3.40	2.54	*40	7.46	9.02
30	7.97	8.23	28.21	40.19		21.11	13.66	2.71	1.50	*40	7.20	8.23
31	7.46		26.42	40.19		21.30		2.54		*40	7.46	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.23	7.97	21.29	32.81	41.19	20.40	22.22	16.29	5.22	*40	*40	3.58
2	8.23	7.71	19.66	26.86	41.71	20.40	21.62	15.54	4.35	*40	*40	3.58
3	8.76	7.71	16.23	24.18	37.18	20.40	21.46	15.54	4.35	6666.68	*40	3.58
4	9.02	7.71	13.66	32.96	31.84	20.40	38.26	15.54	3.96	2.24	*40	4.58
5	8.76	7.71	17.19	45.81	29.11	22.18	38.26	16.29	3.58	1.65	*40	5.21
6	8.76	7.71	22.18	66.99	27.31	24.62	21.30	17.00	3.58	1.65	*40	5.21
7	8.49	7.71	22.40	91.50	25.97	23.10	21.30	17.00	3.22	1.65	*40	6.17
8	8.23	7.71	21.11	95.28	25.07	21.97	21.30	15.56	4.86	1.65	*40	6.42
9	8.23	9.03	21.30	87.74	24.18	22.18	21.30	14.16	3.77	1.65	*40	6.17
10	8.23	9.83	21.46	74.23	23.76	22.18	21.30	15.56	1.96	1.65	*40	6.17
11	8.23	9.29	22.84	60.91	24.63	21.62	21.30	17.00	2.87	1.65	*40	6.42
12	8.23	9.02	29.13	49.53	25.52	22.30	21.11	17.57	2.54	1.65	*40	6.68
13	8.23	8.49	31.39	42.83	24.63	22.74	20.03	18.10	1.93	2.91	*40	6.94
14	8.23	8.23	25.19	42.25	25.08	21.79	18.96	15.59	1.65	4.77	*40	7.20
15	8.23	9.83	21.26	44.59	26.42	21.46	18.96	12.88	*40	5.20	*40	7.20
16	8.23	12.04	19.70	46.40	25.08	31.80	16.81	12.57	*40	5.20	*40	7.20
17	8.23	15.05	18.54	45.19	23.03	51.44	16.23	12.04	*40	3.29	*40	7.20
18	8.23	29.01	17.57	43.99	22.18	46.69	21.40	10.92	*40	1.65	*40	7.20
19	8.23	39.19	16.29	42.27	21.79	32.81	23.10	10.36	*40	1.65	6662.84	7.46
20	8.23	36.19	14.82	38.68	21.62	27.76	21.62	9.83	*40	1.65	3.22	7.97
21	8.23	28.78	13.66	35.18	21.62	25.97	20.89	9.29	*40	1.65	3.22	7.72
22	8.23	21.02	13.23	34.19	21.62	24.63	20.89	9.29	*40	1.65	2.40	7.46
23	8.23	20.07	12.88	33.24	21.98	23.03	20.89	9.29	*40	1.65	2.40	7.71
24	8.23	21.90	12.57	30.47	23.03	22.18	20.40	8.50	*40	*40	3.40	8.23
25	8.23	23.76	24.40	32.33	22.51	21.79	20.89	7.97	6666.68	*40	3.58	8.76
26	8.23	23.03	29.62	34.68	21.46	21.46	20.89	15.74	2.87	*40	3.58	8.49
27	8.23	21.44	45.07	32.76	21.11	21.30	19.70	18.79	*40	*40	3.58	8.23
28	8.23	19.32	73.47	39.89	20.68	22.61	18.96	10.93	*40	*40	3.58	7.97
29	8.23	23.88	64.60	50.77		27.76	18.54	8.76	*40	*40	3.58	7.46
30	8.23	25.71	48.92	49.51		28.66	17.57	7.72	*40	*40	3.58	7.97
31	8.23		39.69	42.89		24.65		6.68		*40	3.58	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστικό θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.76	9.56	9.29	--	--	--	--	--	--	--	--	--
2	8.76	9.29	9.29	--	--	--	--	--	--	--	--	--
3	8.49	9.29	10.37	--	--	--	--	--	--	--	--	--
4	8.23	9.29	11.50	--	--	--	--	--	--	--	--	--
5	8.76	9.29	11.50	--	--	--	--	--	--	--	--	--
6	9.29	9.83	11.78	--	--	--	--	--	--	--	--	--
7	9.29	11.48	20.41	--	--	--	--	--	--	--	--	--
8	9.29	12.88	23.59	--	--	--	--	--	--	--	--	--
9	9.29	18.01	19.70	--	--	--	--	--	--	--	--	--
10	9.02	20.62	12.32	--	--	--	--	--	--	--	--	--
11	9.02	16.16	14.73	--	--	--	--	--	--	--	--	--
12	9.29	11.76	20.74	--	--	--	--	--	--	--	--	--
13	9.29	10.36	23.04	--	--	--	--	--	--	--	--	--
14	9.29	9.82	33.32	--	--	--	--	--	--	--	--	--
15	9.29	9.56	31.94	--	--	--	--	--	--	--	--	--
16	9.29	9.02	22.96	--	--	--	--	--	--	--	--	--
17	9.29	8.76	26.68	--	--	--	--	--	--	--	--	--
18	9.56	9.29	38.19	--	--	--	--	--	--	--	--	--
19	10.09	10.64	35.76	--	--	--	--	--	--	--	--	--
20	10.09	12.66	27.31	--	--	--	--	--	--	--	--	--
21	9.56	13.27	26.86	--	--	--	--	--	--	--	--	--
22	9.29	12.88	30.93	--	--	--	--	--	--	--	--	--
23	9.29	12.04	32.30	--	--	--	--	--	--	--	--	--
24	9.29	10.64	30.02	--	--	--	--	--	--	--	--	--
25	9.29	10.09	50.80	--	--	--	--	--	--	--	--	--
26	9.29	9.82	71.24	--	--	--	--	--	--	--	--	--
27	9.83	9.56	72.74	--	--	--	--	--	--	--	--	--
28	10.09	9.29	84.73	--	--	--	--	--	--	--	--	--
29	9.82	9.29	83.23	--	--	--	--	--	--	--	--	--
30	9.82	9.29	81.72	--	--	--	--	--	--	--	--	--
31	9.82		84.73	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.97	8.23	8.23	18.94	18.94	11.78	18.54	9.82	*40	*40	*40	*40
2	7.97	8.23	7.46	15.59	17.57	11.50	17.57	9.56	*40	*40	*40	*40
3	8.23	8.23	6.68	12.59	16.29	15.24	17.00	9.83	*40	*40	*40	*40
4	7.97	8.23	6.68	12.05	15.54	52.86	16.29	11.21	*40	*40	*40	*40
5	7.97	8.23	6.68	11.49	19.38	118.06	14.82	12.05	*40	*40	*40	*40
6	8.49	8.23	6.68	10.91	20.83	127.55	14.82	11.78	*40	*40	*40	*40
7	9.29	8.23	6.68	10.91	21.95	98.12	15.54	11.78	*40	*40	*40	*40
8	8.76	8.23	6.94	10.91	22.84	69.03	15.54	10.93	*40	*40	*40	*40
9	7.71	9.02	7.72	11.76	21.29	48.98	14.82	8.50	*40	*40	*40	*40
10	7.71	9.82	8.76	12.31	20.68	39.66	14.16	7.72	*40	*40	*40	*40
11	7.71	9.56	8.76	11.78	19.70	37.19	14.16	7.97	*40	*40	*40	*40
12	7.71	9.83	10.96	11.20	18.54	33.72	14.82	8.50	*40	*40	*40	*40
13	7.71	10.36	11.80	10.64	17.57	30.02	16.93	8.50	*40	*40	*40	*40
14	7.97	9.03	10.64	10.09	17.00	27.31	16.93	6.94	*40	*40	*40	*40
15	8.23	7.97	11.20	9.82	16.29	25.52	14.82	8.78	*40	*40	*40	*40
16	8.23	8.23	10.64	9.82	16.29	23.78	13.66	11.50	*40	*40	*40	*40
17	8.23	8.23	9.83	18.89	15.56	22.69	13.23	10.37	*40	*40	*40	*40
18	8.23	8.23	9.29	21.65	13.66	22.18	12.88	8.76	6636.10	*40	*40	*40
19	8.76	8.23	14.20	12.95	13.23	21.62	12.31	9.29	5.92	*40	*40	*40
20	9.56	8.23	26.04	11.78	13.23	21.30	12.05	9.83	5.43	*40	*40	6620.93
21	9.82	8.23	25.41	11.50	13.23	21.30	11.78	9.29	5.43	*40	*40	8.23
22	10.93	8.23	15.16	11.20	13.23	21.30	11.50	7.98	*40	*40	*40	7.97
23	9.32	8.23	11.21	10.64	12.88	21.30	11.78	6.17	*40	*40	*40	7.71
24	6.68	8.23	10.09	10.36	12.57	22.30	12.05	5.21	*40	*40	*40	7.71
25	7.98	8.23	9.82	10.92	12.57	22.51	12.05	4.76	*40	*40	*40	7.71
26	9.83	8.49	9.82	12.66	12.31	21.29	11.78	*40	*40	*40	*40	7.46
27	8.51	8.49	9.82	16.81	12.05	20.37	11.20	*40	*40	*40	*40	7.20
28	7.46	8.23	27.83	23.04	12.05	19.70	11.20	*40	*40	*40	*40	5.94
29	8.23	8.23	43.06	27.75		19.34	10.92	*40	*40	*40	*40	5.94
30	8.23	8.23	29.19	24.33		19.70	10.09	*40	*40	*40	*40	7.20
31	8.23		21.21	21.02		19.70		*40		*40	*40	

ΕΠΕΞΗΓΡΕΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.20	7.71	6.94	17.19	9.83	22.22	10.64	*40	*40	*40	*40	*40
2	7.20	7.71	6.94	12.59	10.92	21.46	10.09	*40	*40	*40	*40	*40
3	7.20	7.46	6.68	11.49	11.78	22.03	9.82	*40	*40	*40	*40	*40
4	7.46	7.20	6.68	10.64	12.05	22.03	9.82	*40	*40	*40	*40	*40
5	7.71	7.20	6.94	10.64	12.05	20.62	9.56	*40	*40	*40	*40	*40
6	7.71	13.28	7.20	11.20	10.93	19.70	9.29	*40	*40	*40	*40	*40
7	7.71	14.63	6.94	10.92	9.56	19.70	7.72	*40	*40	*40	*40	*40
8	7.71	10.10	6.42	10.09	9.02	20.07	7.20	*40	*40	*40	*40	*40
9	7.71	10.64	11.01	9.56	8.76	18.88	6.69	*40	*40	*40	*40	*40
10	7.71	9.56	13.82	9.29	8.76	14.41		*40	*40	*40	*40	*40
11	8.50	8.49	9.56	9.29	8.49	12.31		*40	*40	*40	*40	*40
12	9.83	8.23	7.97	9.02	8.49	12.05		*40	*40	*40	*40	*40
13	9.56	8.23	7.71	8.76	8.76	12.05	6636.10	*40	*40	*40	*40	*40
14	8.23	7.97	7.71	8.76	10.38	12.05	5.92	*40	*40	*40	*40	*40
15	7.20	7.71	7.46	8.76	19.00	11.78	7.20	*40	*40	*40	*40	*40
16	6.68	7.46	7.20	8.76	23.78	20.02	8.76	*40	*40	*40	*40	*40
17	6.68	7.20	7.20	8.49	20.54	23.04	8.76	*40	*40	*40	*40	*40
18	6.94	7.20	7.20	8.23	17.00	17.47	8.49	*40	*40	*40	*40	*40
19	7.20	7.20	7.20	8.23	13.99	16.29	8.23	*40	*40	*40	*40	*40
20	7.72	7.20	7.72	8.23	11.49	14.93	7.20	*40	*40	*40	*40	6628.51
21	8.23	7.20	9.56	8.23	10.64	13.23	5.44	*40	*40	*40	*40	7.97
22	7.97	7.20	10.36	8.23	10.36	12.88	4.55	*40	*40	*40	*40	8.49
23	7.71	7.20	9.29	8.23	11.21	15.63	4.35	*40	*40	*40	*40	6.69
24	7.97	7.20	9.02	8.23	27.53	19.70	4.35	*40	*40	*40	*40	5.20
25	8.23	7.20	20.46	8.23	39.75	19.70	4.35	*40	*40	*40	*40	5.67
26	8.23	7.20	34.20	8.23	29.14	18.06		*40	*40	*40	*40	7.98
27	8.23	7.20	34.68	7.97	22.30	14.93		*40	*40	*40	*40	16.47
28	8.23	7.20	26.36	7.46	22.03	12.59		*40	*40	*40	*40	15.75
29	8.23	7.20	18.75	7.20		11.78		*40	*40	*40	*40	7.72
30	7.97	6.94	13.79	8.50		11.50		*40	*40	*40	*40	6.42
31	7.71		16.65	9.56		11.20		*40		*40	*40	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	5.92	27.55	13.27	65.30	36.69	36.24	26.86	19.70	14.93	140	140	140
2	5.67	37.09	30.71	49.37	47.33	41.19	26.86	18.94	15.59	140	140	140
3	6.43	22.18	102.89	41.95	85.50	42.89	25.97	18.10	16.23	140	140	140
4	17.91	18.36	152.25	46.41	111.80	53.67	25.07	18.54	14.82	140	140	140
5	23.49	13.42	118.48	42.27	111.18	54.31	24.63	18.06	16.93	140	140	140
6	14.19	11.49	99.04	39.66	105.02	43.48	23.76	16.29	15.05	140	140	6647.53
7	10.37	12.78	81.73	37.70	95.28	38.68	23.37	13.42	13.79	140	140	5.94
8	8.76	13.79	69.01	34.21	81.73	36.69	22.69	11.78	14.24	140	140	6.43
9	7.97	11.76	56.74	30.93	67.23	35.68	22.18	11.50	14.24	140	140	5.21
10	7.97	10.64	44.68	29.11	59.86	35.18	21.79	12.32	14.82	140	140	4.76
11	8.23	10.36	38.19	27.75	55.91	34.19	21.62	110	12.66	140	140	5.69
12	7.97	10.64	35.68	26.86	51.27	33.70	21.46	110	140	140	140	6.17
13	7.46	11.49	34.19	25.97	46.65	33.23	21.30	6568.44	140	140	140	4.78
14	7.20	27.07	31.84	26.42	44.34	32.29	21.30	17.47	140	140	140	4.35
15	7.20	33.00	29.11	26.42	45.19	32.29	21.11	16.93	140	140	140	5.69
16	6.94	21.16	30.02	24.63	45.79	30.93	20.92	16.93	140	140	140	5.92
17	6.68	19.70	30.47	23.37	46.40	28.66	20.92	14.24	140	140	140	5.20
18	7.72	19.32	38.96	22.43	42.94	26.86	20.92	20.18	140	140	140	6.18
19	9.56	16.93	64.73	21.97	36.69	25.07	20.37	23.50	140	140	140	6.68
20	9.83	13.79	73.48	34.16	33.24	27.13	19.34	21.02	140	140	140	5.92
21	9.83	26.13	79.48	52.03	35.70	28.93	18.96	19.34	140	140	140	5.67
22	11.21	31.53	93.76	59.45	35.70	26.86	18.96	18.54	140	140	140	6.17
23	12.95	22.22	83.98	56.74	30.93	25.07	18.96	20.43	140	140	140	6.94
24	12.95	18.87	73.47	44.13	34.75	24.62	18.96	21.79	140	140	140	7.46
25	10.93	15.56	67.53	36.69	38.19	24.62	18.06	21.08	140	140	140	7.46
26	9.29	18.06	60.15	33.71	33.27	24.62	17.57	20.07	140	140	140	7.20
27	8.49	18.06	66.05	32.29	29.56	24.18	18.10	19.34	140	140	140	6.68
28	8.49	14.41	79.47	30.47	29.56	23.76	18.10	18.96	140	140	140	7.20
29	8.49	12.57	89.24	29.56		33.45	17.57	18.54	140	140	140	7.97
30	8.23	12.57	82.48	33.27		38.21	18.48	18.94	140	140	140	7.71
31	8.49		69.00	36.69		30.02		18.48		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.71	25.97	12.88	12.88	52.73	23.78	22.18	12.59	*40	*40	*40	*40
2	7.46	22.30	13.23	12.57	41.84	23.37	21.97	12.05	*40	*40	*40	*40
3	7.20	20.62	16.71	12.88	34.71	25.08	21.97	12.05	*40	*40	*40	*40
4	6.94	18.48	17.31	14.24	30.93	25.08	21.97	11.49	*40	*40	*40	6602.06
5	7.72	16.29	13.66	34.78	27.76	23.37	21.62	10.91	*40	*40	*40	10.10
6	8.23	14.82	13.23	44.07	24.63	23.00	21.11	10.91	*40	*40	*40	9.02
7	7.71	13.66	14.93	29.56	23.37	23.37	20.92	10.91	*40	*40	*40	8.49
8	8.23	12.88	17.00	37.37	22.69	26.87	20.37	10.91	*40	*40	*40	7.97
9	8.76	12.31	17.57	38.84	22.18	44.16	20.07	*40	*40	*40	*40	7.71
10	9.29	12.05	17.57	28.21	21.97	66.79	19.70	*40	*40	*40	*40	7.46
11	18.52	12.05	16.29	24.63	21.79	58.38	18.54	*40	*40	*40	*40	7.46
12	23.47	12.05	15.54	23.37	21.46	41.28	18.54	*40	*40	*40	*40	7.46
13	20.92	12.05	15.54	22.43	21.11	34.71	18.96	*40	*40	*40	*40	6.94
14	15.76	11.78	21.02	21.79	20.92	33.24	18.54	*40	*40	*40	*40	7.20
15	10.64	11.50	24.63	21.46	20.68	29.14	16.93	*40	*40	*40	*40	7.71
16	10.36	11.50	22.51	21.30	20.40	28.68	12.78	*40	*40	*40	*40	7.46
17	9.83	11.50	21.08	21.46	21.26	33.70	14.84	6590.79	*40	*40	*40	7.46
18	9.29	11.50	19.32	21.46	22.43	33.23	16.16	20.09	*40	*40	*40	7.46
19	9.56	11.20	20.20	20.89	22.69	31.38	13.27	22.03	*40	*40	*40	7.46
20	9.82	11.20	21.46	20.40	23.41	29.11	13.66	14.59	*40	*40	*40	7.46
21	9.82	11.50	24.54	20.40	28.67	27.75	16.18	12.05	*40	*40	*40	7.46
22	9.82	11.50	24.54	20.40	39.28	26.86	14.34	16.17	*40	*40	*40	7.71
23	9.56	11.20	20.62	19.70	40.81	26.42	12.04	*40	*40	*40	*40	7.71
24	9.02	10.91	19.70	18.96	32.33	25.97	13.66	*40	*40	*40	*40	7.97
25	9.56	10.91	19.70	18.96	23.70	25.97	14.16	*40	*40	*40	*40	8.23
26	11.48	10.91	18.94	18.96	17.94	25.52	13.66	*40	*40	*40	*40	8.23
27	12.04	10.91	17.57	18.96	20.42	23.78	13.23	*40	*40	*40	*40	8.76
28	35.96	10.91	15.56	18.96	25.52	22.69	17.19	*40	*40	*40	*40	8.76
29	62.36	10.91	14.82	18.54	25.97	22.40	17.19	*40	*40	*40	*40	8.23
30	51.41	11.76	14.82	29.95		22.40	13.23	*40	*40	*40	*40	7.72
31	36.84		13.66	52.10		22.40		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.20	7.46	--	--	--	--	--	--	--	--	--	--
2	7.46	7.46	--	--	--	--	--	--	--	--	--	--
3	7.71	7.20	--	--	--	--	--	--	--	--	--	--
4	7.46	--	--	--	--	--	--	--	--	--	--	--
5	6.94	--	--	--	--	--	--	--	--	--	--	--
6	6.94	--	--	--	--	--	--	--	--	--	--	--
7	7.20	--	--	--	--	--	--	--	--	--	--	--
8	7.46	--	--	--	--	--	--	--	--	--	--	--
9	7.71	--	--	--	--	--	--	--	--	--	--	--
10	7.46	--	--	--	--	--	--	--	--	--	--	--
11	7.46	--	--	--	--	--	--	--	--	--	--	--
12	7.46	--	--	--	--	--	--	--	--	--	--	--
13	7.20	--	--	--	--	--	--	--	--	--	--	--
14	6.94	--	--	--	--	--	--	--	--	--	--	--
15	6.94	--	--	--	--	--	--	--	--	--	--	--
16	7.20	--	--	--	--	--	--	--	--	--	--	--
17	7.20	--	--	--	--	--	--	--	--	--	--	--
18	7.20	--	--	--	--	--	--	--	--	--	--	--
19	7.46	--	--	--	--	--	--	--	--	--	--	--
20	7.71	--	--	--	--	--	--	--	--	--	--	--
21	7.46	--	--	--	--	--	--	--	--	--	--	--
22	7.20	--	--	--	--	--	--	--	--	--	--	--
23	7.20	--	--	--	--	--	--	--	--	--	--	--
24	7.46	--	--	--	--	--	--	--	--	--	--	--
25	7.46	--	--	--	--	--	--	--	--	--	--	--
26	7.20	--	--	--	--	--	--	--	--	--	--	--
27	7.20	--	--	--	--	--	--	--	--	--	--	--
28	7.20	--	--	--	--	--	--	--	--	--	--	--
29	7.20	--	--	--	--	--	--	--	--	--	--	--
30	7.20	--	--	--	--	--	--	--	--	--	--	--
31	7.20	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	7.72	18.54	21.88	25.52	21.79	13.23	6.94	6.43	*40	5.21
2	--	--	16.41	17.47	21.26	24.63	21.46	14.24	7.97	4.98	*40	4.55
3	--	--	22.18	17.94	21.00	23.76	21.30	13.42	8.49	*40	*40	4.77
4	--	--	18.36	13.41	20.37	23.76	21.30	10.93	7.97	*40	*40	4.98
5	--	--	14.82	14.28	19.70	23.37	21.11	9.82	7.20	*40	*40	5.44
6	--	--	15.56	19.24	23.70	23.00	20.92	11.48	5.92	*40	*40	6.17
7	--	--	14.93	16.29	41.24	23.00	20.92	12.32	5.43	*40	*40	6.94
8	--	--	12.59	15.54	44.91	22.43	20.68	10.64	5.92	*40	*40	8.23
9	--	--	11.49	24.37	32.33	23.10	20.07	10.93	6.68	*40	*40	8.49
10	--	--	10.91	28.23	28.20	25.07	19.70	11.21	5.94	*40	*40	7.72
11	--	--	10.91	23.00	25.97	25.07	19.70	*40	4.35	*40	*40	6.94
12	--	--	10.64	25.54	24.18	24.62	19.70	6602.06	4.78	*40	*40	6.42
13	--	--	10.09	31.40	23.37	45.46	19.70	10.36	6.43	*40	*40	6.42
14	--	--	9.82	28.69	23.00	63.12	19.70	10.09	6.94	*40	*40	6.94
15	--	--	14.09	22.03	22.43	48.92	19.70	8.77	5.92	*40	*40	7.46
16	--	--	21.67	17.02	21.79	40.69	19.34	7.46	6.43	*40	*40	7.97
17	--	--	22.30	11.78	21.62	35.69	18.96	11.04	7.97	*40	*40	7.97
18	--	--	20.89	15.73	26.59	32.29	18.54	14.82	6.94	*40	*40	7.20
19	--	--	18.36	20.40	40.40	30.93	18.10	12.95	5.43	*40	*40	7.20
20	--	7.20	16.93	21.65	45.81	29.11	17.57	12.59	4.98	*40	*40	7.97
21	--	8.24	20.87	36.69	37.20	27.31	16.29	12.88	4.55	*40	6643.72	7.97
22	--	9.02	29.62	63.18	30.02	25.97	15.54	11.76	4.15	*40	4.98	7.46
23	--	8.49	29.62	59.09	27.31	25.52	15.54	10.64	4.35	*40	5.21	6.94
24	--	8.23	21.85	38.74	25.52	25.07	15.54	10.64	4.98	*40	5.67	7.20
25	--	7.72	20.37	22.35	24.18	24.18	15.54	10.36	4.77	*40	5.43	7.97
26	--	6.94	18.94	20.04	23.03	23.76	15.54	7.72	4.68	*40	4.98	8.49
27	--	6.94	16.93	27.31	22.40	24.18	14.82	7.99	5.58	*40	5.21	9.02
28	--	7.97	16.29	30.94	23.03	23.78	13.66	9.03	6.42	*40	5.92	9.02
29	--	8.23	19.24	34.19	24.63	22.69	13.23	7.71	6.94	*40	5.92	8.49
30	--	7.46	20.03	28.23		22.18	13.23	7.97	7.46	*40	5.92	7.97
31	--		18.54	22.69		21.97		7.46		*40	5.92	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	7.46	18.36	20.07	61.63	34.68	27.04	29.84	13.02	*40	*40	*40	7.20
2	7.46	14.24	42.39	58.70	34.19	33.07	29.56	13.99	*40	*40	*40	7.46
3	8.50	12.88	86.24	73.35	33.23	36.88	27.93	14.48	*40	*40	*40	7.97
4	9.83	12.31	98.32	84.28	32.29	32.49	27.04	13.02	*40	*40	*40	8.49
5	10.09	11.78	86.54	83.23	31.38	34.63	26.33	15.27	*40	*40	*40	9.02
6	9.29	11.78	63.47	76.03	31.84	38.59	25.79	17.79	*40	*40	*40	8.24
7	8.76	11.78	46.48	63.09	33.71	40.79	25.34	16.58	*40	*40	*40	7.20
8	9.02	11.20	37.68	57.96	33.71	39.79	24.89	15.10	*40	*40	*40	7.20
9	9.56	10.91	32.77	57.26	31.57	38.88	24.44	14.40	*40	*40	*40	8.24
10	10.09	11.20	33.25	54.59	29.93	40.35	24.27	13.86	*40	*40	*40	9.83
11	10.25	11.50	56.24	50.77	29.29	37.89	23.85	12.95	*40	*40	*40	10.09
12	10.53	12.04	97.42	50.89	30.47	34.39	23.44	12.57	*40	*40	*40	10.09
13	11.20	13.79	114.90	50.01	30.93	32.48	23.08	13.79	*40	*40	*40	10.36
14	10.64	30.63	119.64	44.84	30.20	31.56	22.74	14.24	*40	*40	*40	11.48
15	10.36	41.43	121.29	41.19	32.69	30.38	22.57	14.24	*40	*40	*40	13.11
16	10.64	28.26	115.63	41.74	33.62	29.93	21.67	14.82	*40	*40	*40	13.56
17	10.09	21.44	114.94	46.53	31.38	31.11	22.20	13.66	*40	*40	6628.51	14.34
18	10.09	19.32	111.10	53.32	30.66	32.95	23.17	12.59	*40	*40	7.20	13.42
19	10.64	16.93	102.10	70.98	30.02	36.59	22.27	11.78	*40	*40	7.97	11.78
20	11.76	16.29	93.77	80.22	28.57	37.59	22.05	11.20	*40	*40	8.49	11.20
21	13.79	15.56	86.23	71.68	27.66	34.88	21.86	10.64	*40	*40	7.97	10.64
22	30.63	15.56	80.22	65.45	27.22	33.42	21.52	8.77	*40	*40	7.46	10.64
23	36.48	17.00	71.68	59.58	26.60	32.48	21.36	6.43	*40	*40	6.94	10.91
24	27.31	18.88	64.27	53.56	25.97	31.11	21.52		*40	*40	6.68	10.91
25	23.98	20.40	57.99	48.88	26.15	32.98	21.52		*40	*40	6.94	10.91
26	17.77	20.40	53.94	43.67	28.84	33.91	20.98		*40	*40	7.72	11.20
27	14.16	21.08	51.40	39.86	30.66	32.48	20.20		*40	*40	8.49	12.04
28	13.66	21.62	53.97	37.39	28.84	32.48	19.48		*40	*40	8.49	12.69
29	17.19	21.46	67.10	34.88		31.11	18.71		*40	*40	8.23	11.87
30	21.65	20.89	85.18	33.42		29.29	15.83		*40	*40	7.97	11.03
31	21.65		80.38	33.80		28.66			*40	*40	7.46	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	11.03	11.78	12.57	21.45	19.32	20.37	20.68	*40	*40	*40	*40	*40
2	11.20	12.05	12.88	20.68	20.07	20.37	20.40	*40	*40	*40	*40	6533.63
3	12.04	12.05	12.76	20.07	19.34	19.02	20.07	6561.01	*40	*40	*40	23.31
4	12.88	12.05	13.14	20.07	18.80	18.19	19.34	26.90	*40	*40	*40	22.15
5	13.23	12.05	14.16	19.70	18.46	18.10	18.96	31.41	*40	*40	*40	21.42
6	12.88	11.49	13.66	18.54	18.10	19.32	18.72	21.70	*40	*40	*40	21.08
7	12.88	11.20	14.24	17.90	17.69	19.70	18.47	18.36	*40	*40	*40	21.08
8	12.88	11.78	16.29	20.06	17.24	18.96	18.47	16.65	*40	*40	*40	20.87
9	12.88	12.31	16.29	21.79	16.73	20.74	18.29	12.04	*40	*40	*40	20.52
10	12.88	12.31	16.93	21.79	16.15	22.43	17.57	9.57	*40	*40	*40	*40
11	12.57	12.05	16.93	21.46	15.70	22.22	17.00	7.97	*40	*40	*40	*40
12	12.31	12.05	14.82	20.89	15.54	21.29	17.00	7.97	*40	*40	*40	*40
13	12.05	11.78	13.66	20.07	15.54	20.68	16.29	7.46	*40	*40	*40	*40
14	11.21	11.20	12.88	20.62	15.54	19.32	14.82	8.24	*40	*40	*40	*40
15	10.09	10.64	12.88	22.96	14.24	19.32	12.66	6.04	*40	*40	*40	*40
16	10.09	10.36	14.24	22.96	13.23	20.89	*40	*40	*40	*40	*40	*40
17	10.36	10.36	16.93	21.11	13.23	21.46	*40	*40	*40	*40	*40	*40
18	10.92	10.36	17.57	22.73	13.23	32.70	*40	*40	*40	*40	*40	*40
19	12.32	10.64	15.56	23.50	13.23	35.41	*40	*40	*40	*40	*40	*40
20	12.88	11.20	30.71	21.62	13.23	23.83	*40	*40	*40	*40	*40	*40
21	12.31	11.50	43.06	21.46	13.23	33.77	*40	6594.55	*40	*40	*40	*40
22	12.05	11.78	33.74	21.62	13.23	39.00	*40	12.05	*40	*40	*40	*40
23	11.49	12.05	26.46	21.29	13.23	29.12	*40	12.31	*40	*40	*40	*40
24	10.64	12.05	21.98	20.37	13.66	25.08	*40	12.88	*40	*40	*40	6639.91
25	10.92	11.78	22.51	19.70	17.31	23.37	*40	12.88	*40	*40	*40	5.67
26	11.78	11.50	24.18	19.34	18.94	22.69	*40	12.31	*40	*40	*40	5.43
27	12.31	11.78	22.84	18.54	18.94	22.18	*40	12.31	*40	*40	*40	5.67
28	12.88	12.31	21.29	18.10	19.70	21.79	*40	11.76	*40	*40	*40	6.42
29	12.59	12.31	21.29	18.10		21.62	*40	10.64	*40	*40	*40	6.68
30	11.78	12.31	21.98	18.10		21.46	*40	*40	*40	*40	*40	7.20
31	11.50		22.18	18.10		21.11		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφραγματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.50	9.98	9.72	23.15	12.88	26.86	34.94	18.68	*40	*40	*40	6602.06
2	9.83	10.31	9.45	36.19	12.88	28.84	29.29	16.73	*40	*40	*40	10.91
3	10.64	10.58	9.40	26.36	16.71	29.75	27.75	17.00	*40	*40	*40	10.64
4	10.64	10.58	9.56	19.24	17.94	29.56	26.86	16.29	*40	*40	*40	10.25
5	9.83	10.25	9.72	14.41	16.00	29.56	26.42	16.29	*40	*40	*40	10.09
6	9.29	9.88	9.56	12.04	17.65	44.78	25.52	18.06	*40	*40	*40	9.93
7	9.83	9.82	9.29	11.20	17.65	74.55	24.18	20.53	*40	*40	*40	9.56
8	9.83	9.82	9.29	15.76	16.45	77.83	24.18	21.79	*40	*40	*40	9.02
9	9.02	9.82	8.24	21.63	16.45	55.23	24.62	20.07	*40	*40	*40	8.49
10	8.76	9.66	7.46	20.64	15.70	46.42	22.84	18.06	*40	*40	*40	7.97
11	8.60	9.40	8.50	17.57	14.94	48.25	21.98	18.96	*40	*40	*40	7.71
12	8.44	9.56	9.56	14.93	14.30	41.84	23.41	17.47	*40	*40	*40	7.46
13	8.18	9.88	9.82	12.88	13.74	34.24	26.41	16.29	*40	*40	*40	6.68
14	7.92	9.82	9.56	12.57	13.74	29.11	26.41	14.41	*40	*40	*40	6.17
15	7.92	9.66	9.29	13.79	13.32	25.52	23.28	9.85	*40	*40	*40	6.42
16	7.56	9.61	9.29	16.93	12.94	23.37	23.28	7.20	*40	*40	*40	6.68
17	7.97	9.72	9.40	16.93	13.32	26.70	24.44	7.20	*40	*40	*40	7.20
18	7.72	9.82	9.66	15.54	16.86	30.02	23.61	6.68	*40	*40	*40	7.97
19	8.24	10.09	9.82	15.54	23.21	28.21	22.80	5.92	*40	*40	*40	8.49
20	9.82	10.09	9.56	15.54	24.43	25.97	21.64		*40	*40	*40	9.02
21	9.56	9.66	9.29	15.54	21.98	24.36	21.68		*40	*40	*40	9.56
22	9.56	9.61	9.29	15.54	23.03	23.76	21.23		*40	*40	*40	10.09
23	9.82	9.77	11.88	16.29	24.18	23.76	19.03		*40	*40	*40	10.92
24	9.45	9.56	12.78	17.57	22.18	23.76	20.31		*40	*40	*40	9.83
25	9.61	9.29	10.64	19.32	29.81	23.76	21.40		*40	*40	*40	7.97
26	10.42	9.56	10.09	19.32	38.38	23.16	20.36		*40	*40	*40	7.97
27	10.42	9.82	9.82	18.10	31.40	22.36	18.15		*40	*40	*40	8.49
28	9.99	9.82	9.82	18.10	26.86	21.93	19.55		*40	*40	*40	9.02
29	9.82	9.82	9.82	16.93		21.75	20.62		*40	*40	*40	9.02
30	9.82	9.82	9.77	15.54		35.50	20.07		*40	*40	*40	8.49
31	9.88		9.66	14.24		45.90			*40	*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	8.49	18.54	12.57	11.50	46.41	40.34	21.02	21.30	40	40	40	11.20
2	9.02	15.59	12.04	11.50	42.27	43.81	15.68	21.30	40	40	40	10.91
3	9.56	13.66	11.20	11.50	40.45	37.48	12.05	21.81	40	40	40	10.91
4	9.56	18.19	12.37	11.50	37.48	38.48	18.05	21.81	40	40	40	11.20
5	8.50	20.68	13.66	11.50	33.24	39.48	21.98	21.30	40	40	40	9.83
6	7.97	20.40	12.32	11.50	33.72	34.69	21.29	21.11	40	40	40	40
7	10.11	20.68	11.50	11.20	34.98	39.84	20.92	24.26	40	40	40	40
8	12.05	20.68	11.20	10.91	32.58	47.62	21.11	25.19	40	40	40	40
9	11.78	20.07	10.91	10.64	30.02	44.61	21.46	22.74	40	40	40	40
10	11.56	19.34	11.76	10.92	28.03	38.68	21.62	23.03	40	40	40	40
11	11.73	18.54	19.42	11.50	26.42	34.20	21.62	21.98	40	40	40	40
12	11.79	18.10	23.41	11.50	29.76	33.71	19.82	21.46	40	40	40	6553.58
13	11.62	18.29	21.44	11.50	39.79	34.48	22.41	21.30	40	40	40	19.09
14	7.52	17.78	19.47	11.50	48.88	33.04	30.02	21.62	40	40	40	11.88
15	4.35	18.06	17.78	11.78	50.77	30.47	44.84	21.62	40	40	40	9.56
16	4.98	18.96	16.29	11.78	47.03	28.20	56.88	21.11	40	40	40	10.09
17	4.77	19.34	14.24	11.50	40.22	27.31	46.52	20.68	40	40	40	10.64
18	5.22	15.24	13.23	11.50	33.74	26.86	36.68	20.07	40	40	40	10.10
19	6.68	10.64	13.23	11.78	29.56	25.97	31.84	19.70	40	40	40	9.02
20	7.46	9.88	12.88	35.83	27.31	25.52	28.21	19.34	40	40	40	9.56
21	7.97	10.04	12.57	95.71	25.97	25.07	28.21	18.96	40	40	40	10.09
22	9.02	9.72	12.57	119.40	24.63	24.18	29.56	18.96	40	40	40	9.82
23	9.56	9.29	12.31	102.73	25.08	23.76	27.31	19.34	40	40	40	9.82
24	9.56	9.29	12.05	90.14	27.76	23.37	25.07	18.48	40	40	40	10.09
25	9.82	9.02	12.05	83.23	27.76	22.93	23.78	16.29	40	40	40	10.64
26	10.09	8.49	11.78	71.98	25.97	22.87	23.37	16.93	40	40	40	6516.77
27	11.21	8.76	11.50	64.57	26.42	22.74	22.51	16.93	40	40	40	23.32
28	12.31	9.29	11.50	57.99	32.86	22.51	21.98	14.82	40	40	40	15.24
29	13.79	9.29	11.50	52.03	36.19	22.40	23.03	14.16	40	40	40	11.78
30	18.75	10.93	11.50	47.87		22.31	22.30	14.16	40	40	40	12.05
31	20.03		11.50	47.87		22.09		13.66		40	40	11.78

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θερμοραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	9.82	35.84	10.64	11.50	64.25	26.86	23.37	*40	*40	*40	*40	*40
2	9.72	49.52	10.92	10.92	37.23	26.42	22.69	*40	*40	*40	*40	*40
3	8.40	57.31	11.78	11.21	29.56	25.97	22.69	*40	*40	*40	*40	*40
4	7.72	48.53	12.05	16.62	28.02	24.63	23.00	*40	*40	*40	*40	*40
5	8.76	32.37	11.49	20.37	28.93	23.37	22.69	*40	*40	*40	*40	*40
6	9.56	24.33	10.91	19.70	29.11	22.69	22.40	*40	*40	*40	*40	*40
7	9.82	21.62	10.91	19.85	26.41	26.01	22.18	*40	*40	*40	*40	*40
8	10.09	20.89	10.91	18.34	23.55	29.56	21.79	*40	*40	*40	*40	*40
9	10.64	19.70	10.91	15.40	22.36	29.11	21.46	*40	*40	*40	*40	*40
10	11.20	18.54	10.91	14.07	21.76	29.11	20.62	*40	*40	*40	*40	*40
11	11.78	16.93	10.91	12.00	21.26	29.11	20.62	*40	*40	*40	*40	*40
12	12.05	14.82	10.91	12.00	21.08	29.11	21.81	*40	*40	*40	*40	*40
13	11.21	13.66	10.64	13.16	22.82	28.66	22.40	*40	6590.79	*40	*40	*40
14	10.09	13.23	10.36	12.52	27.49	27.75	21.44	*40	12.88	*40	*40	*40
15	9.56	13.23	10.36	11.99	27.22	25.97	20.68	*40	13.66	*40	*40	*40
16	9.02	13.23	10.36	11.44	24.11	23.78	20.68	*40	14.82	*40	*40	*40
17	8.76	12.88	10.36	11.14	22.41	22.69	19.32	*40	16.29	*40	*40	*40
18	9.56	12.31	10.09	11.14	22.73	24.69	18.10	*40	17.24	*40	*40	*40
19	10.36	12.05	9.82	11.72	23.31	29.11	14.19	*40	17.80	*40	*40	*40
20	11.48	11.78	9.56	12.52	22.03	31.84	16.96	*40	18.29	*40	*40	*40
21	12.04	12.04	9.29	12.81	21.46	29.57	21.08	*40	11.76	*40	*40	*40
22	12.04	12.31	9.02	12.81	21.33	25.97	19.32	*40	6.18	*40	*40	*40
23	15.05	12.05	9.29	12.81	21.11	24.63	16.93	*40	4.77	*40	*40	*40
24	15.59	12.31	10.09	12.69	20.68	23.37	14.24	*40	4.15	*40	*40	*40
25	12.88	12.57	10.36	23.56	21.65	23.37	13.66	*40	3.40	*40	*40	*40
26	11.76	12.57	10.09	58.76	25.09	24.63	15.11	*40	3.04	*40	*40	*40
27	10.91	12.04	10.09	74.55	30.02	24.21	19.28	*40	2.87	*40	*40	*40
28	10.91	11.50	10.64	49.19	30.02	22.69	19.55	*40	2.08	*40	*40	*40
29	10.91	11.20	10.91	35.69		22.40	16.29	*40	1.65	*40	*40	*40
30	20.78	10.91	10.91	51.86		22.40	13.42	*40	1.65	*40	*40	*40
31	29.11		11.20	79.77		23.03		*40		*40	*40	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	*40	12.57	12.59	14.94	42.36	25.52	20.07	*40	*40	*40	*40
2	*40	*40	12.88	13.66	14.94	36.49	25.52	19.34	*40	*40	*40	*40
3	*40	*40	12.88	16.23	14.30	34.48	25.07	14.73	*40	*40	*40	*40
4	*40	6598.30	17.86	19.66	13.74	31.85	24.18	14.19	*40	*40	*40	6609.60
5	*40	11.50	21.29	19.24	13.74	28.66	23.37	16.23	*40	*40	*40	10.09
6	*40	11.20	19.66	16.29	13.74	32.83	22.69	12.66	*40	*40	*40	10.64
7	*40	10.91	15.05	14.82	13.32	41.28	22.69	*40	*40	*40	*40	11.20
8	*40	11.20	12.31	14.40	13.32	49.65	23.37	*40	*40	*40	*40	10.64
9	*40	11.20	14.59	14.40	23.57	48.42	23.03	*40	*40	*40	*40	9.29
10	*40	10.91	17.57	14.82	29.75	39.19	22.69	*40	*40	*40	*40	8.49
11	*40	15.32	18.88	16.29	23.34	38.18	22.69	*40	*40	*40	*40	8.76
12	*40	19.70	24.79	22.78	20.89	39.86	22.69	*40	*40	*40	*40	9.02
13	*40	15.63	25.39	26.68	20.07	43.16	23.00	*40	*40	*40	*40	9.02
14	*40	14.41	20.30	23.26	19.34	47.62	23.00	*40	*40	*40	*40	9.56
15	*40	14.93	19.70	22.40	18.54	56.27	23.00	*40	*40	*40	*40	10.09
16	*40	12.88	20.89	21.98	19.95	67.22	23.37	*40	*40	*40	*40	10.92
17	*40	12.57	20.89	21.46	23.34	61.94	23.76	*40	*40	*40	*40	11.78
18	*40	12.31	19.32	20.89	24.26	52.67	22.30	6549.87	*40	*40	*40	12.31
19	*40	12.05	17.57	21.44	21.81	47.03	22.61	21.62	*40	*40	*40	12.31
20	*40	11.78	16.29	21.98	21.11	41.43	23.78	21.46	*40	*40	*40	11.78
21	*40	11.78	14.82	21.46	25.08	37.89	22.43	21.30	*40	*40	*40	11.20
22	*40	12.05	14.16	21.11	28.66	35.88	21.79	21.11	*40	*40	*40	10.36
23	*40	11.78	14.16	20.37	24.26	34.38	16.55	20.68	*40	*40	*40	9.56
24	*40	11.50	13.66	19.56	33.56	33.23	19.64	19.70	*40	*40	*40	9.29
25	*40	11.50	13.23	19.03	66.34	32.29	21.65	18.06	*40	*40	*40	9.02
26	*40	11.20	13.23	18.46	86.98	31.38	16.23	15.56	*40	*40	*40	8.76
27	*40	10.91	12.88	18.00	74.25	30.93	18.94	13.27	*40	*40	*40	8.49
28	*40	11.76	12.57	17.11	54.09	30.47	20.07	12.31	*40	*40	*40	8.13
29	*40	12.88	12.31	16.45		28.66	20.40	11.78	*40	*40	*40	7.87
30	*40	12.88	12.05	16.45		26.86	20.40	*40	*40	*40	*40	8.50
31	*40		12.05	15.70		25.97		*40	*40	*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	9.02	13.42	12.82	13.35	13.87	26.15	14.93	*40	*40	*40	*40	*40
2	9.02	14.24	12.69	19.24	13.23	25.97	18.06	*40	*40	*40	*40	*40
3	9.13	12.59	12.69	20.37	13.23	25.07	18.54	*40	*40	*40	*40	*40
4	8.76	12.31	12.57	19.70	13.66	23.78	15.05	*40	*40	*40	*40	*40
5	9.18	12.31	13.79	20.07	13.66	23.00	12.04	*40	*40	*40	*40	*40
6	10.09	12.05	14.82	20.07	12.88	22.43	11.20	*40	*40	*40	*40	*40
7	10.64	12.31	14.82	18.94	12.57	21.89	11.49	*40	*40	*40	*40	*40
8	11.20	14.03	16.00	18.10	12.57	21.56	12.31	*40	*40	*40	*40	*40
9	12.32	13.30	15.70	17.90	13.36	21.11	12.31	*40	*40	*40	*40	*40
10	13.66	14.19	14.80	16.97	14.16	21.00	*40	*40	*40	*40	*40	*40
11	15.56	18.10	15.84	15.85	13.48	22.18	*40	*40	*40	*40	*40	*40
12	18.48	16.93	15.99	14.82	12.70	24.90	*40	*40	*40	*40	*40	*40
13	18.94	14.24	15.24	14.16	12.10	24.90	*40	*40	*40	*40	*40	*40
14	16.93	12.59	15.24	14.16	11.67	23.84	*40	*40	*40	*40	*40	*40
15	15.85	11.49	15.70	13.66	10.64	23.60	*40	*40	*40	*40	*40	*40
16	16.45	10.64	16.86	13.23	6.07	22.82	*40	*40	*40	*40	*40	*40
17	17.46	10.92	17.00	12.88	2.87	21.81	*40	*40	*40	*40	*40	*40
18	18.54	11.78	14.29	12.69	17.84	20.89	*40	*40	*40	*40	*40	*40
19	18.06	12.20	12.75	12.69	46.50	19.70	*40	*40	*40	*40	*40	*40
20	16.29	12.46	13.23	12.57	47.07	18.06	*40	*40	*40	*40	*40	6568.44
21	17.47	12.88	13.23	12.57	34.73	17.00	*40	*40	*40	*40	*40	15.63
22	20.30	15.59	12.81	12.57	40.52	16.29	*40	*40	*40	*40	*40	12.31
23	20.62	16.23	12.81	12.46	44.73	14.82	*40	*40	*40	*40	*40	12.95
24	19.34	14.16	12.75	12.76	34.73	14.82	*40	*40	*40	*40	*40	14.82
25	17.47	14.82	12.57	13.23	29.84	17.94	*40	*40	*40	*40	*40	16.29
26	13.09	15.24	12.46	13.23	27.13	20.37	*40	*40	*40	*40	*40	16.29
27	13.09	15.54	12.25	13.08	24.63	20.03	*40	*40	*40	*40	*40	12.78
28	14.24	15.40	11.94	13.08	24.81	17.21	*40	*40	*40	*40	*40	11.20
29	13.23	14.17	11.89	13.23		13.99	*40	*40	*40	*40	*40	11.78
30	13.23	13.39	11.67	13.66		12.88	*40	*40	*40	*40	*40	11.49
31	12.59		11.14	14.40		12.88		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	10.64	10.36	12.05	18.80	20.07	26.86	23.00	18.94	*40	*40	*40	*40
2	10.09	10.92	12.59	18.46	19.70	25.97	23.37	18.54	*40	*40	*40	*40
3	10.93	11.78	16.71	17.79	28.36	25.07	22.51	18.54	*40	*40	*40	*40
4	11.78	12.31	24.49	16.86	46.52	24.62	21.46	13.13	*40	*40	*40	*40
5	11.38	12.31	26.46	16.00	50.77	24.18	21.30	10.09	*40	*40	*40	*40
6	11.93	11.78	21.21	14.82	41.89	23.76	21.11	10.09	*40	*40	*40	*40
7	13.79	11.67	19.85	14.16	34.69	23.37	21.11	9.66	*40	*40	*40	*40
8	16.29	12.10	19.78	15.56	32.76	22.69	21.30	9.66	*40	*40	*40	*40
9	14.93	12.46	19.49	17.57	31.38	22.40	21.30	9.56	*40	*40	*40	*40
10	12.04	12.41	19.03	17.57	28.66	22.18	19.09	9.02	*40	*40	*40	*40
11	10.10	12.15	18.46	16.29	26.42	22.18	17.94	8.49	*40	*40	*40	*40
12	9.56	11.94	16.35	15.54	25.07	22.40	23.70	7.97	*40	*40	*40	*40
13	10.04	11.38	13.27	16.29	24.18	22.69	27.31	7.46	*40	*40	*40	*40
14	10.09	10.64	19.42	16.29	23.37	23.00	24.63	7.46	*40	*40	*40	*40
15	9.61	10.58	25.97	15.54	23.00	25.09	22.51	7.20	*40	*40	*40	*40
16	9.02	10.69	25.52	16.93	22.69	29.84	21.79	6.17	*40	*40	*40	*40
17	8.49	10.36	22.74	21.40	22.40	30.29	21.97	5.21	*40	*40	*40	*40
18	7.72	9.72	22.43	24.36	32.55	27.31	21.79	*40	*40	*40	*40	*40
19	7.46	9.02	24.65	22.88	56.30	26.42	21.46	*40	*40	*40	*40	*40
20	7.46	9.02	30.68	21.79	66.78	26.42	21.11	*40	*40	*40	*40	*40
21	7.20	9.40	33.90	21.29	57.40	25.97	20.68	*40	*40	*40	*40	*40
22	7.72	9.77	30.02	20.68	47.65	24.63	21.08	*40	*40	*40	*40	*40
23	7.97	10.20	25.09	20.68	41.74	23.37	21.62	*40	*40	*40	*40	*40
24	7.46	11.21	22.22	20.68	50.36	22.69	21.62	*40	*40	*40	*40	*40
25	7.72	12.31	21.46	20.07	46.39	22.40	21.62	*40	*40	*40	*40	6602.06
26	8.49	13.79	21.30	19.70	32.29	22.40	21.46	*40	*40	*40	*40	11.20
27	9.02	13.09	21.46	19.70	30.93	22.18	21.30	*40	*40	*40	*40	12.04
28	9.13	11.50	21.46	20.07	29.11	22.18	21.46	*40	*40	*40	*40	13.11
29	10.15	12.04	20.89	21.65	27.75	22.18	20.83	*40	*40	*40	*40	13.95
30	11.44	12.31	20.40	22.22		22.74	19.70	*40	*40	*40	*40	13.85
31	10.92		19.70	21.08		23.37		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

**ΣΗΡΑΓΓΑ ΚΑΡΔΙΤΣΑ (ΥΠΔΕ)
(705)**

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.00	83.30	83.43	83.90	85.00	84.25	83.82	83.80	*40	*40	*40	*40
2	83.08	83.35	83.43	83.86	84.88	84.20	83.80	83.85	*40	*40	*40	*40
3	83.15	83.37	83.43	83.80	84.77	84.18	83.80	83.90	*40	*40	*40	*40
4	83.18	83.37	83.60	83.90	84.70	84.18	83.70	83.90	*40	*40	*40	*40
5	83.25	83.40	83.55	83.90	84.90	84.18	84.40	83.88	*40	*40	*40	*40
6	83.29	83.45	83.50	83.90	85.90	84.17	84.20	83.85	*40	*40	*40	*40
7	83.40	83.38	83.50	83.85	85.50	84.16	84.15	83.83	*40	*40	*40	*40
8	83.55	83.40	83.54	83.85	85.50	84.11	83.95	83.81	*40	*40	*40	*40
9	83.53	83.39	83.54	83.95	84.80	84.10	83.90	83.60	*40	*40	*40	*40
10	83.51	83.37	83.60	83.95	84.65	84.10	84.00	83.58	*40	*40	*40	*40
11	83.36	83.38	83.75	84.00	84.50	84.08	84.05	83.55	*40	*40	*40	*40
12	83.50	83.39	84.42	83.98	84.48	84.04	84.03	83.55	*40	*40	*40	*40
13	83.45	83.40	84.45	84.05	84.45	84.00	84.00	*40	*40	*40	*40	*40
14	83.40	83.40	84.20	84.08	84.43	84.00	83.85	*40	*40	*40	*40	84.00
15	83.40	83.40	84.00	84.10	85.15	84.05	83.90	*40	*40	*40	*40	83.20
16	83.40	83.40	83.70	84.05	84.90	84.05	84.05	*40	*40	*40	*40	83.25
17	83.40	83.45	83.70	84.55	84.60	84.05	84.00	*40	*40	*40	*40	83.20
18	83.40	83.50	83.78	84.70	84.50	84.05	84.00	*40	*40	*40	*40	83.35
19	83.40	83.48	83.85	84.80	84.40	84.05	84.00	*40	*40	*40	*40	83.30
20	83.40	83.44	83.90	84.90	84.30	84.05	84.00	*40	*40	*40	*40	83.30
21	83.39	83.40	83.85	85.00	84.30	84.05	83.95	*40	*40	*40	*40	83.30
22	83.37	83.40	83.90	85.15	84.25	84.05	83.97	*40	*40	*40	*40	84.35
23	83.35	83.40	83.85	85.10	84.25	84.04	83.95	*40	*40	*40	*40	84.15
24	83.33	83.40	83.85	84.85	84.30	84.03	83.90	*40	*40	*40	*40	83.65
25	83.30	83.40	83.90	85.15	84.30	84.02	83.92	*40	*40	*40	*40	83.65
26	83.30	83.40	83.90	85.10	84.25	84.00	83.95	*40	*40	*40	*40	83.62
27	83.30	83.40	83.90	84.60	84.20	84.05	83.90	*40	*40	*40	*40	83.60
28	83.35	83.40	83.88	84.50	84.25	84.05	83.88	*40	*40	*40	*40	83.58
29	83.33	83.40	83.89	84.40		84.00	83.85	*40	*40	*40	*40	83.50
30	83.30	83.40	83.87	84.30		83.85	83.80	*40	*40	*40	*40	83.65
31	83.30		83.90	85.00		83.84		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.55	83.70	85.20	84.25	84.25	84.45	83.50	83.70	×40	×40	×40	×40
2	83.50	83.65	84.90	84.20	84.15	84.45	83.48	83.68	×40	×40	×40	×40
3	83.55	83.60	84.60	84.50	84.15	84.45	84.05	83.65	×40	×40	×40	83.20
4	83.55	83.75	84.00	84.40	84.05	84.50	84.05	83.64	×40	×40	×40	83.20
5	83.45	83.75	84.05	84.15	84.05	84.50	84.00	83.55	×40	×40	×40	83.15
6	83.65	83.75	86.00	84.50	84.08	84.45	83.95	83.40	×40	×40	×40	83.25
7	83.55	83.70	85.80	84.70	84.10	84.50	83.90	83.35	×40	×40	×40	83.25
8	83.60	83.65	84.85	85.25	84.20	84.30	83.90	83.20	×40	×40	×40	83.25
9	83.65	83.75	84.45	85.10	84.45	84.25	83.90	83.10	×40	×40	×40	83.25
10	83.65	83.75	84.40	84.60	84.45	84.30	83.75	×40	×40	×40	×40	83.35
11	83.65	83.70	84.50	84.55	84.30	84.35	83.65	×40	×40	×40	×40	83.40
12	83.50	83.70	84.40	84.50	84.20	84.25	83.45	×40	×40	×40	×40	83.50
13	83.75	83.70	84.30	84.60	84.18	84.10	83.65	×40	×40	×40	×40	83.50
14	83.70	83.75	84.10	84.75	84.15	84.10	83.60	×40	×40	×40	×40	83.52
15	83.65	83.76	84.25	84.60	84.20	84.05	83.70	83.80	×40	×40	×40	83.65
16	83.65	83.75	84.65	84.45	84.25	84.05	83.65	83.75	×40	×40	×40	83.55
17	83.55	83.73	84.50	84.40	84.23	84.05	83.75	83.75	×40	×40	×40	83.55
18	83.60	83.71	84.25	84.35	84.28	84.10	83.80	83.80	×40	×40	×40	83.50
19	83.60	83.73	84.20	84.25	84.50	84.10	83.75	83.77	×40	×40	×40	83.55
20	83.65	83.75	84.15	84.20	84.85	83.90	83.75	83.75	×40	×40	×40	83.55
21	83.68	83.74	84.05	84.18	85.00	83.70	83.77	83.65	×40	×40	×40	83.65
22	83.70	83.75	84.00	84.10	84.75	83.70	83.80	83.63	×40	×40	×40	83.45
23	83.75	83.75	84.00	84.05	84.60	83.60	83.80	83.62	×40	×40	×40	83.45
24	83.75	83.75	85.80	84.10	84.55	83.80	83.85	83.55	×40	×40	×40	83.60
25	83.70	83.75	86.10	84.10	84.70	83.70	83.85	83.50	×40	×40	×40	83.65
26	83.70	83.75	84.80	84.20	84.65	83.75	83.83	83.50	×40	×40	×40	83.65
27	83.75	83.71	84.75	84.25	84.70	83.85	83.75	83.40	×40	×40	×40	83.70
28	83.80	84.55	84.70	84.30	84.45	83.95	83.73	83.35	×40	×40	×40	83.75
29	83.75	84.90	84.55	84.25		83.95	83.72	83.40	×40	×40	×40	83.75
30	83.70	84.95	84.50	84.20		83.55	83.70	×40	×40	×40	×40	83.75
31	83.70		84.45	84.35		83.65		×40	×40	×40	×40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγμα

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.70	85.30	84.60	86.10	84.85	84.90	85.10	84.60	83.80	*40	*40	*40
2	83.70	84.90	84.45	86.15	84.80	84.90	85.10	84.70	83.60	*40	*40	*40
3	83.75	84.65	84.40	86.50	84.90	84.85	85.05	84.90	83.70	*40	*40	83.80
4	83.75	84.55	85.50	86.35	84.85	84.90	85.05	84.85	83.90	*40	*40	83.80
5	83.70	85.20	85.00	85.70	84.80	84.95	85.00	84.60	83.70	*40	*40	83.85
6	83.70	85.70	84.80	85.25	84.75	85.00	85.25	84.55	83.65	*40	*40	83.50
7	83.80	86.05	84.65	85.20	84.70	85.10	85.40	84.55	84.05	*40	*40	83.50
8	83.80	85.50	84.60	85.15	84.70	85.60	85.10	84.60	84.20	*40	*40	83.50
9	84.65	85.00	84.55	85.00	85.20	85.75	85.02	84.50	84.00	*40	*40	83.55
10	84.65	84.80	84.45	84.90	85.45	86.50	85.00	84.40	83.65	*40	*40	83.60
11	83.65	84.70	84.40	84.85	84.95	86.10	85.03	84.40	83.70	*40	*40	83.50
12	83.70	84.60	84.30	84.85	84.80	86.45	85.60	84.40	83.60	*40	*40	83.60
13	83.70	84.50	84.30	84.75	84.85	86.05	85.30	84.45	83.50	*40	*40	83.55
14	83.70	84.45	84.20	84.80	86.00	85.75	85.15	84.45	*40	*40	*40	83.50
15	83.75	84.35	84.20	84.75	85.60	85.60	85.05	84.40	*40	*40	*40	83.55
16	83.80	84.30	84.20	84.65	85.25	85.80	85.00	84.40	83.20	*40	*40	83.50
17	83.75	84.25	84.25	85.35	85.20	86.70	84.90	84.35	83.10	*40	*40	83.45
18	83.65	84.20	84.25	85.25	85.15	86.50	84.95	84.30	*40	*40	*40	83.50
19	83.75	85.50	84.20	85.20	85.10	86.20	84.90	84.30	*40	*40	*40	83.60
20	83.80	85.75	84.25	85.25	85.65	85.90	84.85	84.30	*40	*40	*40	83.55
21	84.70	85.10	84.25	85.60	85.75	85.80	85.00	84.40	*40	*40	*40	83.65
22	85.35	84.90	84.25	85.50	85.35	85.85	84.90	84.35	83.50	*40	*40	83.70
23	84.45	84.70	84.23	85.60	85.15	86.00	85.10	84.30	83.50	*40	*40	83.65
24	84.20	84.75	84.30	85.35	85.10	86.00	84.90	84.25	83.50	*40	*40	83.70
25	84.15	85.40	86.40	85.20	85.10	85.95	84.85	84.20	*40	*40	*40	83.75
26	84.50	85.10	86.00	85.10	85.05	85.75	84.80	84.20	*40	*40	*40	83.75
27	85.50	85.10	85.50	85.05	85.00	85.60	84.85	84.15	*40	*40	*40	83.80
28	85.00	84.90	85.20	85.15	84.90	85.45	84.75	84.15	*40	*40	*40	83.80
29	84.60	84.70	84.80	85.10	84.85	85.35	84.50	83.45	*40	*40	*40	83.75
30	84.80	84.65	85.10	85.00		85.25	84.60	84.00	*40	*40	*40	83.70
31	85.70		84.95	84.90		85.10		83.80		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.85	85.10	84.25	84.55	86.50	85.75	84.85	84.50	***	***	***	83.65
2	83.70	84.20	84.30	84.52	86.30	85.35	84.80	84.45	***	***	***	83.70
3	83.95	84.70	84.35	84.50	86.10	85.25	84.85	83.50	***	***	***	83.75
4	83.75	84.50	84.40	84.50	86.05	85.20	84.95	83.60	***	***	***	83.80
5	83.85	84.45	84.75	84.50	86.05	85.25	85.00	84.30	***	***	***	83.82
6	84.05	84.40	85.20	84.45	86.25	85.40	84.95	84.50	***	***	***	83.70
7	83.65	84.35	84.70	84.40	86.50	85.25	84.90	84.50	***	***	***	83.80
8	83.95	84.20	84.50	84.95	86.30	85.25	84.85	84.40	***	***	***	84.40
9	83.95	84.10	84.60	84.50	85.90	85.15	84.80	84.45	***	***	***	84.30
10	84.00	84.05	84.65	84.60	85.80	85.10	84.75	84.25	***	***	***	83.90
11	83.95	84.05	84.50	84.60	85.70	85.05	84.80	83.75	***	***	***	83.85
12	83.90	84.00	84.45	84.65	85.70	85.05	84.80	84.30	***	***	***	83.95
13	83.80	84.15	84.40	84.75	85.65	85.05	85.00	84.25	***	***	***	83.80
14	83.95	84.15	84.40	84.75	85.90	85.10	85.50	84.00	82.50	***	***	83.75
15	83.80	84.05	84.25	85.90	85.95	85.08	85.20	84.00	82.60	***	***	83.85
16	83.85	84.00	84.20	86.50	86.00	85.15	85.00	83.80	82.55	***	***	83.80
17	83.85	84.10	84.20	85.90	85.90	85.10	85.00	83.70	82.65	***	***	83.75
18	84.00	83.90	84.15	85.40	85.80	85.20	84.90	83.65	83.00	***	83.50	83.65
19	84.00	83.85	84.10	85.10	85.75	85.20	84.90	83.60	83.05	***	83.40	83.75
20	83.85	83.90	85.75	85.30	85.35	85.35	85.05	83.55	83.25	***	83.35	83.70
21	84.05	83.85	86.00	85.25	85.25	85.15	84.90	82.70	83.50	***	83.40	83.80
22	84.50	84.00	85.50	87.10	85.20	85.10	84.85	82.65	83.40	***	83.35	83.85
23	84.55	84.00	86.05	87.50	85.15	85.05	84.75	83.50	83.30	***	83.45	83.85
24	84.50	83.95	85.85	88.00	85.10	85.00	84.75	82.70	83.20	***	83.40	83.90
25	83.80	83.90	85.75	88.00	85.05	85.00	84.70	***	83.55	***	83.30	83.80
26	84.10	83.85	85.25	88.20	85.00	84.95	84.65	***	83.25	***	83.20	83.75
27	84.35	83.90	85.05	87.50	85.10	85.00	84.65	***	83.15	***	83.20	83.85
28	86.50	83.95	84.90	87.35	85.65	84.95	84.75	***	***	***	83.15	83.70
29	86.80	84.00	84.75	87.10		85.00	84.60	***	***	***	83.20	83.75
30	86.75	84.10	84.70	86.85		85.00	84.50	***	***	***	83.60	83.80
31	86.00		84.60	86.65		84.90		***		***	83.55	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.80	84.40	83.85	84.25	84.80	85.80	85.70	85.60	85.20	82.70	***	83.90
2	83.85	83.80	83.80	84.20	84.50	85.50	85.85	85.40	85.05	82.50	***	83.85
3	83.70	83.70	83.85	84.15	84.35	85.30	85.90	85.30	84.35	82.30	***	83.82
4	83.60	83.85	84.10	84.10	84.25	85.70	86.00	85.10	84.75	82.20	***	83.85
5	83.65	84.10	84.60	84.05	84.20	85.90	85.80	85.10	84.70	82.05	***	83.90
6	83.60	83.90	84.50	84.00	84.15	85.75	85.55	85.15	84.50	82.00	***	84.00
7	83.55	83.85	84.40	84.05	84.15	85.65	85.45	85.05	84.60	***	***	83.95
8	83.50	83.95	84.45	84.00	84.20	87.90	85.40	84.95	84.65	***	***	83.90
9	83.75	84.10	84.35	83.90	84.20	87.65	85.25	84.80	84.55	***	***	83.85
10	83.80	84.50	84.30	83.85	84.18	87.05	85.15	84.70	84.45	***	***	83.80
11	83.70	84.50	84.25	83.90	84.25	86.50	85.10	84.50	84.30	***	***	83.75
12	83.85	84.50	83.95	83.85	84.30	85.95	85.20	84.50	83.50	***	***	83.70
13	83.80	84.45	83.95	84.00	84.25	85.80	85.00	84.60	83.30	***	***	83.65
14	83.70	84.45	83.90	84.05	84.45	85.70	85.10	84.65	83.25	***	***	83.60
15	83.60	84.50	84.20	83.95	84.30	85.50	85.10	84.60	83.10	***	***	84.50
16	83.65	84.45	84.50	84.05	84.25	85.40	85.20	84.70	83.00	***	***	83.95
17	83.75	84.40	84.45	84.05	84.20	85.30	85.15	84.85	82.80	***	***	84.10
18	83.75	84.45	84.35	84.00	84.15	85.25	85.25	84.90	82.70	***	***	84.25
19	83.65	84.50	84.25	84.05	84.20	85.10	85.05	84.20	82.65	***	***	84.20
20	83.80	84.45	84.25	83.95	84.25	85.10	84.90	84.95	82.50	***	***	84.15
21	83.75	84.45	84.20	83.90	84.18	85.05	86.20	84.80	84.40	***	***	84.10
22	83.90	84.40	84.15	83.85	84.25	85.00	87.10	84.50	84.10	***	***	84.05
23	84.00	84.35	84.10	83.90	86.65	85.55	86.80	84.60	84.00	***	***	84.30
24	83.75	84.30	84.25	83.85	86.15	86.60	86.50	84.65	83.50	***	***	84.20
25	83.75	84.00	84.50	83.95	85.25	86.45	85.90	84.10	83.30	***	***	83.80
26	83.80	83.85	84.45	84.00	87.10	85.60	85.55	84.00	83.90	***	***	83.90
27	83.85	83.90	84.55	84.05	87.05	85.45	85.45	84.30	84.00	***	***	84.50
28	84.35	83.85	84.50	84.10	86.35	85.35	85.35	85.20	83.80	***	83.75	84.00
29	84.40	83.95	84.45	84.15		85.25	85.25	85.75	83.20	***	83.70	84.00
30	84.45	84.05	84.40	84.75		85.30	85.80	85.55	83.20	***	83.70	83.95
31	84.45		84.35	84.70		85.35		85.20		***	83.85	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.75	84.00	84.05	84.10	84.00	84.30	84.25	*40	*40	*40	*40	83.18
2	83.70	83.95	84.00	84.20	84.05	84.37	84.20	*40	*40	*40	*40	83.15
3	83.95	83.85	84.30	84.45	84.00	84.40	84.25	*40	*40	*40	*40	83.10
4	84.20	83.85	84.50	84.10	84.05	85.70	84.30	*40	*40	*40	*40	83.05
5	84.10	84.15	84.55	84.15	84.10	85.55	84.25	*40	83.50	*40	*40	83.08
6	84.15	84.00	84.45	84.10	84.15	85.25	84.25	*40	83.90	*40	*40	83.00
7	84.10	83.95	84.35	84.05	84.25	84.75	84.00	*40	83.50	*40	*40	83.05
8	84.15	84.00	84.30	84.00	84.50	84.70	84.00	*40	83.65	*40	*40	83.00
9	84.10	84.05	84.25	84.07	84.15	84.60	83.50	*40	84.50	*40	*40	83.07
10	84.10	84.02	84.20	84.10	84.30	84.55	83.40	*40	84.50	*40	*40	83.10
11	84.08	84.00	84.10	84.12	84.25	84.55	83.65	*40	84.20	*40	*40	83.15
12	84.05	84.00	84.05	84.15	84.20	84.50	83.50	*40	83.65	*40	*40	83.00
13	84.00	84.00	84.15	84.18	84.15	84.55	83.45	*40	83.50	*40	*40	83.05
14	84.00	84.10	84.20	84.20	84.35	84.55	83.40	*40	83.30	*40	*40	83.10
15	83.90	84.13	84.23	84.25	84.30	84.50	83.30	*40	83.50	*40	*40	83.20
16	83.85	84.05	84.20	84.27	84.15	84.50	83.35	*40	83.45	*40	*40	83.05
17	83.80	84.00	84.15	84.23	84.10	84.45	83.30	*40	83.50	*40	*40	83.08
18	83.80	84.10	84.20	84.18	84.18	84.43	83.15	*40	83.35	*40	*40	83.00
19	83.75	84.15	84.25	84.10	84.15	84.40	83.05	*40	83.70	*40	83.50	83.10
20	83.70	84.30	85.00	84.05	84.10	84.40	83.00	*40	83.65	*40	83.35	83.15
21	83.75	84.70	84.75	84.00	84.17	84.35	*40	*40	83.00	*40	83.30	83.12
22	83.70	84.50	84.65	84.05	84.15	84.35	*40	*40	83.00	*40	83.45	83.08
23	83.65	84.30	84.75	84.08	84.10	84.30	*40	*40	83.00	*40	83.40	83.15
24	83.95	84.20	84.70	83.95	84.05	84.30	*40	*40	*40	*40	83.30	83.12
25	83.90	84.10	84.65	84.10	84.15	84.25	*40	*40	*40	*40	83.15	83.08
26	83.70	84.00	84.60	84.05	84.20	84.27	*40	*40	*40	*40	83.10	83.18
27	83.60	84.05	84.55	84.03	84.35	84.55	*40	*40	*40	*40	83.05	83.20
28	83.85	84.00	84.55	84.15	84.37	84.50	*40	*40	*40	*40	83.00	83.15
29	83.80	84.05	84.50	84.20		84.45	*40	*40	*40	*40	83.00	83.10
30	84.00	84.25	84.65	84.15		84.30	*40	*40	*40	*40	83.10	83.65
31	84.00		84.60	84.05		84.20		*40		*40	83.05	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.45	83.65	83.75	83.65	84.10	84.85	84.85	84.70	×40	×40	×40	83.65
2	83.55	83.60	84.10	83.35	84.05	85.00	84.80	84.70	×40	×40	×40	83.55
3	83.15	83.62	86.05	83.95	84.50	84.95	84.75	84.65	×40	×40	×40	83.05
4	83.10	83.58	85.55	83.85	85.10	84.90	84.65	84.50	×40	×40	×40	83.00
5	83.05	83.80	85.05	83.90	84.80	84.85	84.55	84.45	×40	×40	×40	83.10
6	83.25	83.75	85.25	84.05	84.40	85.05	84.50	84.40	×40	×40	×40	83.15
7	83.35	83.75	85.15	84.95	84.65	85.15	86.50	84.40	×40	×40	×40	83.05
8	83.30	83.65	85.05	84.85	84.55	85.10	86.30	84.35	×40	×40	×40	83.10
9	83.35	83.60	86.50	84.70	84.45	85.00	85.70	84.20	×40	×40	×40	83.15
10	83.30	83.58	85.55	84.45	85.70	84.95	85.25	83.00	×40	×40	×40	83.08
11	83.28	83.55	85.25	84.35	85.15	84.90	85.00	83.40	×40	×40	×40	83.00
12	83.25	83.50	84.75	84.30	85.00	84.85	84.80	83.10	×40	×40	×40	83.10
13	83.20	83.45	84.70	85.50	84.85	84.80	84.70	83.30	×40	×40	×40	83.20
14	83.15	83.40	84.75	85.00	84.70	84.75	85.50	83.50	×40	×40	×40	83.25
15	83.40	83.53	84.65	84.35	84.80	84.70	85.40	83.15	×40	×40	×40	83.15
16	83.35	83.60	84.50	84.50	85.05	84.65	85.00	83.20	×40	×40	×40	83.05
17	83.30	83.65	84.35	84.35	85.65	84.60	84.90	83.25	×40	×40	83.05	83.00
18	83.40	83.70	84.40	84.40	86.50	84.63	84.85	83.15	×40	×40	84.00	83.10
19	83.30	83.95	84.30	84.33	86.30	84.58	85.00	83.20	×40	×40	83.15	83.20
20	83.45	84.05	84.25	84.30	85.80	85.70	85.05	83.40	×40	×40	83.95	83.00
21	83.40	83.70	83.80	84.25	85.50	85.55	84.95	83.55	×40	×40	84.05	83.15
22	83.45	83.85	83.85	84.20	85.20	85.35	85.10	83.30	×40	×40	84.15	83.20
23	83.60	83.75	83.75	84.13	85.10	87.00	84.90	83.15	×40	×40	83.50	83.15
24	83.50	83.70	84.10	84.15	85.05	85.80	84.85	83.10	×40	×40	83.35	83.25
25	84.10	83.65	84.05	84.05	85.00	86.50	84.80	83.05	×40	×40	83.25	83.25
26	83.90	83.62	84.00	84.50	85.00	85.70	84.90	83.00	×40	×40	83.40	83.30
27	84.20	83.72	83.65	84.45	84.90	85.50	85.00	82.95	×40	×40	83.25	83.40
28	83.85	83.70	83.85	84.35	84.90	85.20	84.95	82.90	×40	×40	83.35	83.35
29	83.80	83.75	83.95	84.25	84.85	85.10	84.80	82.30	×40	×40	83.28	83.50
30	83.70	83.78	83.90	84.15		85.00	84.75	82.25	×40	×40	83.20	83.40
31	83.75		83.85	84.15		84.90		82.20		×40	83.40	

ΕΠΕΞΗΓΡΗΕΝ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	83.50	84.65	83.39	87.70	84.90	84.30	84.50	83.00	140	140	140	140
2	83.25	84.35	83.85	86.50	84.80	84.25	84.70	83.05	140	140	140	140
3	84.05	84.35	83.95	85.30	84.70	84.35	84.65	82.80	140	140	140	140
4	84.10	84.30	84.05	85.60	84.65	84.20	84.60	82.85	140	140	140	140
5	84.00	84.45	83.95	85.40	84.50	84.55	84.55	82.90	140	140	140	140
6	83.00	84.25	83.90	85.25	84.60	84.45	84.45	82.75	140	140	140	140
7	84.00	84.15	84.05	84.90	84.55	84.75	84.40	82.50	140	140	140	140
8	83.10	84.10	84.15	85.60	84.45	84.60	84.30	82.40	140	140	140	140
9	83.05	84.00	84.00	85.40	84.58	85.00	84.45	82.35	140	140	140	140
10	83.15	84.15	83.95	85.50	84.40	84.90	84.20	82.20	140	140	140	140
11	83.35	83.90	83.90	85.40	84.15	84.80	84.00	82.20	140	140	140	140
12	83.45	83.75	84.00	85.30	84.05	84.70	83.90	82.30	140	140	140	140
13	83.35	83.95	83.90	84.80	84.20	84.65	83.85	82.45	140	140	140	140
14	83.50	83.95	83.85	84.70	84.70	84.55	83.80	82.35	140	140	140	140
15	83.45	83.80	83.80	85.00	84.60	84.50	83.75	82.25	140	140	140	140
16	83.65	84.00	83.95	84.95	84.50	84.95	83.60	82.15	140	140	140	140
17	84.05	83.95	83.90	84.80	84.40	84.85	83.45	82.05	140	140	140	140
18	84.60	84.05	83.90	86.90	84.25	84.70	83.25	82.00	140	140	140	140
19	84.30	83.90	83.80	86.20	84.10	84.55	83.30	82.05	140	140	140	140
20	83.25	83.85	83.75	85.80	84.00	84.40	83.40	140	140	140	140	140
21	83.15	83.80	83.00	85.70	84.05	84.25	83.20	140	140	140	140	140
22	83.25	83.80	84.00	85.50	84.10	84.80	83.25	140	140	140	140	140
23	83.40	83.75	84.05	85.30	84.15	84.95	83.10	140	140	140	140	140
24	83.35	83.70	84.10	85.50	84.25	84.70	83.05	140	140	140	140	140
25	84.05	83.85	84.05	85.45	84.18	84.65	83.10	140	140	140	140	140
26	84.10	83.80	84.15	85.50	84.30	84.50	83.45	140	140	140	140	140
27	84.00	83.90	84.10	85.35	84.25	84.40	83.30	140	140	140	140	82.30
28	83.90	83.95	84.05	85.10	84.15	84.35	83.25	140	140	140	140	82.50
29	83.85	83.85	83.95	84.95		84.30	83.25	140	140	140	140	82.25
30	83.75	83.80	83.90	85.70		84.20	83.05	140	140	140	140	82.00
31	83.50		83.95	85.50		84.65		140		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγματων