

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	82.30	82.95	83.50	83.30	83.25	83.85	83.65	140	140	140	140	140
2	82.50	83.00	83.35	83.25	83.20	83.70	83.55	140	140	140	140	140
3	82.30	83.00	83.40	83.20	83.23	83.65	83.50	140	140	140	140	140
4	82.60	82.95	83.25	83.15	83.42	83.70	83.45	140	140	140	140	140
5	82.55	82.90	83.20	83.10	83.50	83.60	83.40	140	140	140	140	140
6	82.45	82.85	83.15	83.05	83.45	83.75	83.35	140	140	140	140	140
7	82.30	83.00	83.10	83.00	83.48	83.75	83.40	140	140	140	140	140
8	82.25	83.10	83.18	82.95	83.50	83.75	83.30	140	140	140	140	140
9	82.30	83.05	83.20	82.90	83.45	83.70	83.40	140	140	140	140	140
10	82.20	83.00	83.15	82.95	83.65	83.60	83.05	140	140	140	140	140
11	82.10	82.95	83.40	83.00	83.90	83.55	83.10	83.50	140	140	140	140
12	82.00	82.90	83.35	83.05	83.75	83.55	83.05	83.45	140	140	140	140
13	82.05	82.95	83.28	83.18	83.70	83.50	83.00	83.35	140	140	140	140
14	83.70	83.00	83.25	83.30	83.68	83.55	83.10	83.25	140	140	140	140
15	83.50	82.85	83.35	83.25	83.70	83.60	83.00	83.25	140	140	140	140
16	83.30	82.95	83.45	83.30	83.70	83.55	83.10	83.15	140	140	140	140
17	83.20	82.90	83.40	83.40	84.25	83.50	83.00	83.10	140	140	140	140
18	82.75	82.95	83.45	83.35	84.20	83.55	83.05	83.05	140	140	140	140
19	82.65	83.05	83.40	83.25	84.00	83.55	82.80	83.15	140	140	140	140
20	83.00	83.00	83.30	83.30	83.95	83.50	82.70	83.10	140	140	140	140
21	82.95	83.10	83.35	83.25	84.05	83.45	82.65	83.05	140	140	140	140
22	83.00	83.00	83.28	83.28	84.00	83.40	82.55	83.00	140	140	140	140
23	83.10	83.15	84.15	83.35	84.10	83.50	82.20	82.95	140	140	140	140
24	83.15	83.10	84.25	83.28	84.25	83.40	82.15	82.90	140	140	140	140
25	83.10	83.00	84.45	83.25	84.00	83.35	140	82.50	140	140	140	140
26	83.05	84.00	84.30	83.30	84.25	83.55	140	82.40	140	140	140	140
27	83.10	83.95	84.25	83.35	83.75	83.60	140	82.15	140	140	140	140
28	83.05	83.70	84.10	83.30	83.75	83.45	140	140	140	140	140	140
29	83.00	84.25	83.40	83.25		83.70	140	140	140	140	140	140
30	82.95	84.00	83.35	83.40		83.60	140	140	140	140	140	140
31	83.00		83.30	83.37		83.70		140		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	84.70	83.00	83.50	83.70	83.55	84.85	84.65	82.90	*40	*40	*40
2	*40	83.50	82.90	83.65	83.65	83.50	86.30	84.15	83.00	*40	*40	*40
3	*40	83.45	82.90	83.70	84.15	83.50	85.50	84.05	83.10	*40	*40	*40
4	*40	83.25	82.95	83.65	83.95	83.65	85.25	83.95	83.00	*40	*40	*40
5	*40	83.25	82.75	83.60	83.85	84.50	84.90	83.90	83.15	*40	*40	*40
6	*40	83.15	82.70	83.55	83.75	84.65	84.70	83.60	83.00	*40	*40	*40
7	*40	83.15	82.65	83.50	83.60	84.70	84.55	83.85	82.95	*40	*40	*40
8	82.10	83.35	82.80	83.55	83.56	84.75	84.50	83.90	82.90	*40	*40	82.60
9	82.05	83.25	82.90	83.65	83.80	84.55	84.45	83.75	82.85	*40	*40	82.50
10	82.00	83.15	82.90	83.70	83.75	84.65	84.40	83.55	82.70	*40	*40	82.35
11	82.10	83.10	82.85	83.58	83.78	84.50	84.35	83.50	*40	*40	*40	82.25
12	82.05	83.20	82.80	84.00	83.50	84.30	84.30	83.55	*40	*40	*40	82.20
13	82.00	83.30	82.75	84.50	83.45	84.35	84.20	83.50	*40	*40	*40	82.15
14	82.15	83.25	82.70	83.75	83.25	84.80	84.30	83.45	*40	*40	*40	82.10
15	82.10	83.20	82.65	83.65	84.00	85.30	84.20	83.35	*40	*40	*40	82.05
16	82.05	83.18	82.70	83.45	84.35	85.15	84.10	83.40	*40	*40	*40	82.35
17	82.30	83.15	82.80	83.65	84.00	84.90	84.05	83.45	*40	*40	*40	82.50
18	82.40	83.00	82.85	83.80	84.00	85.10	84.00	83.35	*40	*40	*40	82.65
19	82.50	82.90	82.90	84.10	83.90	84.95	84.15	83.50	*40	*40	*40	82.60
20	82.35	82.85	82.85	85.00	83.75	85.05	84.05	83.25	*40	*40	*40	82.55
21	82.30	82.78	82.80	84.25	83.70	85.50	83.90	83.30	*40	*40	*40	82.45
22	82.25	82.65	82.85	83.75	83.65	85.35	83.85	83.25	*40	*40	*40	82.20
23	82.20	82.70	82.75	83.65	83.60	85.90	83.75	83.20	*40	*40	*40	82.15
24	82.15	83.45	82.70	83.60	84.00	86.85	83.70	83.15	*40	*40	*40	82.05
25	82.10	83.10	82.85	83.58	84.10	85.90	83.65	83.00	*40	*40	*40	82.00
26	82.05	83.05	82.80	83.60	84.05	85.45	83.70	82.95	*40	*40	*40	82.05
27	82.00	83.00	82.85	83.65	83.95	85.00	83.65	83.15	*40	*40	*40	82.00
28	83.00	83.25	82.75	83.70	83.90	84.95	83.75	83.00	*40	*40	*40	82.10
29	85.65	83.20	82.70	83.55		84.90	83.80	82.90	*40	*40	*40	82.15
30	86.05	83.15	82.85	83.60		84.85	84.90	82.85	*40	*40	*40	82.10
31	84.90		82.80	83.65		84.75		82.70		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφραγμα

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	82.10	82.75	82.76	83.15	83.60	84.60	83.95	82.45	*40	*40	*40	*40
2	82.60	82.68	82.70	83.10	83.58	84.55	84.05	82.35	*40	*40	*40	*40
3	82.50	82.65	82.60	83.05	83.70	84.35	83.90	82.40	*40	*40	*40	*40
4	82.55	82.70	82.65	83.25	83.55	84.25	83.75	82.25	*40	*40	*40	*40
5	82.70	82.85	82.55	83.18	83.50	83.75	83.65	82.20	*40	*40	*40	*40
6	82.95	83.00	82.50	83.20	83.65	83.65	83.70	82.15	*40	*40	*40	*40
7	82.90	83.10	82.68	83.05	83.45	83.70	83.65	82.30	*40	*40	*40	*40
8	83.00	83.20	82.85	83.10	83.25	86.05	83.58	82.35	*40	*40	*40	*40
9	83.10	83.15	82.80	82.95	83.20	86.30	83.60	82.25	*40	*40	*40	*40
10	82.75	83.10	82.90	82.90	83.10	85.55	83.55	82.20	*40	*40	*40	*40
11	82.70	83.05	82.75	82.85	83.00	84.85	83.50	82.15	*40	*40	*40	*40
12	82.65	82.95	82.55	82.90	83.25	84.75	83.65	82.05	*40	*40	*40	*40
13	82.55	83.00	82.65	82.75	83.20	84.55	83.60	82.00	*40	*40	*40	*40
14	82.50	83.10	82.70	82.70	83.35	84.60	83.55	82.10	*40	*40	*40	*40
15	82.75	82.85	82.85	82.87	85.50	84.50	83.50	82.05	*40	*40	*40	*40
16	82.50	82.90	82.90	82.68	85.60	84.00	83.40	82.00	*40	*40	*40	*40
17	82.45	83.05	82.95	82.65	84.75	84.00	83.25	*40	*40	*40	*40	*40
18	82.30	82.85	82.85	82.75	84.90	84.00	83.15	*40	*40	*40	*40	*40
19	82.70	82.95	82.98	82.90	84.00	84.00	83.10	*40	*40	*40	*40	*40
20	82.85	82.85	82.90	82.95	83.75	83.95	83.00	*40	*40	*40	*40	*40
21	82.90	82.75	83.00	83.00	83.65	83.80	83.05	*40	*40	*40	*40	*40
22	82.75	82.70	83.10	83.10	83.55	83.95	83.15	*40	*40	*40	*40	*40
23	82.70	82.65	82.95	83.05	83.38	83.90	83.10	*40	*40	*40	*40	*40
24	82.90	82.78	82.85	83.00	83.30	83.85	83.00	*40	*40	*40	*40	*40
25	82.85	82.60	82.90	82.95	83.45	84.00	82.95	*40	*40	*40	*40	*40
26	82.95	82.55	83.05	82.80	83.57	84.00	82.85	*40	*40	*40	*40	*40
27	82.85	82.70	83.15	82.87	84.35	83.95	82.75	*40	*40	*40	*40	*40
28	82.75	82.75	83.00	82.75	84.45	83.85	82.70	*40	*40	*40	*40	*40
29	82.65	82.70	82.95	82.95	84.25	83.90	82.60	*40	*40	*40	*40	*40
30	82.55	82.65	82.80	82.85		83.95	82.55	*40	*40	*40	*40	*40
31	82.50		82.85	82.88		84.00		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστικό θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	82.65	83.20	83.90	83.05	84.20	83.00	*40	*40	*40	*40	*40
2	*40	82.70	83.15	83.85	83.00	83.75	82.90	*40	*40	*40	*40	*40
3	*40	82.80	83.10	83.87	82.95	83.65	82.85	*40	*40	*40	*40	*40
4	*40	82.95	83.90	83.85	82.90	83.60	82.80	*40	*40	*40	*40	*40
5	*40	82.98	83.95	83.95	83.00	83.68	82.65	*40	*40	*40	*40	*40
6	*40	82.93	83.80	83.90	82.98	83.50	82.90	*40	*40	*40	*40	*40
7	*40	82.90	83.00	83.80	82.92	83.35	82.78	*40	*40	*40	*40	*40
8	*40	82.88	83.10	83.75	82.85	83.30	82.70	*40	*40	*40	*40	*40
9	82.10	82.85	83.65	83.70	82.80	83.20	82.65	*40	*40	*40	*40	*40
10	82.15	82.80	85.25	83.65	82.78	83.00	82.70	*40	*40	*40	*40	*40
11	82.30	82.65	84.75	83.60	82.70	82.90	82.60	*40	*40	*40	*40	*40
12	82.50	82.87	83.95	83.67	82.65	82.75	82.55	*40	*40	*40	*40	*40
13	82.45	82.90	83.75	83.58	82.60	82.50	82.75	*40	*40	*40	*40	*40
14	82.48	82.95	83.65	83.55	82.55	82.90	82.70	*40	*40	*40	*40	*40
15	82.35	82.90	83.55	83.50	82.50	82.95	83.25	*40	*40	*40	*40	*40
16	82.25	82.75	83.50	83.65	82.75	82.85	83.50	*40	*40	*40	*40	*40
17	82.45	82.80	83.55	83.60	82.87	82.70	83.60	*40	*40	*40	*40	*40
18	82.50	82.85	83.58	83.58	82.90	82.65	82.50	*40	*40	*40	*40	*40
19	82.35	82.90	83.95	83.55	82.95	82.50	82.35	*40	*40	*40	*40	*40
20	82.25	83.05	83.80	83.50	82.80	82.15	82.25	*40	*40	*40	*40	*40
21	82.15	83.00	83.90	83.50	82.85	82.10	82.20	*40	*40	*40	*40	*40
22	82.35	83.10	83.95	83.63	82.75	83.00	82.15	82.65	*40	*40	*40	*40
23	82.40	83.15	84.00	83.55	82.70	83.50	82.10	82.75	*40	*40	*40	*40
24	82.45	82.95	84.05	83.50	82.60	84.80	82.00	82.80	*40	*40	*40	*40
25	82.35	83.25	83.95	83.45	82.70	86.75	*40	82.60	*40	*40	*40	*40
26	82.60	84.55	83.75	83.35	82.65	86.50	*40	82.65	*40	*40	*40	*40
27	82.15	84.15	83.70	83.30	82.60	85.75	*40	82.50	*40	*40	*40	*40
28	82.80	84.00	83.65	83.00	82.55	84.90	*40	82.45	*40	*40	*40	*40
29	82.85	83.75	83.70	83.00		84.60	*40	82.55	*40	*40	*40	*40
30	82.50	83.50	83.75	83.10		84.45	*40	82.35	*40	*40	*40	*40
31	82.90		83.60	83.05		84.35		82.25		*40	*40	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφωράκι

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	82.75	82.25	82.50	83.25	82.90	*40	*40	*40	*40	*40	*40	82.70
2	83.00	82.35	82.65	83.10	82.80	*40	*40	*40	*40	*40	*40	82.65
3	83.50	82.50	82.70	83.05	82.75	*40	*40	*40	*40	*40	*40	82.50
4	83.75	82.65	82.85	83.00	82.60	*40	*40	*40	*40	*40	*40	82.45
5	83.70	82.75	82.90	83.15	82.75	*40	*40	*40	*40	*40	*40	82.40
6	83.60	82.85	82.95	83.10	82.70	*40	*40	*40	*40	*40	*40	82.50
7	83.50	82.70	82.80	83.25	82.65	*40	*40	*40	*40	*40	*40	82.55
8	83.00	82.65	82.95	83.25	82.60	*40	*40	*40	*40	*40	*40	83.00
9	82.75	82.75	82.85	83.18	82.55	*40	*40	*40	*40	*40	*40	83.05
10	82.50	82.80	82.95	83.05	82.50	*40	*40	*40	*40	*40	*40	83.10
11	82.65	82.65	82.95	83.10	82.45	*40	*40	*40	*40	*40	*40	83.00
12	82.90	82.90	82.58	83.00	82.40	*40	*40	*40	*40	*40	*40	82.75
13	82.85	82.95	82.65	83.05	82.45	*40	*40	*40	*40	*40	*40	82.70
14	82.80	83.05	82.70	83.00	82.50	*40	*40	*40	*40	*40	*40	82.65
15	82.85	83.10	82.75	83.00	82.60	*40	*40	*40	*40	*40	*40	82.60
16	82.70	82.95	82.60	83.00	82.70	*40	*40	*40	*40	*40	*40	82.50
17	82.50	82.80	82.85	83.15	82.65	*40	*40	*40	*40	*40	*40	82.55
18	82.30	82.95	82.80	83.10	82.55	*40	*40	*40	*40	*40	*40	82.57
19	82.50	82.90	82.90	83.00	82.50	*40	*40	*40	*40	*40	*40	82.60
20	82.60	82.95	82.95	83.05	82.60	*40	*40	*40	*40	*40	*40	82.65
21	82.75	82.75	82.80	83.00	82.70	*40	*40	*40	*40	*40	*40	82.55
22	83.50	82.60	82.90	82.95	82.75	*40	*40	*40	*40	*40	*40	82.50
23	83.25	82.58	82.95	82.90	82.65	*40	*40	*40	*40	*40	*40	82.60
24	83.00	82.75	82.85	82.80	82.60	*40	*40	*40	*40	*40	*40	82.55
25	82.30	82.60	82.90	82.85	82.55	*40	*40	*40	*40	*40	83.70	82.50
26	82.20	82.85	83.00	83.00	82.50	*40	*40	*40	*40	*40	83.00	82.45
27	82.10	82.90	83.05	83.10	82.45	*40	*40	*40	*40	*40	83.10	82.00
28	82.15	82.70	83.02	83.05	82.40	*40	*40	*40	*40	*40	82.95	82.05
29	82.30	82.90	83.00	83.00		*40	*40	*40	*40	*40	82.80	82.10
30	82.50	82.95	84.40	82.75		*40	*40	*40	*40	*40	82.65	82.00
31	83.10		84.20	82.70		*40		*40		*40	82.50	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	82.50	82.65	83.15	83.20	84.20	83.95	84.10	84.00	82.50	140	140	140
2	82.45	82.70	83.30	83.15	84.35	83.90	84.50	83.90	82.45	140	140	140
3	82.35	82.55	83.50	83.00	84.50	83.80	84.25	83.85	82.40	140	140	140
4	82.30	82.50	83.75	83.40	84.40	83.75	84.15	83.80	82.30	140	140	140
5	82.20	82.65	84.70	83.35	84.25	83.70	84.10	83.70	82.20	140	140	140
6	82.25	82.70	84.60	83.20	83.95	83.60	84.05	83.60	82.00	140	140	140
7	82.35	82.50	83.25	83.25	83.75	83.65	84.30	83.50	140	140	140	140
8	82.30	83.00	83.25	83.00	83.55	83.75	85.00	82.90	140	140	140	140
9	82.27	82.95	83.20	83.30	83.50	83.58	84.45	82.75	140	140	140	140
10	82.20	82.90	83.20	83.40	83.65	83.95	84.25	82.50	140	140	140	140
11	82.18	82.80	83.05	83.15	83.70	84.50	84.20	82.35	140	140	140	140
12	82.25	82.75	83.60	83.35	83.55	85.00	84.30	82.50	140	140	140	140
13	82.30	82.70	85.50	83.40	83.50	84.45	84.35	82.65	140	140	140	140
14	82.15	82.80	84.55	83.45	83.70	84.30	84.40	82.70	140	140	140	140
15	82.10	82.95	84.35	84.50	83.75	84.20	84.50	82.80	140	140	140	140
16	82.05	83.00	84.55	86.30	83.70	84.15	84.35	82.95	140	140	140	140
17	82.00	84.50	84.00	85.55	83.65	85.50	84.30	83.00	140	140	140	140
18	82.25	83.50	84.00	85.00	83.60	85.00	84.25	83.10	140	140	140	140
19	82.50	83.05	83.50	84.50	83.55	84.50	84.20	83.05	140	140	140	140
20	82.60	82.95	83.75	84.00	83.57	84.25	84.10	83.00	140	140	140	82.50
21	82.70	82.90	83.55	83.75	83.65	84.20	84.05	83.15	140	140	140	82.35
22	82.58	82.80	83.45	83.70	83.70	84.10	84.00	83.00	140	140	140	82.20
23	82.60	82.75	83.25	83.65	83.90	84.05	83.90	82.95	140	140	140	82.10
24	82.65	82.85	83.25	83.70	84.10	84.00	83.85	82.80	140	140	140	82.15
25	82.50	82.70	83.35	83.60	84.20	83.95	83.95	82.70	140	140	140	82.05
26	82.75	82.65	83.55	83.50	84.50	83.90	83.80	82.55	140	140	140	82.30
27	82.80	82.60	83.50	83.50	84.00	83.95	83.90	82.35	140	140	140	82.20
28	82.95	82.75	83.45	83.65	83.95	84.00	83.95	82.40	140	140	140	82.15
29	82.90	82.55	83.40	83.75		83.95	84.00	82.25	140	140	140	82.10
30	82.85	82.50	83.25	84.00		83.90	83.80	82.30	140	140	140	82.00
31	82.75		83.15	84.50		83.90		82.50		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγματων

ΗΜΕΡΗΣΙΕΣ ΠΑΡΟΧΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.14	0.25	0.79	5.77	30.17	11.62	4.82	4.44	✕40	✕40	✕40	✕40
2	0.05	0.34	0.88	5.50	28.39	11.14	4.57	4.76	✕40	✕40	✕40	✕40
3	0.00	0.49	0.88	4.83	25.10	10.49	4.44	5.43	✕40	✕40	✕40	✕40
4	0.00	0.54	1.52	5.09	22.67	10.30	3.84	5.77	✕40	✕40	✕40	✕40
5	0.03	0.62	2.01	5.77	24.43	10.30	8.36	5.63	✕40	✕40	✕40	✕40
6	0.15	0.85	1.58	5.77	44.20	10.21	12.62	5.29	✕40	✕40	✕40	✕40
7	0.43	0.79	1.38	5.43	55.34	10.03	10.21	4.96	✕40	✕40	✕40	✕40
8	1.21	0.65	1.54	5.09	47.27	9.50	8.08	4.69	✕40	✕40	✕40	✕40
9	1.70	0.67	1.70	5.78	35.21	8.98	6.13	3.35	✕40	✕40	✕40	✕40
10	1.54	0.59	1.97	6.50	22.42	8.89	6.50	2.15	✕40	✕40	✕40	✕40
11	0.93	0.57	3.01	6.88	18.65	8.72	7.66	1.92	✕40	✕40	✕40	✕40
12	0.90	0.62	8.91	7.11	16.65	8.22	7.90	1.79	✕40	✕40	✕40	✕40
13	1.19	0.67	15.43	7.50	16.09	7.58	7.50	✕40	✕40	✕40	✕40	✕40
14	0.85	0.70	13.14	8.30	15.54	7.26	6.15	✕40	✕40	✕40	✕40	23960.87
15	0.70	0.70	8.92	8.72	24.46	7.66	5.43	✕40	✕40	✕40	✕40	2.70
16	0.70	0.70	5.15	8.47	30.97	8.06	6.89	✕40	✕40	✕40	✕40	0.04
17	0.70	0.85	3.26	12.75	23.12	8.06	7.66	✕40	✕40	✕40	✕40	0.04
18	0.70	1.19	3.72	19.87	18.05	8.06	7.26	✕40	✕40	✕40	✕40	0.18
19	0.70	1.30	4.63	23.07	15.76	8.06	7.26	✕40	✕40	✕40	✕40	0.34
20	0.70	1.08	5.43	25.80	13.62	8.06	7.26	✕40	✕40	✕40	✕40	0.25
21	0.67	0.82	5.43	28.68	12.60	8.06	6.88	✕40	✕40	✕40	✕40	0.25
22	0.59	0.70	5.43	32.50	12.10	8.06	6.65	✕40	✕40	✕40	✕40	5.47
23	0.49	0.70	5.43	34.09	11.62	7.98	6.65	✕40	✕40	✕40	✕40	11.64
24	0.40	0.70	5.09	29.46	12.10	7.81	6.13	✕40	✕40	✕40	✕40	5.93
25	0.30	0.70	5.43	30.23	12.60	7.65	5.92	✕40	✕40	✕40	✕40	2.73
26	0.25	0.70	5.77	34.09	12.10	7.42	6.28	✕40	✕40	✕40	✕40	2.58
27	0.25	0.70	5.77	25.95	11.14	7.66	6.13	✕40	✕40	✕40	✕40	2.34
28	0.34	0.70	5.63	18.05	11.14	8.06	5.63	✕40	✕40	✕40	✕40	2.15
29	0.40	0.70	5.56	15.76		7.66	5.29	✕40	✕40	✕40	✕40	1.71
30	0.30	0.70	5.50	13.62		6.15	4.76	✕40	✕40	✕40	✕40	2.02
31	0.25		5.57	20.78		5.02		✕40		✕40	✕40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	2.25	3.26	32.53	13.64	12.60	15.76	2.02	3.26	*40	*40	*40	*40
2	1.58	2.99	31.77	11.14	10.68	15.76	1.30	3.15	*40	*40	*40	*40
3	1.58	2.48	23.12	13.67	9.76	15.76	4.22	2.89	*40	*40	*40	24190.63
4	1.79	3.01	12.82	15.76	8.90	16.32	8.06	2.68	*40	*40	*40	0.00
5	1.39	3.83	7.66	12.14	8.06	16.88	7.66	2.20	*40	*40	*40	0.00
6	1.82	3.83	33.37	13.18	8.30	16.32	6.88	1.21	*40	*40	*40	0.02
7	2.25	3.54	63.86	19.27	8.72	16.32	6.13	0.57	*40	*40	*40	0.10
8	2.01	2.99	41.44	29.61	9.77	14.69	5.77	0.18	*40	*40	*40	0.10
9	2.48	3.27	20.58	35.73	13.14	12.10	5.77	0.00	*40	*40	*40	0.10
10	2.73	3.83	15.21	25.95	15.76	12.10	4.77	*40	*40	*40	*40	0.25
11	2.73	3.54	15.76	18.64	14.15	13.10	3.27	*40	*40	*40	*40	0.57
12	2.02	3.26	15.76	17.46	11.62	12.60	1.82	*40	*40	*40	*40	1.02
13	2.52	3.26	13.62	18.05	10.49	10.23	1.82	*40	*40	*40	*40	1.38
14	3.54	3.54	10.69	21.12	10.03	8.89	2.48	*40	*40	*40	*40	1.46
15	2.99	3.89	10.23	21.12	10.21	8.47	2.74	24017.89	*40	*40	*40	2.11
16	2.73	3.89	15.85	17.47	11.14	8.06	2.99	4.13	*40	*40	*40	2.25
17	2.25	3.71	18.65	15.21	11.42	8.06	3.27	3.83	*40	*40	*40	1.79
18	2.01	3.48	14.18	14.14	11.71	8.47	4.13	4.13	*40	*40	*40	1.58
19	2.24	3.48	11.14	12.60	14.48	8.89	4.13	4.25	*40	*40	*40	1.58
20	2.48	3.71	10.21	11.14	21.19	7.28	3.83	3.95	*40	*40	*40	1.79
21	2.89	3.77	8.90	10.49	27.95	4.47	3.95	3.27	*40	*40	*40	2.25
22	3.15	3.77	7.66	9.59	26.54	3.26	4.25	2.63	*40	*40	*40	1.82
23	3.54	3.83	7.26	8.47	21.12	2.74	4.44	2.48	*40	*40	*40	1.01
24	3.83	3.83	29.26	8.47	18.64	3.29	4.76	2.10	*40	*40	*40	1.59
25	3.54	3.83	66.15	8.89	19.87	3.84	5.09	1.58	*40	*40	*40	2.48
26	3.26	3.83	46.51	9.77	21.11	3.54	4.96	1.38	*40	*40	*40	2.73
27	3.54	3.60	23.73	11.14	21.11	4.45	4.32	1.02	*40	*40	*40	2.99
28	4.13	9.84	22.40	12.10	18.68	5.78	3.71	0.57	*40	*40	*40	3.54
29	4.13	22.48	19.87	12.10		6.50	3.54	0.57	*40	*40	*40	3.83
30	3.54	27.94	17.46	11.14		3.94	3.37	*40	*40	*40	*40	3.83
31	3.26		16.32	12.12		2.25		*40	*40	*40	*40	

ΕΠΕΞΗΓΡΗΕΝ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	3.54	47.38	19.86	49.12	26.50	26.50	33.28	19.24	4.44	***	***	***
2	3.26	33.39	17.47	74.31	25.10	27.21	33.28	20.48	3.29	***	***	***
3	3.54	23.77	15.21	84.43	25.80	26.50	32.49	24.43	2.74	***	***	24017.89
4	3.83	19.25	29.44	89.63	26.50	26.50	31.71	26.50	4.47	***	***	4.44
5	3.54	26.76	38.40	69.84	25.10	27.94	30.94	22.44	4.47	***	***	4.76
6	3.26	45.56	27.24	46.46	23.73	29.42	34.13	18.64	2.99	***	***	3.07
7	3.84	62.81	22.42	37.39	22.40	31.71	40.86	18.04	5.19	***	***	1.38
8	4.44	58.58	19.86	35.72	21.75	41.90	38.30	18.64	9.34	***	***	1.38
9	11.58	38.40	18.64	32.50	28.83	54.21	32.02	18.05	8.92	***	***	1.58
10	20.48	27.24	16.89	28.68	40.89	74.71	30.47	15.76	4.84	***	***	2.01
11	10.38	23.07	15.21	26.50	36.71	83.16	30.63	14.67	2.99	***	***	1.80
12	2.99	20.48	13.62	25.79	26.51	81.86	40.71	14.67	2.74	***	***	1.80
13	3.26	18.05	12.60	24.42	25.10	80.61	45.45	15.21	1.80	***	***	2.01
14	3.26	16.32	11.62	23.73	45.34	63.89	37.40	15.76	***	***	***	1.58
15	3.54	14.68	10.67	23.73	59.56	54.21	33.29	15.21	***	***	***	1.58
16	4.13	13.10	10.67	21.76	44.54	55.26	30.94	14.67	24190.63	***	***	1.58
17	4.13	12.10	11.14	30.49	37.39	81.21	28.68	14.14	0.00	***	***	1.19
18	3.27	11.14	11.62	39.97	35.72	99.87	27.94	13.10	***	***	***	1.19
19	3.27	26.86	11.14	37.39	34.09	85.71	27.94	12.60	***	***	***	1.80
20	4.13	52.21	11.14	37.39	42.83	70.78	26.50	12.60	***	***	***	2.01
21	12.11	44.74	11.62	44.54	55.24	61.63	27.95	13.62	***	***	***	2.25
22	31.21	30.20	11.62	49.21	49.31	60.53	28.68	14.14	24103.95	***	***	2.99
23	27.73	24.43	11.42	49.21	38.26	64.97	30.20	13.10	1.38	***	***	2.99
24	13.14	22.40	11.91	46.37	34.09	68.38	30.20	12.10	1.38	***	***	2.99
25	10.21	32.76	44.64	39.11	33.28	67.23	26.50	11.14	***	***	***	3.54
26	13.18	38.30	78.10	34.90	32.49	61.65	25.10	10.67	***	***	***	3.83
27	30.81	33.28	57.49	32.49	30.94	54.21	25.10	10.21	***	***	***	4.13
28	38.40	30.20	41.79	33.29	28.68	48.25	24.42	9.76	***	***	***	4.44
29	24.51	24.43	30.27	34.09	26.50	43.55	19.89	4.76	***	***	***	4.13
30	21.78	21.11	28.73	31.71		39.97	18.05	3.74	***	***	***	3.54
31	38.77		30.95	28.68		35.73		5.80		***	***	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ
 *40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.15	49.75	10.23	18.64	98.30	55.24	26.50	16.88	*40	*40	*40	2.25
2	4.15	20.98	12.10	17.69	88.31	49.31	25.10	16.32	*40	*40	*40	2.99
3	4.80	15.91	13.10	17.11	78.02	39.97	25.10	7.44	*40	*40	*40	3.54
4	5.11	19.27	14.14	16.88	71.91	37.39	27.22	1.80	*40	*40	*40	4.13
5	4.45	16.32	18.71	16.88	70.72	37.39	29.42	6.81	*40	*40	*40	4.57
6	6.52	15.21	29.55	16.32	75.55	40.86	29.42	14.69	*40	*40	*40	3.96
7	5.19	14.14	28.83	15.21	87.00	40.86	27.94	16.88	*40	*40	*40	3.84
8	4.50	12.12	19.27	21.30	88.31	38.24	26.50	15.76	*40	*40	*40	9.11
9	6.50	9.77	18.05	22.53	73.21	36.56	25.10	15.21	*40	*40	*40	13.62
10	6.88	8.47	19.86	18.05	61.63	34.09	23.73	13.64	*40	*40	*40	8.99
11	6.88	8.06	18.65	19.24	57.33	32.49	23.73	7.41	*40	*40	*40	5.43
12	6.13	7.66	16.32	19.86	55.23	31.71	24.41	7.84	*40	*40	*40	5.78
13	5.09	8.48	15.21	21.76	54.20	31.71	27.24	12.10	*40	*40	*40	5.44
14	5.44	9.76	14.67	23.06	58.42	32.49	38.40	9.36	24395.34	*40	*40	4.13
15	5.44	8.90	13.12	41.72	64.95	32.96	41.79	7.26	3.54	*40	*40	4.45
16	4.76	7.66	11.14	78.25	67.23	33.77	33.31	5.80	3.23	*40	*40	4.76
17	5.09	8.06	10.67	78.25	66.09	34.09	30.17	3.84	2.95	*40	*40	4.13
18	6.15	7.28	10.21	53.35	61.63	34.90	28.68	2.99	1.06	*40	24103.95	3.27
19	7.26	5.43	9.32	38.30	58.38	36.55	27.21	2.48	0.08	*40	1.02	3.27
20	6.15	5.43	29.67	36.57	49.31	39.11	29.43	2.01	0.01	*40	0.57	3.54
21	6.52	5.43	62.76	39.10	39.97	38.26	29.43	0.59	0.62	*40	0.57	3.84
22	12.23	6.15	57.49	79.74	37.39	34.09	26.50	2.16	1.02	*40	0.57	4.76
23	17.46	7.26	58.58	147.60	35.72	32.49	24.42	0.63	0.46	*40	0.71	5.09
24	17.46	6.88	66.11	182.26	34.09	30.94	23.06	0.53	0.11	*40	0.85	5.43
25	10.06	6.13	59.46	202.66	32.49	30.17	22.40	*40	0.68	*40	0.46	5.09
26	6.55	5.43	47.44	211.18	30.94	29.42	21.11	*40	0.78	*40	0.11	4.13
27	11.18	5.43	34.92	190.52	31.71	29.42	20.48	*40	0.02	*40	0.00	4.45
28	47.53	6.13	29.43	156.81	42.83	29.42	21.76	*40	*40	*40	0.00	4.15
29	103.05	6.88	25.11	142.06		29.42	21.12	*40	*40	*40	0.00	3.54
30	111.03	8.06	22.40	124.46		30.17	18.05	*40	*40	*40	0.84	4.13
31	87.60		20.48	109.43		28.68		*40		*40	2.01	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.44	15.21	6.52	12.60	23.07	72.12	48.32	55.26	36.55	0.53	***	5.43
2	4.76	9.11	4.76	11.14	20.53	53.24	58.39	47.30	34.10	2.98	***	5.43
3	4.15	3.84	4.76	10.21	15.22	43.57	62.72	41.74	22.06	5.64	***	4.89
4	2.74	4.15	6.91	9.32	12.60	47.38	66.09	36.57	18.14	8.16	***	4.89
5	2.48	6.91	13.77	8.47	11.14	59.48	63.86	33.28	22.40	10.65	***	5.43
6	2.48	7.28	18.05	7.66	10.21	60.55	54.24	34.09	19.27	12.85	***	6.50
7	2.01	5.43	15.76	7.66	9.76	55.24	47.28	33.29	18.05	***	***	6.88
8	1.58	5.78	15.21	7.66	10.21	115.40	44.46	30.18	19.86	***	***	6.13
9	2.52	7.67	14.68	6.50	10.67	184.16	40.86	26.51	19.25	***	***	5.43
10	4.13	12.69	13.10	5.43	10.49	151.42	36.56	23.07	16.89	***	***	4.76
11	3.84	16.88	12.10	5.43	10.95	111.24	34.09	19.27	14.15	***	***	4.13
12	4.15	16.88	8.95	5.43	12.10	79.45	34.90	16.88	6.18	***	***	3.54
13	4.76	16.32	6.50	6.15	12.10	62.74	33.31	18.05	0.74	***	***	2.99
14	3.84	15.76	6.13	7.66	13.64	57.33	31.71	19.86	0.17	***	***	2.48
15	2.74	16.32	8.11	7.27	14.15	51.20	33.28	19.86	0.01	***	***	8.56
16	2.48	16.32	13.67	7.27	12.10	45.39	34.90	20.48	0.04	***	***	11.32
17	3.27	15.21	16.32	8.06	11.14	41.74	35.72	23.75	0.56	***	***	7.67
18	3.83	15.21	14.68	7.66	10.21	39.10	36.56	26.50	1.51	***	***	10.23
19	3.27	16.32	12.60	7.66	10.21	35.73	34.92	18.34	2.16	***	***	11.14
20	3.56	16.32	11.62	7.27	11.14	33.28	29.43	18.98	3.25	***	***	10.21
21	4.13	15.76	11.14	6.13	10.95	32.49	50.34	26.51	3.86	***	***	9.32
22	4.77	15.21	10.21	5.43	10.95	30.94	103.85	20.53	11.67	***	***	8.47
23	6.50	14.14	9.32	5.43	49.26	39.29	122.77	18.05	8.06	***	***	10.25
24	5.47	13.10	10.23	5.43	88.59	72.71	103.05	19.86	3.99	***	***	11.62
25	3.83	9.82	14.18	5.78	55.78	95.26	78.25	14.32	0.74	***	***	7.36
26	4.13	6.15	16.32	6.88	79.74	70.06	56.35	8.06	2.49	***	***	5.09
27	4.76	5.43	16.89	7.66	131.35	48.25	47.28	9.82	6.50	***	***	10.89
28	9.05	5.43	17.46	8.47	106.61	43.55	43.55	23.57	5.80	***24032.19	***	11.77
29	14.14	5.78	16.32	9.32		39.97	39.97	46.53	1.66	***	3.54	7.26
30	15.21	7.27	15.21	15.98		39.10	48.44	53.21	0.00	***	3.26	6.88
31	15.76		14.14	22.40		40.85		42.71		***	4.15	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	5.11	7.26	9.79	13.77	7.66	13.31	11.14	*40	*40	*40	*40	0.00
2	3.54	6.88	7.66	9.77	7.66	13.31	11.14	*40	*40	*40	*40	0.00
3	4.80	5.78	9.82	13.14	7.66	14.35	11.14	*40	*40	*40	*40	0.00
4	8.51	5.09	14.69	12.18	7.66	32.79	12.10	*40	*40	*40	*40	0.00
5	9.77	7.32	17.46	9.32	8.47	52.18	12.10	*40	24103.95	*40	*40	0.01
6	9.32	8.48	16.89	9.32	9.32	43.60	11.62	*40	3.37	*40	*40	0.05
7	9.32	6.88	14.68	8.47	10.68	30.33	9.36	*40	3.37	*40	*40	0.08
8	9.32	6.88	13.10	7.66	14.18	22.40	7.26	*40	2.02	*40	*40	0.08
9	9.32	7.66	12.10	7.82	13.18	20.48	3.99	*40	8.92	*40	*40	0.06
10	8.89	7.82	11.14	8.64	11.15	18.64	1.02	*40	16.88	*40	*40	0.00
11	8.72	7.42	9.77	9.06	12.10	18.04	1.62	*40	13.67	*40	*40	0.00
12	8.30	7.26	8.47	9.50	11.14	17.46	2.02	*40	6.32	*40	*40	0.03
13	7.66	7.26	8.90	10.03	10.21	17.46	1.19	*40	2.02	*40	*40	0.08
14	7.26	8.06	10.21	10.49	11.64	18.04	0.85	*40	0.74	*40	*40	0.00
15	6.50	9.15	10.95	11.14	13.10	17.46	0.46	*40	0.74	*40	*40	0.00
16	5.43	8.73	10.95	11.81	11.15	16.88	0.34	*40	1.19	*40	*40	0.00
17	4.76	7.66	10.21	11.62	9.32	16.32	0.34	*40	1.19	*40	*40	0.01
18	4.44	8.06	10.21	10.76	9.59	15.54	0.07	*40	0.87	*40	*40	0.05
19	4.13	9.32	11.14	9.59	10.03	14.99	0.00	*40	1.67	*40	24103.95	0.04
20	3.54	11.15	20.20	8.47	9.32	14.67	0.08	*40	2.99	*40	0.87	0.00
21	3.54	16.98	26.54	7.66	9.50	14.14		*40	0.72	*40	0.34	0.00
22	3.54	19.27	21.76	7.66	9.94	13.62		*40	0.14	*40	0.59	0.00
23	2.99	14.69	21.76	8.30	9.32	13.10		*40	0.14	*40	0.85	0.00
24	4.50	11.62	22.40	7.51	8.47	12.60		*40		*40	0.46	0.00
25	6.13	9.77	21.11	7.67	8.90	12.10		*40		*40	0.07	0.00
26	4.47	8.06	19.86	8.47	10.21	11.81		*40		*40	0.00	0.00
27	2.74	7.66	18.64	7.90	12.12	14.93		*40		*40	0.00	0.00
28	3.58	7.66	18.04	8.73	13.82	17.46		*40		*40	0.08	0.00
29	4.76	7.66	17.46	10.21		16.32		*40		*40	0.14	0.00
30	5.80	9.79	18.65	10.21		14.15		*40		*40	0.04	0.84
31	7.26		19.86	8.90		11.62		*40		*40	0.00	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφραγμα

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	1.82	3.27	4.01	3.86	9.32	25.79	26.50	22.40	*40	*40	*40	1.62
2	1.39	2.48	6.21	1.45	8.47	27.95	25.10	21.75	*40	*40	*40	2.25
3	0.59	2.34	34.93	2.97	12.23	29.42	23.73	21.11	*40	*40	*40	0.48
4	0.00	2.24	59.62	5.78	24.63	27.94	21.76	18.65	*40	*40	*40	0.08
5	0.00	3.18	40.13	5.43	28.73	26.50	19.25	16.32	*40	*40	*40	0.04
6	0.01	4.13	34.92	6.89	19.34	28.70	17.46	15.21	*40	*40	*40	0.00
7	0.25	3.83	36.56	17.38	17.50	33.29	49.96	14.67	*40	*40	*40	0.00
8	0.34	3.27	33.29	27.22	19.25	34.09	88.31	14.14	*40	*40	*40	0.00
9	0.34	2.48	59.82	23.75	16.89	31.71	68.64	12.12	*40	*40	*40	0.00
10	0.34	2.15	70.18	18.68	33.49	29.42	46.46	3.29	*40	*40	*40	0.00
11	0.21	1.92	43.60	14.68	44.66	27.94	34.13	0.15	*40	*40	*40	0.05
12	0.14	1.58	30.33	13.10	32.50	26.50	27.24	0.19	*40	*40	*40	0.04
13	0.04	1.19	22.40	28.12	27.95	25.10	23.07	0.05	*40	*40	*40	0.00
14	0.00	0.85	22.40	38.40	23.75	23.73	33.69	0.74	*40	*40	*40	0.04
15	0.22	1.13	21.76	21.37	23.07	22.40	45.39	0.45	*40	*40	*40	0.02
16	0.57	1.92	18.65	15.22	27.98	21.11	36.65	0.00	*40	*40	*40	0.00
17	0.34	2.48	15.22	15.22	41.97	19.86	28.68	0.04	*40	*40	24234.21	0.08
18	0.46	2.99	14.14	14.14	72.42	19.61	26.50	0.02	*40	*40	2.27	0.04
19	0.46	4.80	13.62	13.93	88.31	19.36	27.95	0.00	*40	*40	2.54	0.00
20	0.59	7.27	12.10	12.90	70.90	35.38	30.94	0.28	*40	*40	2.27	0.02
21	0.85	5.50	7.78	12.10	53.24	52.18	30.18	1.21	*40	*40	7.27	0.03
22	0.85	4.15	4.76	11.14	41.79	45.41	30.95	0.91	*40	*40	8.90	0.00
23	1.59	4.45	4.45	10.03	34.90	79.12	30.20	0.07	*40	*40	5.03	0.00
24	1.80	3.54	6.21	9.59	32.49	89.92	26.50	0.00	*40	*40	0.87	0.02
25	4.67	2.99	8.47	8.90	30.94	75.87	25.10	0.00	*40	*40	0.25	0.10
26	7.28	2.58	7.66	12.23	30.17	73.56	25.80	0.08	*40	*40	0.36	0.17
27	8.11	2.95	4.84	16.32	28.68	51.20	28.68	0.22	*40	*40	0.36	0.46
28	7.73	3.37	3.86	14.68	27.21	41.79	29.42	0.41	*40	*40	0.25	0.57
29	4.76	3.54	5.78	12.60	26.50	34.90	26.51	3.26	*40	*40	0.30	0.87
30	3.84	4.01	6.13	10.68		31.71	23.73	7.69	*40	*40	0.08	1.02
31	3.54		5.43	9.76		28.68		8.62		*40	0.28	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θερμοφραγματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	1.02	9.29	2.31	71.22	36.78	11.15	18.65	0.08	*40	*40	*40	*40
2	0.62	16.94	2.57	134.03	25.80	12.10	19.27	0.08	*40	*40	*40	*40
3	3.17	13.62	5.78	64.83	23.07	12.60	21.11	0.46	*40	*40	*40	*40
4	8.47	13.10	7.27	45.45	21.11	12.12	19.86	0.95	*40	*40	*40	*40
5	8.06	14.15	7.27	47.30	18.65	14.21	18.64	0.66	*40	*40	*40	*40
6	2.16	13.64	6.13	40.86	18.05	16.89	16.89	0.97	*40	*40	*40	*40
7	2.16	10.68	6.89	32.57	18.64	19.30	15.21	2.72	*40	*40	*40	*40
8	2.40	9.32	8.90	38.56	16.89	21.12	13.62	4.87	*40	*40	*40	*40
9	0.00	8.06	8.48	47.30	17.24	24.51	14.15	5.99	*40	*40	*40	*40
10	0.00	8.48	6.88	45.39	16.67	28.68	13.14	7.71	*40	*40	*40	*40
11	0.14	7.69	6.13	45.39	12.14	25.80	8.92	9.10	*40	*40	*40	*40
12	0.71	4.77	6.50	41.74	8.90	23.07	6.50	8.16	*40	*40	*40	*40
13	0.71	5.11	6.50	31.87	9.34	21.11	5.43	6.01	*40	*40	*40	*40
14	0.87	6.50	5.43	23.07	15.91	19.25	4.76	5.61	*40	*40	*40	*40
15	1.19	5.44	4.76	25.85	20.48	17.46	4.13	7.25	*40	*40	*40	*40
16	1.82	5.80	5.44	29.42	18.05	22.53	3.01	9.11	*40	*40	*40	*40
17	5.19	6.88	6.13	26.51	15.76	27.22	1.59	11.17	*40	*40	*40	*40
18	13.28	7.27	5.77	64.89	13.12	23.75	0.48	12.85	*40	*40	*40	*40
19	15.81	6.89	5.09	97.47	10.23	19.87	0.17	12.85	*40	*40	*40	*40
20	4.86	5.43	4.13	68.49	8.06	16.33	0.46	*40	*40	*40	*40	*40
21	0.02	4.76	1.06	57.33	7.66	13.12	0.28	*40	*40	*40	*40	*40
22	0.02	4.44	2.16	51.20	8.47	17.64	0.04	*40	*40	*40	*40	*40
23	0.36	4.13	7.66	43.57	9.32	26.51	0.01	*40	*40	*40	*40	*40
24	0.57	3.54	8.47	43.57	10.68	25.14	0.00	*40	*40	*40	*40	*40
25	3.59	4.15	8.47	46.33	10.95	21.11	0.00	*40	*40	*40	*40	*40
26	8.47	4.76	8.90	46.33	11.43	18.65	0.28	*40	*40	*40	*40	*40
27	8.06	5.09	9.32	44.47	12.10	15.76	0.59	*40	*40	*40	*40	24454.46
28	6.50	6.13	8.47	37.43	10.68	14.14	0.17	*40	*40	*40	*40	5.64
29	5.43	5.78	7.27	30.95		13.10	0.10	*40	*40	*40	*40	6.05
30	4.45	4.76	6.13	41.21		11.62	0.01	*40	*40	*40	*40	10.68
31	2.52		6.13	51.20		15.33		*40		*40	*40	

ΕΠΕΞΗΓΗΤΗΡ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	10.19	0.22	3.99	0.25	0.29	4.45	2.99	×40	×40	×40	×40	×40
2	5.64	0.22	0.87	0.17	0.04	4.15	2.25	×40	×40	×40	×40	×40
3	5.64	0.14	0.57	0.04	0.02	2.99	1.58	×40	×40	×40	×40	×40
4	4.94	0.22	0.36	0.00	0.37	2.99	1.19	×40	×40	×40	×40	×40
5	3.23	0.41	0.04	0.00	1.09	2.74	0.85	×40	×40	×40	×40	×40
6	4.17	0.66	0.00	0.00	1.19	3.01	0.57	×40	×40	×40	×40	×40
7	6.01	0.43	0.00	0.08	1.12	3.83	0.57	×40	×40	×40	×40	×40
8	7.69	0.04	0.00	0.22	1.30	3.83	0.46	×40	×40	×40	×40	×40
9	7.69	0.00	0.00	0.41	1.19	3.54	0.46	×40	×40	×40	×40	×40
10	8.16	0.08	0.00	0.41	1.82	2.74	0.16	×40	×40	×40	×40	×40
11	10.12	0.22	0.22	0.22	4.17	2.01	0.00	24103.95	×40	×40	×40	×40
12	12.29	0.41	0.57	0.08	4.77	1.79	0.00	1.19	×40	×40	×40	×40
13	12.85	0.41	0.30	0.00	3.54	1.58	0.08	0.71	×40	×40	×40	×40
14	3.05	0.22	0.14	0.09	3.15	1.58	0.04	0.25	×40	×40	×40	×40
15	2.27	0.43	0.25	0.17	3.15	2.01	0.04	0.10	×40	×40	×40	×40
16	0.74	0.53	0.71	0.17	3.26	2.01	0.04	0.02	×40	×40	×40	×40
17	0.11	0.41	0.85	0.46	7.06	1.58	0.04	0.00	×40	×40	×40	×40
18	0.40	0.41	0.85	0.57	11.14	1.58	0.08	0.00	×40	×40	×40	×40
19	1.93	0.15	0.85	0.25	8.92	1.79	0.46	0.00	×40	×40	×40	×40
20	1.06	0.08	0.46	0.17	6.88	1.58	1.51	0.00	×40	×40	×40	×40
21	0.22	0.04	0.34	0.17	7.27	1.19	2.16	0.00	×40	×40	×40	×40
22	0.22	0.04	0.30	0.14	7.66	0.85	2.95	0.08	×40	×40	×40	×40
23	0.04	0.03	3.93	0.30	8.06	1.02	6.10	0.22	×40	×40	×40	×40
24	0.00	0.00	10.68	0.30	10.23	1.02	9.60	0.41	×40	×40	×40	×40
25	0.00	0.04	13.64	0.14	9.36	0.57	×40	2.07	×40	×40	×40	×40
26	0.00	2.16	14.15	0.17	9.36	1.05	×40	4.87	×40	×40	×40	×40
27	0.00	6.88	12.10	0.34	7.41	2.01	×40	7.74	×40	×40	×40	×40
28	0.00	4.80	10.23	0.34	3.83	1.59	×40	×40	×40	×40	×40	×40
29	0.08	7.06	4.15	0.17		2.05	×40	×40	×40	×40	×40	×40
30	0.22	9.36	0.57	0.36		2.74	×40	×40	×40	×40	×40	×40
31	0.22		0.34	0.62		2.74		×40		×40	×40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγμα

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	**0	24.43	0.03	0.39	2.99	3.62	24.42	23.77	1.16	**0	**0	**0
2	**0	9.78	0.32	2.02	2.99	1.58	51.60	14.82	0.32	**0	**0	**0
3	**0	1.19	0.52	2.99	5.93	1.38	64.28	8.90	0.04	**0	**0	**0
4	**0	0.48	0.41	2.99	8.08	2.02	42.67	7.27	0.04	**0	**0	**0
5	**0	0.10	0.83	2.48	5.78	8.92	32.57	6.13	0.03	**0	**0	**0
6	**0	0.02	1.71	2.01	4.45	18.65	24.43	3.89	0.03	**0	**0	**0
7	**0	0.00	2.16	1.58	3.01	21.11	19.87	3.58	0.22	**0	**0	**0
8	24513.86	0.14	1.72	1.58	2.06	22.40	17.46	5.43	0.41	**0	**0	**0
9	11.72	0.25	0.81	2.25	3.08	20.50	16.32	4.77	0.66	**0	**0	3.54
10	12.85	0.02	0.52	2.99	4.13	19.25	15.21	2.76	1.32	**0	**0	5.24
11	12.29	0.00	0.66	2.64	4.01	18.65	14.14	1.58	**0	**0	**0	7.25
12	11.72	0.00	0.95	4.43	2.68	14.69	13.10	1.58	**0	**0	**0	8.62
13	12.85	0.11	1.30	11.77	1.19	13.10	11.62	1.58	**0	**0	**0	9.60
14	11.73	0.17	1.71	9.67	0.48	18.76	11.62	1.19	**0	**0	**0	10.63
15	10.63	0.04	2.16	3.27	2.87	31.87	11.62	0.71	**0	**0	**0	11.72
16	11.72	0.00	2.16	1.82	10.29	37.40	9.77	0.57	**0	**0	**0	9.18
17	9.65	0.00	1.51	1.82	10.29	30.97	8.47	0.85	**0	**0	**0	5.24
18	6.41	0.03	0.95	3.56	7.26	30.20	7.66	0.71	**0	**0	**0	3.25
19	4.87	0.32	0.66	6.55	6.50	30.95	8.48	0.87	**0	**0	**0	2.67
20	5.24	0.66	0.66	18.54	4.77	30.18	8.90	0.62	**0	**0	**0	3.23
21	6.82	1.02	0.95	20.20	3.54	39.23	6.89	0.17	**0	**0	**0	4.17
22	7.69	1.81	0.95	7.41	2.99	44.47	5.43	0.17	**0	**0	**0	6.87
23	8.62	2.16	1.13	3.27	2.48	52.37	4.45	0.04	**0	**0	**0	9.60
24	9.60	0.49	1.71	2.48	4.54	87.98	3.54	0.00	**0	**0	**0	11.17
25	10.63	0.28	1.32	2.15	8.06	87.98	2.99	0.03	**0	**0	**0	12.85
26	11.72	0.00	0.95	2.15	8.47	54.34	2.99	0.22	**0	**0	**0	12.85
27	12.85	0.08	0.95	2.48	7.27	37.52	2.99	0.08	**0	**0	**0	12.85
28	5.04	0.03	1.13	2.99	6.13	29.42	3.27	0.03	**0	**0	**0	12.29
29	17.52	0.04	1.71	2.50		27.94	4.13	0.32	**0	**0	**0	10.63
30	61.73	0.00	1.32	2.01		26.50	14.35	0.66	**0	**0	**0	10.63
31	47.21		0.95	2.48		24.42		1.32	**0	**0	**0	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	11.16	2.72	1.89	0.23	0.54	15.28	6.88	4.17	*40	*40	*40	*40
2	6.62	1.80	1.66	0.00	2.15	18.64	7.27	5.61	*40	*40	*40	*40
3	3.54	2.26	2.42	0.00	2.64	15.78	6.89	5.99	*40	*40	*40	*40
4	3.84	2.16	2.67	0.01	2.50	12.60	4.77	6.83	*40	*40	*40	*40
5	2.69	1.32	2.95	0.03	1.58	7.41	3.27	8.62	*40	*40	*40	*40
6	1.01	0.43	3.84	0.00	2.02	3.27	2.99	9.60	*40	*40	*40	*40
7	0.41	0.04	3.08	0.00	1.82	2.99	2.99	8.64	*40	*40	*40	*40
8	0.32	0.00	1.40	0.00	0.48	29.99	2.39	6.82	*40	*40	*40	*40
9	0.04	0.00	0.95	0.10	0.04	76.80	2.15	7.25	*40	*40	*40	*40
10	0.52	0.00	0.81	0.41	0.00	65.35	2.01	8.62	*40	*40	*40	*40
11	1.71	0.00	0.97	0.66	0.04	36.86	1.58	9.60	*40	*40	*40	*40
12	2.16	0.15	2.44	0.66	0.03	24.42	2.02	11.17	*40	*40	*40	*40
13	2.95	0.22	2.95	0.97	0.04	20.50	2.48	12.85	*40	*40	*40	*40
14	3.84	0.04	2.16	1.71	0.18	18.64	2.01	12.29	*40	*40	*40	*40
15	2.72	0.27	1.32	1.25	18.07	18.05	1.58	11.72	*40	*40	*40	*40
16	2.72	0.66	0.66	1.33	49.21	11.77	1.02	12.85	*40	*40	*40	*40
17	4.51	0.24	0.41	2.26	36.18	7.26	0.36	*40	*40	*40	*40	*40
18	6.01	0.34	0.53	1.93	25.11	7.26	0.02	*40	*40	*40	*40	*40
19	4.31	0.53	0.47	0.97	16.25	7.26	0.00	*40	*40	*40	*40	*40
20	1.32	0.53	0.35	0.41	5.47	6.88	0.04	*40	*40	*40	*40	*40
21	0.66	1.13	0.32	0.22	3.27	5.44	0.08	*40	*40	*40	*40	*40
22	0.97	1.71	0.04	0.04	2.25	5.44	0.00	*40	*40	*40	*40	*40
23	1.71	2.16	0.10	0.00	1.14	6.13	0.00	*40	*40	*40	*40	*40
24	1.16	1.81	0.53	0.08	0.41	5.43	0.04	*40	*40	*40	*40	*40
25	0.66	2.05	0.66	0.22	0.59	6.15	0.22	*40	*40	*40	*40	*40
26	0.53	3.23	0.24	0.67	1.47	7.26	0.53	*40	*40	*40	*40	*40
27	0.53	2.69	0.00	0.89	7.03	6.88	1.13	*40	*40	*40	*40	*40
28	1.13	1.71	0.03	1.06	14.68	5.78	1.71	*40	*40	*40	*40	*40
29	1.93	1.71	0.22	0.83	13.64	5.43	2.42	*40	*40	*40	*40	*40
30	2.95	2.16	0.67	0.53		6.13	3.23	*40	*40	*40	*40	*40
31	3.84		0.95	0.71		6.88		*40		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστικό θύροφραγματών

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	1.36	01	01	01	01	01	*40	*40	*40	*40	*40
2	*40	2.16	01	01	01	01	01	*40	*40	*40	*40	*40
3	*40	1.51	01	01	01	01	01	*40	*40	*40	*40	*40
4	*40	0.67	01	01	01	01	01	*40	*40	*40	*40	*40
5	*40	0.25	01	01	01	01	01	*40	*40	*40	*40	*40
6	*40	0.29	01	01	01	01	01	*40	*40	*40	*40	*40
7	*40	0.45	01	01	01	01	01	*40	*40	*40	*40	*40
8	*40	0.58	01	01	01	01	01	*40	*40	*40	*40	*40
9	924513.86	0.71	01	01	01	01	01	*40	*40	*40	*40	*40
10	10.63	0.95	01	01	01	01	01	*40	*40	*40	*40	*40
11	8.64	1.72	01	01	01	01	01	*40	*40	*40	*40	*40
12	5.64	1.46	01	01	01	01	01	*40	*40	*40	*40	*40
13	4.51	0.60	01	01	01	01	01	*40	*40	*40	*40	*40
14	4.64	0.41	01	01	01	01	01	*40	*40	*40	*40	*40
15	5.39	0.41	01	01	01	01	01	*40	*40	*40	*40	*40
16	7.25	0.97	01	01	01	01	01	*40	*40	*40	*40	*40
17	6.43	1.30	01	01	01	01	01	*40	*40	*40	*40	*40
18	4.51	0.95	01	01	01	01	01	*40	*40	*40	*40	*40
19	5.24	0.66	01	01	01	01	01	*40	*40	*40	*40	*40
20	7.25	0.24	01	01	01	01	01	*40	*40	*40	*40	*40
21	9.11	0.08	01	01	01	01	01	*40	*40	*40	*40	*40
22	8.18	0.04	01	01	01	01	01	01	*40	*40	*40	*40
23	5.99	0.00	01	01	01	01	01	01	*40	*40	*40	*40
24	5.22	0.08	01	01	01	01	01	01	*40	*40	*40	*40
25	5.61	0.06	01	01	01	01	*40	01	*40	*40	*40	*40
26	4.56	6.86	01	01	01	01	*40	01	*40	*40	*40	*40
27	6.17	13.71	01	01	01	01	*40	01	*40	*40	*40	*40
28	4.88	8.48	01	01	01	01	*40	01	*40	*40	*40	*40
29	0.95	5.47	01	01		01	*40	01	*40	*40	*40	*40
30	2.27	2.52	01	01		01	*40	01	*40	*40	*40	*40
31	2.07		01	01		01		01		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

01 : Δεν υπάρχει καμπύλη στάθμης-παροχής αυτή την ημερομηνία

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	01	01	01	01	01	40	40	40	40	40	40	01
2	01	01	01	01	01	40	40	40	40	40	40	01
3	01	01	01	01	01	40	40	40	40	40	40	01
4	01	01	01	01	01	40	40	40	40	40	40	01
5	01	01	01	01	01	40	40	40	40	40	40	01
6	01	01	01	01	01	40	40	40	40	40	40	01
7	01	01	01	01	01	40	40	40	40	40	40	01
8	01	01	01	01	01	40	40	40	40	40	40	01
9	01	01	01	01	01	40	40	40	40	40	40	01
10	01	01	01	01	01	40	40	40	40	40	40	01
11	01	01	01	01	01	40	40	40	40	40	40	01
12	01	01	01	01	01	40	40	40	40	40	40	01
13	01	01	01	01	01	40	40	40	40	40	40	01
14	01	01	01	01	01	40	40	40	40	40	40	01
15	01	01	01	01	01	40	40	40	40	40	40	01
16	01	01	01	01	01	40	40	40	40	40	40	01
17	01	01	01	01	01	40	40	40	40	40	40	01
18	01	01	01	01	01	40	40	40	40	40	40	01
19	01	01	01	01	01	40	40	40	40	40	40	01
20	01	01	01	01	01	40	40	40	40	40	40	01
21	01	01	01	01	01	40	40	40	40	40	40	01
22	01	01	01	01	01	40	40	40	40	40	40	01
23	01	01	01	01	01	40	40	40	40	40	40	01
24	01	01	01	01	01	40	40	40	40	40	40	01
25	01	01	01	01	01	40	40	40	40	40	01	01
26	01	01	01	01	01	40	40	40	40	40	01	01
27	01	01	01	01	01	40	40	40	40	40	01	01
28	01	01	01	01	01	40	40	40	40	40	01	01
29	01	01	01	01		40	40	40	40	40	01	01
30	01	01	01	01		40	40	40	40	40	01	01
31	01		01	01		40		40		40	01	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

01 : Δεν υπάρχει καμπύλη στάθμης-παροχής αυτή την ημερομηνία

ΗΜΕΡΗΣΙΕΣ ΠΑΡΟΧΕΣ (σε m³/sec)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	01	01	01	01	01	01	01	01	01	40	40	40
2	01	01	01	01	01	01	01	01	01	40	40	40
3	01	01	01	01	01	01	01	01	01	40	40	40
4	01	01	01	01	01	01	01	01	01	40	40	40
5	01	01	01	01	01	01	01	01	01	40	40	40
6	01	01	01	01	01	01	01	01	01	40	40	40
7	01	01	01	01	01	01	01	01	40	40	40	40
8	01	01	01	01	01	01	01	01	40	40	40	40
9	01	01	01	01	01	01	01	01	40	40	40	40
10	01	01	01	01	01	01	01	01	40	40	40	40
11	01	01	01	01	01	01	01	01	40	40	40	40
12	01	01	01	01	01	01	01	01	40	40	40	40
13	01	01	01	01	01	01	01	01	40	40	40	40
14	01	01	01	01	01	01	01	01	40	40	40	40
15	01	01	01	01	01	01	01	01	40	40	40	40
16	01	01	01	01	01	01	01	01	40	40	40	40
17	01	01	01	01	01	01	01	01	40	40	40	40
18	01	01	01	01	01	01	01	01	40	40	40	40
19	01	01	01	01	01	01	01	01	40	40	40	40
20	01	01	01	01	01	01	01	01	40	40	40	01
21	01	01	01	01	01	01	01	01	40	40	40	01
22	01	01	01	01	01	01	01	01	40	40	40	01
23	01	01	01	01	01	01	01	01	40	40	40	01
24	01	01	01	01	01	01	01	01	40	40	40	01
25	01	01	01	01	01	01	01	01	40	40	40	01
26	01	01	01	01	01	01	01	01	40	40	40	01
27	01	01	01	01	01	01	01	01	40	40	40	01
28	01	01	01	01	01	01	01	01	40	40	40	01
29	01	01	01	01		01	01	01	40	40	40	01
30	01	01	01	01		01	01	01	40	40	40	01
31	01		01	01		01		01		40	40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

01 : δεν υπάρχει καμπύλη στάθμης-παροχής αυτή την ημερομηνία

**ΣΗΡΑΓΓΑ ΚΑΡΔΙΤΣΑΣ (ΕΥΔΑΠ)
(706)**

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	0.93	0.92	0.07	0.03	*40	*40
2	--	--	--	--	--	--	0.93	0.92	0.07	0.03	*40	*40
3	--	--	--	--	--	--	0.93	0.95	0.07	0.03	*40	*40
4	--	--	--	--	--	--	0.95	0.95	0.07	0.03	*40	*40
5	--	--	--	--	--	--	1.50	0.85	0.07	0.03	*40	*40
6	--	--	--	--	--	--	1.30	0.80	0.07	0.03	*40	*40
7	--	--	--	--	--	--	1.13	0.80	0.07	0.03	*40	*40
8	--	--	--	--	--	--	1.10	0.80	0.07	0.03	*40	*40
9	--	--	--	--	--	--	1.07	0.70	0.07	0.03	*40	*40
10	--	--	--	--	--	--	1.11	0.65	0.07	0.03	*40	*40
11	--	--	--	--	--	--	1.21	0.65	0.07	0.03	*40	*40
12	--	--	--	--	--	--	1.13	0.59	0.07	*40	*40	*40
13	--	--	--	--	--	--	1.09	0.34	0.03	*40	*40	*40
14	--	--	--	--	--	--	0.95	0.40	0.03	*40	*40	*40
15	--	--	--	--	--	--	1.21	0.47	0.03	*40	*40	0.29
16	--	--	--	--	--	--	1.21	0.42	0.03	*40	*40	0.36
17	--	--	--	--	--	--	1.15	0.42	0.03	*40	*40	0.34
18	--	--	--	--	--	--	1.13	0.41	0.03	*40	*40	0.32
19	--	--	--	--	--	--	1.08	0.37	0.03	*40	*40	0.41
20	--	--	--	--	--	--	0.93	0.32	0.03	*40	*40	0.41
21	--	--	--	--	--	--	1.00	0.31	0.03	*40	*40	0.41
22	--	--	--	--	--	--	1.00	0.31	0.03	*40	*40	0.86
23	--	--	--	--	--	--	0.99	0.23	0.03	*40	*40	1.00
24	--	--	--	--	--	--	0.99	0.15	0.03	*40	*40	0.72
25	--	--	--	--	--	--	0.95	0.12	0.03	*40	*40	0.68
26	--	--	--	--	--	--	0.98	0.10	0.03	*40	*40	0.67
27	--	--	--	--	--	--	0.98	0.10	0.03	*40	*40	0.66
28	--	--	--	--	--	--	0.96	0.09	0.03	*40	*40	0.66
29	--	--	--	--	--	--	0.87	0.07	0.03	*40	*40	0.55
30	--	--	--	--	--	--	0.92	0.07	0.03	*40	*40	0.68
31	--	--	--	--	--	--		0.07		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.66	0.69	1.76	1.08	1.10	1.15	0.47	0.63	0.10	*40	*40	*40
2	0.64	0.69	1.00	1.06	1.08	1.18	0.55	0.59	0.44	*40	*40	0.14
3	0.62	0.69	0.80	1.46	1.05	1.20	0.85	0.57	0.25	*40	*40	0.40
4	0.62	0.68	0.72	1.12	1.05	1.20	0.89	0.52	0.22	*40	*40	0.26
5	0.52	0.70	0.68	1.08	1.03	1.20	0.77	0.41	0.21	*40	*40	0.26
6	0.70	0.70	2.10	1.26	1.03	1.18	0.77	0.38	0.21	*40	*40	0.28
7	0.64	0.70	1.95	1.20	1.05	1.12	0.78	0.35	0.21	*40	*40	0.29
8	0.69	0.70	1.32	1.58	1.05	1.10	0.77	0.31	0.21	*40	*40	0.28
9	0.69	0.70	1.11	1.32	1.21	1.10	0.72	0.28	0.16	*40	*40	0.29
10	0.69	0.70	1.05	1.23	1.20	1.09	0.60	0.26	0.08	*40	*40	0.38
11	0.69	0.70	1.15	1.23	1.17	1.08	0.52	0.20	0.06	*40	*40	0.43
12	0.65	0.70	1.06	1.25	1.14	1.03	0.41	0.12	0.03	*40	*40	0.45
13	0.72	0.70	1.00	1.31	1.13	0.98	0.50	0.20	*40	*40	*40	0.50
14	0.71	0.71	0.98	1.39	1.13	0.96	0.53	0.50	*40	*40	*40	0.50
15	0.71	0.71	0.98	1.30	1.17	0.95	0.57	0.55	*40	*40	*40	0.50
16	0.71	0.71	1.22	1.22	1.17	0.94	0.58	0.67	*40	*40	*40	0.52
17	0.65	0.72	1.12	1.18	1.19	0.97	0.56	0.66	*40	*40	*40	0.49
18	0.68	0.72	1.00	1.15	1.17	1.00	0.65	0.68	*40	*40	*40	0.54
19	0.73	0.72	0.95	1.13	1.78	0.96	0.66	0.60	*40	*40	*40	0.48
20	0.71	0.72	0.93	1.10	1.40	0.88	0.62	0.60	*40	*40	*40	0.55
21	0.71	0.72	0.92	1.08	1.48	0.76	0.67	0.58	*40	*40	*40	0.60
22	0.73	0.69	0.85	1.08	1.33	0.83	0.69	0.56	*40	*40	*40	0.60
23	0.72	0.67	0.85	1.06	1.32	0.73	0.71	0.54	*40	*40	*40	0.50
24	0.71	0.71	2.20	1.06	1.30	0.88	0.75	0.50	*40	*40	*40	0.54
25	0.69	0.71	2.20	1.00	1.30	0.89	0.74	0.46	*40	*40	*40	0.60
26	0.70	0.69	1.42	1.06	1.27	0.82	0.72	0.43	*40	*40	*40	0.60
27	0.69	0.72	1.36	1.04	1.22	0.86	0.70	0.37	*40	*40	*40	0.60
28	0.78	1.05	1.36	1.16	1.18	0.86	0.55	0.35	*40	*40	*40	0.67
29	0.76	1.42	1.28	1.11		0.77	0.54	0.33	*40	*40	*40	0.65
30	0.76	1.51	1.20	1.09		0.58	0.54	0.10	*40	*40	*40	0.66
31	0.68		1.14	1.17		0.47		0.10		*40	*40	

ΕΠΕΞΗΓΡΗΕ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφραγμάτω

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.64	1.70	1.08	1.55	1.30	1.34	1.50	1.20	0.71	0.10	*40	*40
2	0.64	1.38	1.03	2.06	1.27	1.32	1.47	1.44	0.50	0.06	*40	*40
3	0.75	1.22	0.98	2.50	1.30	1.30	1.45	1.52	0.80	*40	*40	*40
4	0.68	1.12	1.58	2.20	1.30	1.32	1.44	1.27	0.80	*40	*40	*40
5	0.68	1.38	1.34	1.85	1.26	1.38	1.43	1.23	0.80	*40	*40	*40
6	0.68	1.70	1.24	1.60	1.22	1.40	1.47	1.28	0.70	*40	*40	0.45
7	0.67	2.08	1.16	1.48	1.20	1.44	1.62	1.23	0.90	*40	*40	0.38
8	0.67	1.72	1.10	1.42	1.18	1.78	1.49	1.23	0.86	*40	*40	0.38
9	0.81	1.42	1.05	1.38	1.46	1.96	1.43	1.10	0.86	*40	*40	0.38
10	1.30	1.26	1.03	1.34	1.29	2.28	1.39	1.13	0.72	*40	*40	0.45
11	0.62	1.18	1.00	1.30	1.29	2.30	1.48	1.13	0.74	*40	*40	0.65
12	0.72	1.10	0.94	1.28	1.27	2.50	1.64	1.13	0.42	*40	*40	0.63
13	0.72	1.06	0.94	1.26	1.42	2.03	1.48	1.13	0.44	*40	*40	0.57
14	0.72	1.02	0.92	1.25	2.00	1.86	1.48	1.08	0.32	*40	*40	0.55
15	0.72	0.95	0.88	1.22	1.72	1.76	1.48	1.11	0.42	*40	*40	0.56
16	0.72	0.92	0.88	1.17	1.54	1.78	1.42	1.11	0.32	*40	*40	0.58
17	0.74	0.89	0.88	1.56	1.45	3.35	1.38	1.06	0.32	*40	*40	0.55
18	0.65	0.88	0.92	1.45	1.40	3.00	1.38	1.05	0.32	*40	*40	0.62
19	0.65	1.66	0.88	1.47	1.49	2.42	1.35	1.04	0.26	*40	*40	0.64
20	0.74	1.64	0.92	1.82	1.96	2.10	1.35	1.04	0.44	*40	*40	0.68
21	1.33	1.36	0.92	1.74	1.80	1.93	1.39	1.03	0.44	*40	*40	0.71
22	1.80	1.26	0.90	1.68	1.64	2.00	1.36	1.03	0.38	*40	*40	0.75
23	1.20	1.16	0.90	1.75	1.50	2.10	1.48	1.03	0.58	*40	*40	0.75
24	0.98	1.17	0.96	1.62	1.47	2.06	1.40	1.03	0.42	*40	*40	0.76
25	0.92	1.56	2.08	1.52	1.43	2.00	1.32	1.00	0.30	*40	*40	0.76
26	0.98	1.40	2.10	1.46	1.40	1.90	1.28	0.98	0.27	*40	*40	0.78
27	1.70	1.35	1.60	1.42	1.36	1.80	1.28	0.96	0.24	*40	*40	0.68
28	1.52	1.30	1.38	1.50	1.36	1.70	1.20	0.96	0.20	*40	*40	0.64
29	1.27	1.22	1.28	1.44	1.34	1.64	1.14	0.90	0.16	*40	*40	0.62
30	1.18	1.13	1.40	1.38		1.60	1.20	0.87	0.12	*40	*40	0.68
31	1.78		1.32	1.34		1.54		0.74		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.62	1.68	1.01	1.30	2.60	1.85	1.38	1.05	0.20	0.24	0.16	0.63
2	0.72	1.73	1.08	1.28	2.50	1.80	1.35	0.94	0.20	0.16	0.13	0.64
3	0.75	1.50	1.08	1.26	2.40	1.65	1.33	0.85	0.16	0.16	0.13	0.64
4	0.71	1.45	1.08	1.24	2.35	1.63	1.60	0.82	0.16	0.20	0.13	0.66
5	0.88	1.44	1.40	1.24	2.35	1.62	1.55	0.80	0.16	0.20	0.11	0.67
6	0.81	1.44	1.37	1.24	2.40	1.61	1.52	0.80	0.13	0.20	0.11	0.67
7	0.81	1.34	1.33	1.24	2.45	1.60	1.48	1.20	0.11	0.16	0.08	0.86
8	0.78	1.32	1.28	1.42	2.47	1.58	1.45	1.12	0.10	0.13	0.06	1.05
9	0.81	1.32	1.26	1.45	2.30	1.56	1.40	1.04	0.08	0.13	0.06	0.82
10	0.80	1.10	1.18	1.40	2.27	1.55	1.39	1.00	0.08	0.13	*40	0.77
11	0.82	0.90	1.14	1.08	2.27	1.50	1.38	0.94	0.06	0.13	*40	0.77
12	0.84	0.90	1.12	1.15	2.25	1.48	1.36	0.88	0.06	0.13	*40	0.77
13	0.75	0.90	1.10	1.14	2.25	1.48	1.75	0.78	0.06	0.13	*40	0.77
14	0.71	0.88	1.10	1.22	2.35	1.46	1.66	0.72	0.06	0.11	*40	0.79
15	0.74	0.88	1.09	1.78	2.35	1.46	1.61	0.68	0.06	0.20	*40	0.80
16	0.74	0.85	1.08	2.30	2.33	1.45	1.55	0.63	0.35	0.20	*40	0.82
17	0.76	0.85	1.08	2.15	2.15	1.45	1.48	0.60	0.35	0.20	*40	0.80
18	0.85	0.83	1.10	1.62	2.05	1.45	1.42	0.60	0.30	0.16	*40	0.79
19	0.85	0.83	1.10	1.62	1.90	1.70	1.35	0.60	0.40	0.16	0.40	0.79
20	0.87	0.83	2.35	1.61	1.80	1.68	1.35	0.60	0.50	0.16	0.43	0.78
21	0.91	0.82	2.20	2.20	1.70	1.65	1.34	0.58	0.50	0.16	0.47	0.80
22	1.15	0.82	2.25	3.10	1.65	1.62	1.32	0.50	0.50	0.16	0.51	0.83
23	1.22	0.81	2.30	3.80	1.65	1.60	1.30	0.47	0.45	0.16	0.57	0.85
24	1.08	0.80	1.95	3.70	1.60	1.58	1.29	0.45	0.55	0.16	0.62	0.80
25	1.02	0.80	1.78	3.20	1.60	1.55	1.27	0.40	0.58	0.16	0.55	0.78
26	1.00	0.80	1.61	3.15	1.56	1.50	1.26	0.39	0.50	0.16	0.47	0.75
27	1.60	0.80	1.58	3.10	2.00	1.46	1.24	0.32	0.40	0.16	0.52	0.71
28	2.90	0.79	1.52	3.00	1.90	1.43	1.23	0.28	0.32	0.16	0.50	0.67
29	2.85	0.83	1.42	2.90		1.41	1.22	0.25	0.27	0.16	0.57	0.64
30	2.75	0.95	1.36	2.80		1.40	1.13	0.23	0.27	0.16	0.65	0.70
31	2.12		1.33	2.70		1.40		0.21		0.16	0.66	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.75	0.80	0.81	0.96	1.30	1.70	1.90	2.00	1.65	0.45	0.25	0.60
2	0.72	0.72	0.80	1.00	1.15	1.70	2.20	1.85	1.60	0.45	0.25	0.60
3	0.70	0.68	0.82	1.00	1.04	1.80	2.35	1.80	1.50	0.45	0.25	0.60
4	0.68	0.90	1.35	0.98	0.98	2.27	2.25	1.75	1.40	0.45	0.26	0.58
5	0.66	1.00	1.30	0.95	0.96	2.20	2.05	1.75	1.30	0.42	0.26	0.58
6	0.62	0.92	1.00	0.94	0.95	1.85	1.90	1.74	1.20	0.42	0.30	0.58
7	0.65	0.88	0.97	0.92	0.94	1.75	1.80	1.60	1.10	0.41	0.35	0.59
8	0.66	0.82	1.00	0.92	0.93	3.40	1.70	1.45	1.00	0.41	0.38	0.59
9	0.68	1.00	1.00	0.92	0.92	2.90	1.68	1.35	0.90	0.41	0.39	0.58
10	0.70	0.92	0.95	0.92	1.05	2.00	1.66	1.30	0.80	0.40	0.39	0.63
11	0.72	0.93	0.93	0.91	1.30	1.80	1.64	1.25	0.80	0.40	0.39	0.65
12	0.72	0.95	0.92	0.90	1.18	2.20	1.60	1.20	0.75	0.34	0.39	0.66
13	0.68	0.91	0.90	0.90	1.10	1.95	1.55	1.20	0.75	0.32	0.40	0.66
14	0.68	0.89	0.90	0.88	1.00	1.80	1.50	1.00	0.70	0.30	0.40	0.65
15	0.70	0.87	0.88	0.86	1.05	1.80	1.55	0.80	0.70	0.27	0.40	0.68
16	0.71	0.95	0.87	0.85	1.04	1.75	1.60	0.80	0.68	0.27	0.40	0.70
17	0.73	0.88	0.89	0.85	1.02	1.70	1.55	1.40	0.64	0.27	0.40	0.70
18	0.74	0.88	0.92	0.83	1.05	1.65	1.55	1.35	0.64	0.25	0.40	0.72
19	0.74	0.87	0.96	0.85	1.05	1.58	1.60	1.30	0.65	0.25	0.40	0.72
20	0.75	0.87	0.98	0.88	1.06	1.56	1.65	1.27	0.65	0.25	0.41	0.73
21	0.76	0.84	0.96	0.86	1.06	1.55	1.75	1.25	0.65	0.23	0.41	0.73
22	0.80	0.85	1.00	0.88	1.60	1.70	3.10	1.23	0.65	0.23	0.41	0.72
23	1.27	0.80	1.55	0.89	2.50	2.20	2.75	1.20	0.63	0.23	0.41	0.72
24	0.80	0.83	1.35	0.89	2.30	2.50	2.30	1.05	0.60	0.23	0.41	0.55
25	0.72	0.82	1.32	0.95	3.10	2.10	2.15	0.95	0.58	0.23	0.45	0.45
26	0.70	0.81	1.30	1.00	2.80	1.90	1.90	1.20	0.56	0.23	0.45	0.45
27	1.10	0.83	1.28	1.10	2.60	1.80	1.80	1.40	0.55	0.23	0.65	0.47
28	1.15	0.87	1.25	1.10	2.35	1.75	1.75	1.90	0.53	0.23	0.60	0.50
29	1.06	0.88	1.00	1.15		1.68	1.85	2.05	0.50	0.23	0.45	0.80
30	0.95	0.81	0.92	1.21		1.65	2.10	1.95	0.48	0.25	0.61	0.72
31	0.86		0.96	1.28		1.70		1.60		0.25	0.61	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.55	0.73	1.15	1.00	0.95	1.10	1.07	0.20	0.38	0.20	40	40
2	0.55	0.65	1.00	1.00	0.95	1.17	1.05	0.20	0.38	0.20	40	40
3	0.50	0.60	1.10	1.00	0.95	2.30	1.05	0.20	0.30	0.16	40	40
4	0.60	0.60	1.20	1.00	0.98	2.00	1.05	0.20	0.25	0.16	40	40
5	0.99	0.60	1.25	0.96	1.00	1.55	1.03	0.24	0.70	0.10	40	40
6	0.65	0.60	1.25	0.96	1.00	1.35	1.00	0.34	0.40	0.10	40	40
7	0.68	0.60	1.10	0.96	1.00	1.20	1.00	0.40	0.34	0.06	40	40
8	0.85	0.74	1.00	1.00	1.00	1.20	0.72	0.40	0.45	0.06	40	40
9	0.82	0.82	1.00	1.00	1.00	1.15	0.53	0.40	0.62	0.06	40	40
10	0.65	0.77	1.00	1.00	1.10	1.15	0.53	0.40	0.70	0.06	40	40
11	0.63	0.74	1.10	1.02	1.10	1.15	0.43	0.42	0.75	0.06	40	40
12	0.65	0.78	1.10	1.00	1.10	1.20	0.43	0.42	0.75	0.06	40	40
13	0.63	0.82	1.13	1.00	1.10	1.20	0.45	0.42	0.56	0.06	40	40
14	0.67	0.82	1.10	1.00	1.10	1.15	0.45	0.42	0.41	0.06	40	40
15	0.78	0.93	1.00	1.00	1.10	1.15	0.45	0.42	0.40	0.06	40	40
16	0.72	0.85	1.00	1.00	1.07	1.15	0.45	0.42	0.40	0.06	40	40
17	0.70	0.96	1.00	0.98	1.07	1.17	0.45	0.25	0.50	0.06	40	40
18	0.62	1.38	1.00	0.98	1.07	1.17	0.45	0.25	0.60	40	40	40
19	0.62	1.35	1.00	0.98	1.05	1.17	0.45	0.22	0.60	40	40	40
20	0.60	1.30	1.15	0.98	1.05	1.15	0.41	0.30	0.62	40	40	40
21	0.60	1.15	1.25	0.98	1.05	1.10	0.38	0.45	0.55	40	40	40
22	0.70	0.85	1.10	0.98	1.05	1.10	0.30	0.47	0.38	40	40	40
23	0.73	0.85	1.10	0.98	1.05	1.05	0.30	0.47	0.38	40	40	40
24	0.78	0.85	1.10	0.98	1.05	1.05	0.30	0.30	0.40	40	40	40
25	0.78	0.85	1.10	1.00	1.05	1.12	0.30	0.30	0.40	40	40	40
26	0.55	0.88	1.10	1.00	1.07	1.20	0.28	0.25	0.42	40	40	40
27	0.55	0.88	1.05	1.00	1.07	1.20	0.28	0.30	0.42	40	40	40
28	0.58	0.93	1.05	0.95	1.10	1.20	0.25	0.40	0.40	40	40	40
29	0.65	0.95	1.15	0.95		1.20	0.22	0.40	0.38	40	40	40
30	0.71	1.17	1.10	0.95		1.10	0.22	0.40	0.38	40	40	40
31	0.75		1.05	0.95		1.07		0.38		40	40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.26	0.62	0.70	0.93	1.05	1.50	1.46	1.54	0.60	0.50	**0	0.61
2	0.26	0.62	1.70	0.93	1.54	1.50	1.44	1.52	0.53	0.50	**0	0.61
3	0.26	0.60	2.30	0.90	2.10	1.51	1.35	1.52	0.50	0.49	**0	0.63
4	0.25	0.60	1.82	0.90	1.60	1.51	1.33	1.47	0.47	0.47	**0	0.63
5	0.25	0.62	1.65	0.90	1.47	1.56	1.33	1.43	0.43	0.45	**0	0.63
6	0.25	0.62	1.48	1.40	1.44	1.75	2.08	1.40	0.35	0.41	**0	0.63
7	0.30	0.62	1.40	1.80	1.35	1.57	2.55	1.36	0.31	0.38	**0	0.65
8	0.30	0.62	2.05	2.05	1.35	1.50	2.37	1.34	0.28	0.34	**0	0.68
9	0.30	0.65	2.47	1.31	1.40	1.52	2.10	1.28	0.26	0.32	**0	0.72
10	0.32	0.62	1.95	1.35	2.15	1.54	1.90	1.25	0.24	0.32	**0	0.73
11	0.30	0.60	1.55	1.66	1.76	1.54	1.82	1.23	0.22	0.30	**0	0.74
12	0.30	0.60	1.32	1.70	1.65	1.54	1.78	1.20	0.20	0.30	**0	0.75
13	0.30	0.60	1.35	1.62	1.35	1.40	2.05	1.18	0.20	0.30	**0	0.76
14	0.30	0.58	1.43	1.54	1.38	1.40	2.40	1.14	0.16	0.30	**0	0.68
15	0.30	0.58	1.45	1.50	1.54	1.32	2.38	1.14	0.25	0.30	**0	0.60
16	0.30	0.60	1.31	1.46	2.15	1.32	1.93	1.14	0.25	0.30	**0	0.53
17	0.30	0.65	1.20	1.24	2.20	1.31	1.78	1.05	0.24	0.30	**0	0.52
18	0.30	0.67	1.14	1.15	2.50	1.31	1.80	0.76	0.24	0.30	0.50	0.52
19	0.45	0.67	1.14	1.05	2.30	1.57	1.73	1.00	0.25	0.28	0.53	0.54
20	0.45	0.67	1.10	1.10	2.02	2.25	1.60	1.05	0.25	0.25	0.45	0.54
21	0.45	0.66	1.10	1.15	1.72	1.96	1.50	1.00	0.25	0.24	0.38	0.55
22	0.46	0.70	1.18	1.15	1.70	2.70	1.80	0.95	0.28	0.22	0.35	0.57
23	0.46	0.70	1.18	1.17	1.67	2.90	1.70	0.92	0.32	0.20	0.30	0.58
24	0.50	0.70	1.16	1.11	1.60	2.35	1.60	0.90	0.34	0.20	0.35	0.58
25	0.98	0.67	1.16	1.10	1.54	2.15	1.64	0.90	0.34	0.20	0.40	0.57
26	0.95	0.66	1.15	1.25	1.46	2.05	1.82	0.90	0.35	0.20	0.48	0.57
27	0.78	0.65	1.13	1.15	1.44	1.87	1.75	0.90	0.35	0.16	0.50	0.57
28	0.71	0.65	1.07	1.10	1.45	1.76	1.71	0.90	0.35	0.10	0.50	0.56
29	0.65	0.63	1.00	1.05	1.48	1.70	1.68	0.90	0.40	0.10	0.53	0.56
30	0.60	0.63	0.97	1.05		1.65	1.60	0.70	0.48	0.06	0.60	0.55
31	0.60		0.95	1.05		1.57		0.68		**0	0.60	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.55	0.85	0.74	3.20	1.65	1.33	1.57	1.09	0.95	***	***	0.41
2	0.55	0.87	0.74	2.70	1.56	1.40	1.57	1.00	0.95	***	***	0.41
3	0.57	0.89	0.74	2.10	1.51	1.44	1.54	1.00	0.95	***	***	0.40
4	0.57	0.90	0.72	2.00	1.48	1.75	1.50	0.98	0.90	***	***	0.40
5	0.55	0.90	0.72	1.90	1.40	1.60	1.50	0.97	0.74	***	***	0.40
6	0.55	0.90	0.70	1.85	1.42	1.57	1.50	0.95	0.70	***	***	0.40
7	0.53	0.90	0.70	2.00	1.44	1.54	1.48	0.95	0.56	***	***	0.40
8	0.52	0.90	0.70	1.94	1.40	1.52	1.48	0.85	0.50	***	***	0.40
9	0.52	0.87	0.71	2.30	1.37	1.50	1.46	0.78	0.46	***	***	0.40
10	0.50	0.85	0.74	2.15	1.35	1.48	1.40	0.76	0.45	***	***	0.42
11	0.50	0.83	0.74	1.75	1.30	1.48	1.40	0.73	0.45	***	***	0.42
12	0.52	0.83	0.74	1.55	1.30	1.46	1.40	0.71	0.45	***	***	0.42
13	0.55	0.83	0.74	1.50	1.40	1.46	1.39	0.71	0.43	***	***	0.40
14	0.57	0.83	0.72	1.54	1.42	1.43	1.39	0.71	0.38	***	***	0.40
15	0.60	0.84	0.70	1.54	1.40	1.65	1.37	0.72	0.35	***	***	0.40
16	0.65	0.84	0.68	1.75	1.37	1.78	1.37	0.72	0.32	***	***	0.40
17	0.72	0.82	0.68	3.05	1.35	1.64	1.33	0.76	0.32	***	***	0.40
18	0.80	0.82	0.67	2.80	1.35	1.58	1.33	0.77	0.30	***	***	0.40
19	0.82	0.80	0.70	2.45	1.33	1.50	1.40	0.77	0.30	***	***	0.40
20	0.70	0.80	0.70	2.20	1.30	1.50	1.48	0.77	0.26	***	***	0.42
21	0.60	0.80	0.72	2.16	1.30	1.48	1.50	0.76	0.20	***	***	0.42
22	0.57	0.79	0.74	1.95	1.30	1.65	1.46	0.74	***	***	***	0.43
23	0.55	0.77	0.76	1.84	1.27	1.75	1.46	0.74	***	***	***	0.43
24	0.53	0.77	0.78	1.82	1.27	1.82	1.42	0.58	***	***	***	0.43
25	0.50	0.76	0.79	1.82	1.25	1.83	1.40	0.50	***	***	***	0.43
26	0.55	0.76	0.80	1.82	1.25	1.83	1.37	0.44	***	***	***	0.45
27	0.57	0.76	0.80	1.80	1.27	1.82	1.33	0.40	***	***	***	0.45
28	0.60	0.74	0.80	1.70	1.27	1.80	1.30	0.38	***	***	***	0.47
29	0.65	0.74	1.05	1.66		1.70	1.28	0.35	***	***	***	0.47
30	0.67	0.74	1.54	1.95		1.62	1.22	0.35	***	***	0.50	0.47
31	0.74		3.50	1.80		1.60		0.90		***	0.45	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.48	0.83	1.24	0.95	1.00	1.35	1.42	0.30	0.27	***	***	***
2	0.48	0.83	1.15	0.92	1.00	1.32	1.25	0.30	0.27	***	***	***
3	0.48	0.83	1.10	0.92	1.00	1.25	1.25	0.30	0.27	***	***	***
4	0.55	0.82	1.10	0.92	1.00	1.25	1.18	0.30	0.27	***	***	***
5	0.58	0.82	1.08	0.95	1.04	1.30	1.15	0.30	0.25	***	***	***
6	0.62	0.82	1.00	0.95	1.10	1.22	1.15	0.30	0.25	***	***	***
7	0.64	0.82	0.93	0.95	1.10	1.25	1.15	0.35	0.25	***	***	***
8	0.65	0.82	0.87	0.95	1.15	1.25	1.04	0.35	0.25	***	***	***
9	0.65	0.82	0.85	0.95	1.15	1.25	0.92	0.35	0.25	***	***	***
10	0.65	0.80	0.93	1.03	1.25	1.28	0.89	0.35	0.25	***	***	***
11	0.63	0.80	0.93	1.04	1.25	1.28	0.85	0.35	0.25	***	***	***
12	0.63	0.80	0.93	1.04	1.30	1.25	0.83	0.35	0.24	***	***	0.27
13	0.63	0.80	0.95	1.04	1.48	1.25	0.80	0.40	0.24	***	***	0.27
14	0.74	0.80	1.18	1.05	1.40	1.25	0.72	0.92	0.24	***	***	0.27
15	0.85	0.80	1.25	1.05	1.36	1.25	0.54	0.96	0.24	***	***	0.27
16	0.88	0.80	1.07	1.05	1.32	1.25	0.54	0.96	0.24	***	***	0.27
17	0.90	0.80	1.05	1.03	1.35	1.25	0.59	0.95	0.24	***	***	0.27
18	0.90	0.80	1.05	0.98	1.35	1.25	0.65	0.95	0.27	***	***	0.27
19	0.90	0.80	1.05	0.96	1.37	1.21	0.68	0.86	0.27	***	***	0.27
20	0.90	0.80	1.05	0.96	1.37	1.20	0.70	0.80	0.25	***	***	0.27
21	0.90	0.80	1.07	0.95	1.40	1.20	0.65	0.78	0.25	***	***	0.27
22	0.90	0.80	1.10	0.95	1.43	1.18	0.60	0.75	0.25	***	***	0.27
23	0.92	0.95	1.10	0.95	1.45	1.18	0.60	0.55	0.22	***	***	0.27
24	0.92	1.05	1.10	0.95	1.45	1.15	0.55	0.45	0.22	***	***	0.27
25	0.90	2.00	1.10	0.95	1.47	1.13	0.43	0.40	0.22	***	***	0.27
26	0.90	1.35	1.07	0.96	1.47	1.10	0.35	0.40	***	***	***	0.27
27	0.87	1.10	1.05	1.00	1.47	1.08	0.30	0.35	***	***	***	0.27
28	0.85	1.50	1.05	1.00	1.40	1.28	0.30	0.30	***	***	***	0.27
29	0.85	1.32	1.02	1.00		1.35	0.25	0.30	***	***	***	0.27
30	0.85	1.28	1.00	1.00		1.40	0.25	0.30	***	***	***	0.27
31	0.83		0.98	1.00		1.40		0.30		***	***	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ
 *40 : Κλειστό θύροραματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.27	1.30	0.75	0.99	1.30	1.25	2.65	1.62	0.75	*40	*40	*40
2	0.27	1.03	0.75	0.99	1.32	1.25	2.65	1.60	0.75	*40	*40	*40
3	0.27	0.95	0.75	1.05	1.30	1.30	2.30	1.57	0.73	*40	*40	*40
4	0.27	0.95	0.75	1.05	1.25	1.47	2.25	1.48	0.73	*40	*40	*40
5	0.27	1.00	0.75	1.10	1.25	1.44	2.20	1.45	0.73	*40	*40	*40
6	0.27	1.00	0.75	1.18	1.25	1.44	2.15	1.45	0.73	*40	*40	*40
7	0.27	1.00	0.75	1.18	1.25	1.40	1.75	1.45	0.73	*40	*40	*40
8	0.27	1.00	0.75	1.20	1.25	1.40	1.75	1.38	0.73	*40	*40	*40
9	0.27	1.00	0.75	1.22	1.25	1.37	1.70	1.32	0.73	*40	*40	*40
10	0.27	1.00	0.75	1.22	1.23	1.40	1.70	1.32	0.73	*40	*40	*40
11	0.35	0.95	0.75	1.25	1.23	1.44	1.65	1.30	0.73	*40	*40	*40
12	0.35	0.85	0.75	1.25	1.20	1.45	1.57	1.27	0.41	*40	*40	0.45
13	0.35	0.85	0.75	1.25	1.15	1.47	1.57	1.25	0.34	*40	*40	0.45
14	0.35	0.80	0.75	1.23	1.10	1.47	1.57	1.03	0.30	*40	*40	0.45
15	0.35	0.80	0.75	1.20	1.40	1.50	1.56	1.05	0.30	*40	*40	0.45
16	0.35	0.80	0.75	1.15	1.44	1.50	1.54	1.05	0.30	*40	*40	0.45
17	0.43	0.80	0.75	1.15	1.53	1.70	1.54	1.09	0.30	*40	*40	0.45
18	0.48	0.80	0.75	1.22	1.33	1.70	1.52	1.13	0.30	*40	*40	0.43
19	0.53	0.80	0.75	1.90	1.30	1.75	1.52	1.14	0.28	*40	*40	0.43
20	0.55	0.75	0.75	2.00	1.27	1.90	1.50	1.14	0.28	*40	*40	0.40
21	0.60	0.75	0.75	1.62	1.25	2.00	1.50	1.14	0.22	*40	*40	0.40
22	0.60	0.75	0.75	1.37	1.25	2.40	1.47	1.08	0.20	*40	*40	0.40
23	0.60	0.75	0.75	1.35	1.25	2.40	1.45	1.00	*40	*40	*40	0.40
24	0.60	0.75	0.96	1.33	1.34	2.70	1.37	0.85	*40	*40	*40	0.40
25	0.60	0.75	1.08	1.33	1.32	2.55	1.32	0.80	*40	*40	*40	0.40
26	0.60	0.75	1.00	1.22	1.30	2.10	1.28	0.80	*40	*40	*40	0.40
27	0.60	0.75	0.96	1.20	1.27	2.10	1.25	0.80	*40	*40	*40	0.40
28	0.62	0.75	0.96	1.20	1.27	2.10	1.47	0.75	*40	*40	*40	0.40
29	1.40	0.75	0.93	1.18		2.10	1.65	0.75	*40	*40	*40	0.40
30	2.70	0.75	0.93	1.18		1.80	1.71	0.75	*40	*40	*40	0.40
31	2.50		0.99	1.25		2.25		0.75		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.45	0.77	0.80	0.80	0.93	1.50	1.25	0.75	0.20	140	140	140
2	0.50	0.77	0.80	0.80	0.95	1.65	1.25	0.75	0.20	140	140	140
3	0.54	0.77	0.80	0.80	0.95	1.60	1.25	0.75	0.20	140	140	140
4	0.54	0.77	0.80	0.80	0.95	1.55	1.25	0.75	0.20	140	140	140
5	0.54	0.80	0.80	0.80	0.95	1.50	1.20	0.75	0.20	140	140	140
6	0.54	0.80	0.80	0.80	0.95	1.35	1.20	0.75	0.20	140	140	140
7	0.56	0.80	0.80	0.80	0.95	2.00	1.25	0.75	0.20	140	140	140
8	0.56	0.82	0.80	0.80	0.95	3.00	1.25	0.75	0.20	140	140	140
9	0.60	0.82	0.80	0.80	0.95	2.50	1.25	0.75	0.20	140	140	140
10	0.60	0.82	0.80	0.80	0.95	2.00	1.25	0.75	0.20	140	140	140
11	0.60	0.82	0.80	0.80	0.95	1.90	1.25	0.75	0.20	140	140	140
12	0.60	0.82	0.80	0.80	0.95	1.80	1.25	0.75	0.20	140	140	140
13	0.60	0.82	0.80	0.80	1.15	1.65	1.15	0.65	0.20	140	140	140
14	0.60	0.80	0.80	0.80	2.05	1.50	1.00	0.60	0.20	140	140	140
15	0.60	0.80	0.80	0.80	2.00	1.50	1.00	0.55	0.20	140	140	140
16	0.60	0.80	0.80	0.80	1.60	1.35	1.00	0.50	0.20	140	140	140
17	0.60	0.80	0.80	0.80	1.30	1.45	1.00	0.45	140	140	140	140
18	0.60	0.80	0.80	0.80	1.30	1.45	1.00	0.45	140	140	140	140
19	0.60	0.80	0.80	0.80	1.30	1.45	1.00	0.45	140	140	140	140
20	0.60	0.80	0.80	0.80	1.30	1.45	0.80	0.40	140	140	140	140
21	0.60	0.80	0.80	0.80	1.25	1.35	0.80	0.30	140	140	140	140
22	0.60	0.80	0.80	0.96	1.25	1.35	0.80	0.30	140	140	140	140
23	0.70	0.80	0.80	1.11	1.25	1.35	0.80	0.30	140	140	140	140
24	0.70	0.80	0.80	1.15	1.25	1.35	0.80	0.30	140	140	140	140
25	0.72	0.80	0.80	1.15	1.35	1.35	0.80	0.30	140	140	140	140
26	0.72	0.80	0.80	1.08	1.70	1.35	0.80	0.20	140	140	140	0.30
27	0.72	0.80	0.80	0.97	2.00	1.35	0.80	0.20	140	140	140	0.30
28	0.72	0.80	0.80	0.90	1.70	1.35	0.80	0.20	140	140	140	0.30
29	0.74	0.80	0.80	0.93	1.30	1.35	0.80	0.20	140	140	140	0.40
30	0.74	0.80	0.80	0.93		1.35	0.80	0.20	140	140	140	0.40
31	0.77		0.80	0.93		1.35		0.20		140	140	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.40	0.65	0.75	1.10	0.90	1.55	1.30	0.40	*40	*40	*40	*40
2	0.40	0.65	0.90	1.10	0.90	1.20	1.30	0.40	*40	*40	*40	*40
3	0.40	0.65	1.00	1.10	0.80	1.20	1.30	0.40	*40	*40	*40	*40
4	0.40	0.65	1.00	1.00	0.80	1.20	1.30	0.40	*40	*40	*40	*40
5	0.40	0.65	0.95	1.00	0.80	1.20	1.20	0.40	*40	*40	*40	*40
6	0.40	0.65	0.95	1.00	0.80	1.10	1.20	0.40	*40	*40	*40	*40
7	0.40	0.70	0.80	1.00	0.80	1.10	1.20	0.40	*40	*40	*40	*40
8	0.40	0.70	0.75	1.00	0.80	1.00	1.00	0.40	*40	*40	*40	*40
9	0.40	0.70	1.00	1.00	0.80	0.90	1.00	0.40	*40	*40	*40	*40
10	0.40	0.70	2.35	1.00	0.80	0.90	0.90	0.40	*40	*40	*40	*40
11	0.40	0.65	1.70	1.00	0.80	0.90	0.75	0.40	*40	*40	*40	*40
12	0.40	0.65	1.30	1.00	0.80	0.90	0.70	0.40	*40	*40	*40	*40
13	0.40	0.65	1.20	1.00	0.80	0.90	0.70	0.40	*40	*40	*40	*40
14	0.40	0.65	1.20	1.00	0.80	0.90	1.00	0.40	*40	*40	*40	*40
15	0.40	0.65	1.20	1.00	0.80	0.85	1.00	0.40	*40	*40	*40	*40
16	0.40	0.65	1.35	1.00	0.80	0.80	1.00	0.40	*40	*40	*40	*40
17	0.40	0.65	1.40	0.95	0.80	0.80	0.90	0.40	*40	*40	*40	*40
18	0.40	0.70	1.40	0.95	0.80	0.80	0.80	0.40	*40	*40	*40	*40
19	0.40	0.70	1.40	0.90	0.80	0.80	0.80	0.20	*40	*40	*40	*40
20	0.40	0.70	1.40	0.90	0.80	0.80	0.80	*40	*40	*40	*40	*40
21	0.40	0.70	1.40	0.90	0.80	0.80	0.80	*40	*40	*40	*40	*40
22	0.40	0.70	1.40	0.90	0.80	0.80	0.80	*40	*40	*40	*40	*40
23	0.40	0.70	1.40	0.90	0.80	0.80	0.70	*40	*40	*40	*40	*40
24	0.40	0.70	1.40	0.90	0.80	2.90	0.70	*40	*40	*40	*40	*40
25	0.40	1.75	1.40	0.90	0.80	3.10	0.40	*40	*40	*40	*40	*40
26	0.40	1.75	1.40	0.90	0.80	2.80	0.40	*40	*40	*40	*40	*40
27	0.65	1.50	1.40	0.90	0.80	2.80	0.40	*40	*40	*40	*40	*40
28	0.65	1.20	1.40	0.90	0.80	1.70	0.40	*40	*40	*40	*40	*40
29	0.65	1.00	1.20	0.90		1.30	0.40	*40	*40	*40	*40	*40
30	0.65	0.85	1.10	0.90		1.30	0.40	*40	*40	*40	*40	*40
31	0.65		1.10	0.90		1.30		*40		*40	*40	*40

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θυροφράγματων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	0.50	0.60	0.70	0.60	0.50	*40	*40	*40	*40	*40	0.37
2	*40	0.50	0.60	0.70	0.60	0.50	*40	*40	*40	*40	*40	0.37
3	0.65	0.50	0.60	0.70	0.60	0.50	*40	*40	*40	*40	*40	0.37
4	0.45	0.50	0.60	0.70	0.60	0.50	*40	*40	*40	*40	*40	0.45
5	0.40	0.50	0.60	0.70	0.60	0.40	*40	*40	*40	*40	*40	0.45
6	0.60	0.50	0.60	0.70	0.60	0.40	*40	*40	*40	*40	*40	0.45
7	0.60	0.50	0.60	0.70	0.60	0.40	*40	*40	*40	*40	*40	0.45
8	0.60	0.50	0.60	0.70	0.60	0.40	*40	*40	*40	*40	*40	0.45
9	0.45	0.60	0.60	0.70	0.60	0.40	*40	*40	*40	*40	*40	0.45
10	0.60	0.60	0.60	0.70	0.60	0.40	*40	*40	*40	*40	*40	0.45
11	0.60	0.60	0.60	0.70	0.60	*40	*40	*40	*40	*40	*40	0.45
12	0.50	0.60	0.60	0.70	0.60	*40	*40	*40	*40	*40	*40	0.45
13	0.50	0.60	0.60	0.70	0.60	*40	*40	*40	*40	*40	*40	0.45
14	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.35
15	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.45
16	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.40
17	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.40
18	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.40
19	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.40
20	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.30
21	0.50	0.60	0.60	0.70	0.50	*40	*40	*40	*40	*40	*40	0.35
22	0.50	0.60	0.70	0.70	0.50	*40	*40	*40	*40	*40	*40	0.35
23	0.50	0.60	0.70	0.70	0.50	*40	*40	*40	*40	*40	*40	0.30
24	0.50	0.60	0.70	0.70	0.50	*40	*40	*40	*40	*40	*40	0.30
25	0.50	0.60	0.70	0.70	0.50	*40	*40	*40	*40	*40	1.30	0.30
26	0.50	0.60	0.70	0.70	0.50	*40	*40	*40	*40	*40	0.80	0.30
27	0.50	0.60	0.70	0.60	0.50	*40	*40	*40	*40	*40	0.55	0.30
28	0.50	0.60	0.70	0.60	0.50	*40	*40	*40	*40	*40	0.48	0.30
29	0.50	0.60	0.70	0.60		*40	*40	*40	*40	*40	0.45	0.30
30	0.50	0.60	0.70	0.60		*40	*40	*40	*40	*40	0.43	0.30
31	0.50		0.70	0.60		*40		*40		*40	0.43	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.30	0.45	0.65	1.00	1.25	1.35	1.50	1.40	--	--	--	--
2	0.40	0.45	0.65	1.00	1.25	1.35	1.55	1.35	--	--	--	--
3	0.40	0.45	1.00	1.00	1.25	1.35	1.60	1.10	--	--	--	--
4	0.40	0.45	1.35	1.00	1.25	1.30	1.50	1.05	--	--	--	--
5	0.45	0.45	1.60	1.00	1.10	1.30	0.85	1.05	--	--	--	--
6	0.45	0.45	1.55	1.00	1.10	1.30	0.85	1.00	--	--	--	--
7	0.45	0.45	0.85	0.90	1.10	1.30	1.10	1.00	--	--	--	--
8	0.45	0.45	0.80	0.85	1.10	1.30	2.00	0.70	--	--	--	--
9	0.45	0.50	0.90	0.80	1.10	1.20	1.75	0.70	--	--	--	--
10	0.45	0.45	0.90	0.80	1.10	1.20	1.40	0.60	--	--	--	--
11	0.45	0.45	0.80	0.80	1.10	1.35	1.40	1.00	--	--	--	--
12	0.45	0.45	0.90	0.80	1.10	2.05	1.40	0.90	--	--	--	--
13	0.45	0.45	1.80	0.80	1.10	1.65	1.40	0.60	--	--	--	--
14	0.45	0.45	1.85	0.75	1.10	1.50	1.45	0.50	--	--	--	--
15	0.45	0.45	1.85	0.70	1.10	1.45	1.75	--	--	--	--	--
16	0.45	0.90	1.55	2.90	1.20	1.45	1.45	--	--	--	--	--
17	0.45	0.90	1.55	2.50	1.20	1.90	1.45	--	--	--	--	--
18	0.45	0.90	1.30	1.70	1.20	2.00	1.35	--	--	--	--	--
19	0.45	0.90	1.15	1.45	1.20	1.75	1.30	--	--	--	--	--
20	0.45	0.70	1.25	1.30	1.20	1.65	1.30	--	--	--	--	--
21	0.45	0.60	1.15	1.25	1.20	1.55	1.30	--	--	--	--	--
22	0.45	0.60	1.10	1.10	1.30	1.35	1.30	--	--	--	--	--
23	0.45	0.60	1.00	1.20	1.30	1.45	1.30	--	--	--	--	--
24	0.45	0.60	1.00	1.15	1.45	1.40	1.30	--	--	--	--	--
25	0.45	0.60	1.00	1.15	1.60	1.30	1.25	--	--	--	--	--
26	0.45	0.60	1.00	1.10	1.70	1.30	1.25	--	--	--	--	--
27	0.45	0.60	1.00	1.10	1.55	1.30	1.15	--	--	--	--	--
28	0.45	0.60	1.10	1.30	1.45	1.35	1.15	--	--	--	--	--
29	0.45	0.60	1.00	1.30		1.30	1.10	--	--	--	--	--
30	0.45	0.60	1.00	1.25		1.30	1.10	--	--	--	--	--
31	0.45		1.00	1.25		1.30		--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜΕΡΗΣΙΕΣ ΠΑΡΟΧΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	9.41	9.24	0.15	0.05	*40	*40
2	--	--	--	--	--	--	9.41	9.24	0.15	0.05	*40	*40
3	--	--	--	--	--	--	9.41	9.50	0.15	0.05	*40	*40
4	--	--	--	--	--	--	9.59	9.76	0.15	0.05	*40	*40
5	--	--	--	--	--	--	15.39	8.90	0.15	0.05	*40	*40
6	--	--	--	--	--	--	19.27	7.66	0.15	0.05	*40	*40
7	--	--	--	--	--	--	15.01	7.26	0.15	0.05	*40	*40
8	--	--	--	--	--	--	12.90	7.26	0.15	0.05	*40	*40
9	--	--	--	--	--	--	12.30	6.50	0.15	0.05	*40	*40
10	--	--	--	--	--	--	12.40	5.43	0.15	0.05	*40	*40
11	--	--	--	--	--	--	13.83	5.09	0.15	0.05	*40	*40
12	--	--	--	--	--	--	14.04	4.70	0.15	*40	*40	*40
13	--	--	--	--	--	--	12.80	2.93	0.10	*40	*40	*40
14	--	--	--	--	--	--	11.06	1.97	0.05	*40	*40	*40
15	--	--	--	--	--	--	12.24	2.58	0.05	*40	*40	0.50
16	--	--	--	--	--	--	14.89	2.68	0.05	*40	*40	1.58
17	--	--	--	--	--	--	14.25	2.43	0.05	*40	*40	1.79
18	--	--	--	--	--	--	13.41	2.38	0.05	*40	*40	1.62
19	--	--	--	--	--	--	12.70	2.15	0.05	*40	*40	1.92
20	--	--	--	--	--	--	10.78	1.75	0.05	*40	*40	2.34
21	--	--	--	--	--	--	10.03	1.50	0.05	*40	*40	2.34
22	--	--	--	--	--	--	10.67	1.46	0.05	*40	*40	5.02
23	--	--	--	--	--	--	10.58	1.16	0.05	*40	*40	9.42
24	--	--	--	--	--	--	10.49	0.65	0.05	*40	*40	8.27
25	--	--	--	--	--	--	10.12	0.38	0.05	*40	*40	5.78
26	--	--	--	--	--	--	10.03	0.28	0.05	*40	*40	5.43
27	--	--	--	--	--	--	10.30	0.25	0.05	*40	*40	5.29
28	--	--	--	--	--	--	10.12	0.23	0.05	*40	*40	5.22
29	--	--	--	--	--	--	9.15	0.18	0.05	*40	*40	4.51
30	--	--	--	--	--	--	8.81	0.15	0.05	*40	*40	4.64
31	--	--	--	--	--	--		0.15		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	5.36	5.56	25.41	12.80	13.31	13.93	2.94	4.26	0.25	***	***	***
2	5.09	5.63	19.11	12.00	12.40	13.93	3.38	4.57	1.25	***	***	0.17
3	4.82	5.63	8.92	16.08	11.91	14.46	5.83	4.19	1.77	***	***	1.21
4	4.69	5.56	6.65	16.72	11.62	14.67	8.39	3.77	0.92	***	***	1.63
5	4.08	5.63	5.78	12.60	11.42	14.67	7.74	2.89	0.79	***	***	1.08
6	4.59	5.77	20.24	14.05	11.23	14.46	6.80	2.19	0.76	***	***	1.15
7	5.36	5.77	37.40	15.32	11.42	13.62	6.87	1.92	0.76	***	***	1.26
8	5.29	5.77	25.62	19.09	11.62	12.80	6.87	1.62	0.76	***	***	1.26
9	5.63	5.77	15.02	20.52	13.22	12.60	6.43	1.34	0.62	***	***	1.26
10	5.63	5.77	12.20	16.32	14.78	12.50	5.23	1.15	0.32	***	***	1.67
11	5.63	5.77	12.60	15.32	14.35	12.30	3.95	0.89	0.15	***	***	2.29
12	5.36	5.77	12.70	15.54	13.72	11.71	2.89	0.50	0.09	***	***	2.63
13	5.57	5.77	11.23	16.43	13.31	10.76	2.79	0.50	***	***	***	2.99
14	5.99	5.85	10.49	18.05	13.20	10.12	3.43	1.85	***	***	***	3.26
15	5.92	5.92	10.30	17.93	13.62	9.85	3.83	3.54	***	***	***	3.26
16	5.92	5.92	12.63	15.98	14.03	9.67	4.13	4.58	***	***	***	3.37
17	5.50	5.99	14.04	14.67	14.24	9.85	4.07	5.29	***	***	***	3.32
18	5.29	6.06	11.82	13.93	14.24	10.39	4.51	5.36	***	***	***	3.43
19	5.85	6.06	10.21	13.41	21.34	10.30	5.16	4.96	***	***	***	3.37
20	6.06	6.06	9.59	12.90	24.23	9.24	4.96	4.44	***	***	***	3.43
21	5.92	6.06	9.32	12.40	20.23	7.58	5.02	4.32	***	***	***	4.13
22	6.06	5.85	8.64	12.20	19.38	7.19	5.50	4.07	***	***	***	4.44
23	6.13	5.50	8.06	12.00	17.46	6.96	5.77	3.83	***	***	***	3.84
24	5.99	5.64	23.54	11.81	17.11	7.35	6.21	3.49	***	***	***	3.49
25	5.77	5.92	43.54	11.23	16.88	8.64	6.42	3.05	***	***	***	4.07
26	5.70	5.77	30.87	11.23	16.54	8.14	6.20	2.68	***	***	***	4.44
27	5.70	5.85	19.00	11.62	15.65	7.90	5.92	2.24	***	***	***	4.44
28	6.28	8.70	18.28	12.61	14.67	8.22	4.77	1.88	***	***	***	4.89
29	6.80	15.51	17.35	13.31		7.50	3.77	1.70	***	***	***	5.22
30	6.65	20.86	15.54	12.60		5.45	3.71	0.84	***	***	***	5.16
31	6.06		14.04	13.21		3.55		0.25		***	***	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	5.09	28.38	12.70	20.14	17.34	17.81	22.27	14.67	6.13	0.28	*40	*40
2	4.96	22.86	11.71	30.49	16.54	17.57	21.36	17.38	4.53	0.18	*40	*40
3	5.71	16.90	10.76	46.65	16.54	17.11	20.73	21.24	5.15	*40	*40	*40
4	5.99	14.04	16.65	49.26	16.88	17.11	20.35	19.16	7.26	*40	*40	*40
5	5.50	15.80	20.76	37.47	16.43	18.04	20.10	15.76	7.26	*40	*40	*40
6	5.50	22.86	16.66	27.98	15.54	19.00	20.48	15.87	6.50	*40	*40	1.03
7	5.43	33.06	14.67	22.81	14.89	19.73	22.94	15.87	7.28	*40	*40	2.39
8	5.36	33.37	13.21	20.48	14.46	24.75	23.21	15.32	8.55	*40	*40	2.05
9	6.36	23.65	12.10	19.24	17.39	32.35	20.73	13.94	8.22	*40	*40	2.05
10	11.86	17.82	11.42	18.28	18.65	40.74	19.49	12.90	7.12	*40	*40	2.39
11	10.23	15.11	10.95	17.34	16.65	46.89	20.11	13.20	6.20	*40	*40	3.86
12	5.36	13.41	10.12	16.65	16.43	51.20	23.34	13.20	4.26	*40	*40	4.96
13	6.06	12.20	9.59	16.20	17.94	46.10	23.34	13.20	2.53	*40	*40	4.44
14	6.06	11.42	9.41	15.87	27.72	34.75	21.24	12.70	2.06	*40	*40	3.95
15	6.06	10.40	8.89	15.43	32.07	30.48	21.24	12.50	1.97	*40	*40	3.89
16	6.06	9.50	8.55	14.56	25.26	29.27	20.48	12.80	1.97	*40	*40	4.07
17	6.20	8.98	8.55	18.49	21.63	59.65	19.24	12.30	1.54	*40	*40	4.01
18	5.71	8.64	8.89	21.89	19.86	87.06	18.76	11.71	1.54	*40	*40	4.26
19	5.09	16.57	8.89	20.73	20.36	64.51	18.40	11.52	1.30	*40	*40	4.82
20	5.71	25.79	8.89	25.73	28.08	45.83	18.04	11.42	1.81	*40	*40	5.22
21	11.54	21.80	9.24	29.57	32.66	37.07	18.52	11.33	2.63	*40	*40	5.70
22	23.60	17.12	9.06	27.51	27.81	35.39	18.64	11.23	2.34	*40	*40	6.21
23	21.97	14.89	8.89	27.65	23.61	38.25	19.74	11.23	3.07	*40	*40	6.50
24	12.43	13.93	9.41	26.80	21.36	39.27	20.23	11.23	3.28	*40	*40	6.57
25	9.76	18.49	23.05	23.60	20.48	37.56	18.28	10.95	1.89	*40	*40	6.65
26	9.76	21.25	39.62	21.49	19.61	34.90	16.88	10.49	1.26	*40	*40	6.80
27	18.13	18.64	31.87	20.23	18.76	31.71	16.43	10.12	1.05	*40	*40	6.21
28	24.70	17.46	21.52	20.73	18.28	28.68	15.54	9.94	0.82	*40	*40	5.22
29	19.16	15.98	17.58	20.98	18.04	26.36	14.04	9.41	0.59	*40	*40	4.82
30	15.21	14.14	17.82	19.49		24.96	14.04	8.64	0.40	*40	*40	5.09
31	21.46		18.28	18.28		23.60		7.35		*40	*40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	5.09	33.41	10.30	17.23	61.63	32.49	19.00	12.40	0.73	1.05	0.49	5.02
2	5.36	27.36	11.52	16.65	57.33	30.94	18.40	10.59	0.70	0.71	0.42	4.89
3	6.28	24.85	12.20	16.20	53.19	27.95	17.81	8.81	0.59	0.49	0.36	4.96
4	6.21	21.11	12.20	15.76	50.18	25.51	20.90	7.82	0.49	0.59	0.36	5.09
5	7.20	20.35	15.60	15.54	49.20	25.10	23.73	7.42	0.49	0.70	0.32	5.29
6	7.98	20.23	18.88	15.54	50.18	24.82	22.67	7.26	0.42	0.70	0.28	5.36
7	7.42	19.00	18.04	15.54	52.17	24.55	21.75	10.77	0.32	0.59	0.23	6.75
8	7.18	17.57	17.00	17.59	53.59	24.14	20.86	13.83	0.26	0.42	0.15	9.87
9	7.18	17.34	16.20	20.10	50.59	23.60	19.86	12.20	0.21	0.36	0.12	9.53
10	7.34	14.91	15.11	19.86	46.70	23.20	19.12	11.04	0.18	0.36	*40	7.18
11	7.42	10.69	13.82	15.60	46.14	22.40	18.88	10.12	0.15	0.36	*40	6.80
12	7.73	8.89	13.20	12.90	45.76	21.49	18.52	9.06	0.12	0.36	*40	6.80
13	7.19	8.89	12.80	13.51	45.39	21.24	23.29	7.74	0.12	0.36	*40	6.80
14	6.21	8.72	12.60	14.25	47.28	20.98	27.36	6.50	0.12	0.32	*40	6.95
15	6.13	8.55	12.50	21.95	49.20	20.73	25.38	5.78	0.12	0.48	*40	7.18
16	6.35	8.30	12.30	38.07	48.81	20.60	23.87	5.16	0.81	0.70	*40	7.42
17	6.50	8.06	12.20	44.47	45.04	20.48	22.14	4.63	1.79	0.70	*40	7.42
18	7.34	7.90	12.40	32.99	39.97	20.48	20.48	4.44	1.58	0.59	*40	7.18
19	8.06	7.73	12.60	24.96	35.73	23.77	18.88	4.44	1.80	0.49	0.84	7.10
20	8.22	7.73	28.93	24.82	31.71	26.93	18.04	4.44	2.74	0.49	2.38	7.03
21	8.72	7.65	46.34	33.67	28.68	26.22	17.92	4.32	3.26	0.49	2.73	7.11
22	11.27	7.57	44.46	62.18	26.50	25.38	17.57	3.72	3.26	0.49	3.15	7.50
23	14.35	7.50	46.33	103.50	25.79	24.68	17.11	3.10	2.99	0.49	3.72	7.90
24	13.63	7.34	40.93	122.72	25.10	24.14	16.77	2.83	3.27	0.49	4.38	7.66
25	11.62	7.26	32.19	103.22	24.41	23.46	16.43	2.48	4.01	0.49	4.26	7.11
26	10.86	7.26	27.09	86.97	23.87	22.40	16.09	2.19	3.72	0.49	3.38	6.72
27	17.10	7.26	24.27	84.35	29.69	21.24	15.76	1.83	2.74	0.49	3.21	6.21
28	46.51	7.18	23.06	80.51	34.90	20.35	15.43	1.38	1.88	0.49	3.37	5.64
29	71.91	7.42	20.99	75.53		19.73	15.21	1.12	1.34	0.49	3.66	5.16
30	68.39	8.73	19.00	70.73		19.36	14.14	0.95	1.15	0.49	4.57	5.36
31	52.84		17.93	66.09		19.24		0.82		0.49	5.16	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	6.13	7.74	7.42	9.94	16.65	37.66	30.20	38.25	25.10	2.89	1.01	4.50
2	6.28	6.65	7.34	10.30	15.22	27.21	38.30	34.10	25.10	2.73	1.01	4.44
3	5.92	5.78	7.42	10.67	12.50	28.68	46.34	30.94	23.07	2.73	1.01	4.44
4	5.63	7.13	12.47	10.49	10.86	37.87	47.28	29.42	20.48	2.73	1.05	4.32
5	5.36	9.77	17.46	10.03	10.12	44.83	41.76	28.67	18.05	2.58	1.08	4.19
6	4.96	9.94	13.67	9.67	9.85	37.47	35.73	28.53	15.76	2.43	1.23	4.19
7	4.89	8.89	10.39	9.41	9.67	30.18	31.71	26.37	13.62	2.38	1.58	4.25
8	5.16	8.06	10.39	9.24	9.50	60.27	28.68	22.42	11.62	2.34	1.92	4.31
9	5.36	9.08	10.67	9.24	9.32	85.88	26.93	19.25	9.77	2.34	2.10	4.25
10	5.63	9.94	10.21	9.24	10.40	53.73	26.36	17.46	8.06	2.29	2.15	4.50
11	5.92	9.32	9.59	9.15	14.18	33.31	25.79	16.32	7.26	2.24	2.15	4.96
12	6.06	9.59	9.32	8.98	15.55	36.65	24.96	15.21	6.88	1.97	2.15	5.16
13	5.78	9.41	9.06	8.89	13.41	39.14	23.73	14.67	6.50	1.62	2.19	5.22
14	5.50	8.89	8.89	8.72	11.62	32.50	22.40	12.62	6.13	1.46	2.24	5.16
15	5.63	8.55	8.72	8.39	11.14	30.17	22.40	8.92	5.77	1.26	2.24	5.29
16	5.85	9.07	8.47	8.14	11.52	29.42	23.73	7.26	5.63	1.15	2.24	5.63
17	6.06	9.15	8.55	8.06	11.23	27.94	23.73	12.82	5.22	1.15	2.24	5.77
18	6.28	8.55	8.98	7.90	11.33	26.50	23.06	18.64	4.96	1.08	2.24	5.92
19	6.35	8.47	9.59	7.90	11.62	24.82	23.73	17.46	5.02	1.01	2.24	6.06
20	6.42	8.39	10.12	8.30	11.71	23.60	25.10	16.54	5.09	1.01	2.29	6.13
21	6.57	8.14	10.12	8.39	11.81	23.20	27.22	15.98	5.09	0.95	2.34	6.20
22	6.95	7.98	10.30	8.39	17.75	25.11	53.40	15.54	5.09	0.88	2.34	6.13
23	11.46	7.66	16.50	8.64	38.77	35.06	74.39	14.99	4.96	0.88	2.34	6.06
24	11.46	7.50	20.50	8.72	51.20	49.26	56.41	13.12	4.63	0.88	2.34	4.91
25	6.65	7.65	17.69	9.24	64.28	47.38	44.47	10.68	4.32	0.88	2.53	3.27
26	5.92	7.50	17.11	10.21	75.59	36.57	37.43	12.14	4.07	0.88	2.73	2.73
27	8.99	7.58	16.65	11.62	63.86	31.71	31.71	16.91	3.89	0.88	3.86	2.83
28	13.10	8.06	16.09	12.60	54.24	29.42	29.42	25.95	3.71	0.88	4.76	3.10
29	12.70	8.47	13.14	13.10		27.65	30.18	35.73	3.43	0.88	3.56	5.15
30	10.77	7.98	9.94	14.25		26.22	35.76	36.56	3.15	0.95	3.62	6.65
31	8.98		9.59	15.65		26.50		29.50		1.01	4.57	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	4.91	6.35	13.82	11.14	9.76	12.60	12.00	0.76	2.05	1.33	***	***
2	3.83	5.64	12.12	10.67	9.76	13.31	11.81	0.70	2.05	0.70	***	***
3	3.54	4.76	11.62	10.67	9.76	29.04	11.62	0.70	1.71	0.59	***	***
4	3.84	4.44	13.62	10.67	10.03	41.79	11.62	0.70	1.19	0.49	***	***
5	7.28	4.44	15.21	10.30	10.49	29.55	11.42	0.82	3.13	0.36	***	***
6	7.65	4.44	15.76	9.94	10.67	20.50	10.95	1.31	3.89	0.25	***	***
7	5.29	4.44	14.15	9.94	10.67	16.33	10.67	1.97	1.97	0.18	***	***
8	6.74	5.37	11.62	10.30	10.67	14.67	8.27	2.24	2.20	0.12	***	***
9	7.82	6.96	10.67	10.67	10.67	14.14	4.78	2.24	3.67	0.12	***	***
10	6.30	7.18	10.67	10.67	11.62	13.62	3.60	2.24	5.23	0.12	***	***
11	4.96	6.57	11.62	10.86	12.60	13.62	3.05	2.34	6.13	0.12	***	***
12	4.96	6.65	12.60	10.86	12.60	14.14	2.53	2.43	6.50	0.12	***	***
13	4.96	7.26	12.90	10.67	12.60	14.67	2.63	2.43	5.18	0.12	***	***
14	5.09	7.57	12.90	10.67	12.60	14.14	2.73	2.43	3.11	0.12	***	***
15	6.14	8.48	11.62	10.67	12.60	13.62	2.73	2.43	2.29	0.12	***	***
16	6.50	8.73	10.67	10.67	12.30	13.62	2.73	2.43	2.24	0.12	***	***
17	5.92	8.98	10.67	10.49	12.00	13.82	2.73	1.68	2.74	0.12	***	***
18	5.23	14.14	10.67	10.30	12.00	14.03	2.73	1.01	3.84	***	***	***
19	4.69	18.40	10.67	10.30	11.81	14.03	2.73	0.92	4.44	***	***	***
20	4.57	17.46	12.12	10.30	11.62	13.82	2.53	1.09	4.57	***	***	***
21	4.44	15.22	14.68	10.30	11.62	13.10	2.19	2.02	4.26	***	***	***
22	5.09	10.73	14.15	10.30	11.62	12.60	1.71	2.83	2.91	***	***	***
23	5.99	8.06	12.60	10.30	11.62	12.10	1.38	2.94	2.05	***	***	***
24	6.57	8.06	12.60	10.30	11.62	11.62	1.38	2.12	2.15	***	***	***
25	6.95	8.06	12.60	10.49	11.62	12.30	1.38	1.38	2.24	***	***	***
26	5.32	8.30	12.60	10.67	11.81	13.83	1.30	1.19	2.34	***	***	***
27	3.83	8.55	12.10	10.67	12.00	14.67	1.23	1.19	2.43	***	***	***
28	4.01	8.98	11.62	10.21	12.30	14.67	1.12	1.80	2.34	***	***	***
29	4.63	9.59	12.60	9.76		14.67	0.92	2.24	2.15	***	***	***
30	5.50	11.84	13.10	9.76		13.62	0.82	2.24	2.05	***	***	***
31	6.21		12.10	9.76		12.30		2.15		***	***	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	0.42	4.57	5.29	9.59	11.62	21.49	22.15	23.60	4.96	3.15	***	4.50
2	1.08	4.69	15.28	9.41	16.91	21.75	20.48	22.53	4.01	3.26	***	4.57
3	1.08	4.57	36.78	9.15	30.98	21.88	19.12	22.27	3.43	3.21	***	4.69
4	1.05	4.44	38.73	8.89	31.87	22.01	17.81	21.62	3.10	3.04	***	4.82
5	1.01	4.57	28.25	8.89	22.68	22.67	17.57	20.48	2.73	2.83	***	4.82
6	1.01	4.69	23.48	13.77	20.60	25.96	27.71	19.61	2.15	2.53	***	4.82
7	1.19	4.69	20.23	24.51	19.12	26.10	48.00	18.76	1.62	2.19	***	4.96
8	1.38	4.69	28.21	34.13	18.04	22.67	53.61	18.04	1.34	1.88	***	5.29
9	1.38	4.89	45.88	26.99	18.64	22.01	44.88	17.11	1.15	1.62	***	5.78
10	1.46	4.89	44.09	17.57	29.78	22.53	36.57	16.09	1.01	1.54	***	6.13
11	1.46	4.57	28.78	21.94	35.16	22.80	32.02	15.54	0.88	1.46	***	6.28
12	1.38	4.44	20.14	26.64	27.37	22.80	30.17	14.99	0.76	1.38	***	6.42
13	1.38	4.44	17.69	26.08	21.81	20.99	33.81	14.46	0.70	1.38	***	6.57
14	1.38	4.32	19.00	23.87	18.40	19.24	44.54	13.82	0.59	1.38	***	6.06
15	1.38	4.19	20.23	22.27	20.74	18.28	50.77	13.41	0.74	1.38	***	4.96
16	1.38	4.32	18.77	21.24	31.79	17.34	42.05	13.41	1.01	1.38	***	4.01
17	1.38	4.76	15.88	18.07	42.63	17.23	31.88	12.50	0.98	1.38	***	3.54
18	1.38	5.22	14.04	14.57	49.26	17.11	29.87	9.03	0.95	1.38	1.22	3.48
19	2.02	5.36	13.41	12.60	51.20	20.27	29.12	8.59	0.98	1.30	3.43	3.60
20	2.73	5.36	13.00	12.10	42.14	33.90	26.23	11.14	1.01	1.12	3.16	3.71
21	2.73	5.29	12.60	13.10	32.39	40.20	23.07	11.14	1.01	0.98	2.39	3.77
22	2.78	5.50	13.41	13.62	27.50	48.80	25.85	10.21	1.12	0.88	1.92	3.95
23	2.83	5.77	14.24	13.82	26.79	68.41	28.68	9.50	1.38	0.76	1.58	4.13
24	3.05	5.77	14.03	13.41	25.38	60.74	25.80	9.06	1.62	0.70	1.58	4.19
25	6.49	5.57	13.82	12.70	23.60	45.41	24.96	8.89	1.70	0.70	2.01	4.13
26	10.03	5.29	13.72	14.15	21.75	39.97	28.11	8.89	1.75	0.70	2.63	4.07
27	8.32	5.16	13.41	14.68	20.48	35.25	29.72	8.89	1.79	0.59	3.15	4.07
28	6.43	5.09	12.60	13.10	20.35	30.63	28.09	8.89	1.79	0.36	3.26	4.01
29	5.50	4.96	11.33	12.10	20.86	28.09	27.07	8.89	2.01	0.25	3.43	3.95
30	4.76	4.82	10.39	11.62		26.50	25.52	7.28	2.63	0.18	4.01	3.89
31	4.44		9.94	11.62		24.69		5.63		***	4.44	

ΕΠΕΞΗΓΗΤΙΚΑ ΣΥΜΒΟΛΑ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	3.83	7.19	6.35	96.90	27.95	16.88	24.00	13.73	9.32	***	***	2.53
2	3.83	8.22	6.35	75.70	24.55	18.40	23.60	11.52	9.76	***	***	2.34
3	3.95	8.55	6.35	51.41	22.67	19.73	23.20	10.67	9.76	***	***	2.29
4	4.07	8.81	6.20	38.25	21.62	24.33	22.27	10.49	9.32	***	***	2.24
5	3.95	8.89	6.06	34.90	20.23	26.51	21.75	10.21	7.59	***	***	2.24
6	3.83	8.89	5.92	32.49	19.48	24.00	21.75	9.94	6.06	***	***	2.24
7	3.71	8.89	5.77	34.10	19.98	23.20	21.49	9.76	4.84	***	***	2.24
8	3.54	8.89	5.77	35.56	19.73	22.53	21.24	8.90	3.60	***	***	2.24
9	3.48	8.64	5.85	40.75	18.88	22.01	20.98	7.50	3.05	***	***	2.24
10	3.37	8.22	6.13	44.47	18.28	21.49	19.98	6.80	2.78	***	***	2.34
11	3.26	7.90	6.35	35.00	17.46	21.24	19.24	6.43	2.73	***	***	2.43
12	3.37	7.73	6.35	25.82	16.88	20.98	19.24	6.06	2.73	***	***	2.43
13	3.66	7.73	6.35	22.40	18.05	20.73	19.12	5.92	2.63	***	***	2.34
14	3.95	7.73	6.20	22.27	19.48	20.35	19.00	5.92	2.29	***	***	2.24
15	4.25	7.81	5.92	22.80	19.48	22.83	18.76	5.99	1.92	***	***	2.24
16	4.76	7.90	5.63	25.68	18.88	27.66	18.52	6.06	1.66	***	***	2.24
17	5.57	7.73	5.50	52.31	18.28	27.52	18.04	6.35	1.54	***	***	2.24
18	6.65	7.57	5.43	74.35	18.04	24.69	17.57	6.72	1.46	***	***	2.24
19	7.42	7.42	5.57	60.61	17.81	22.80	18.40	6.80	1.38	***	***	2.24
20	6.66	7.26	5.77	48.28	17.23	21.75	20.23	6.80	1.23	***	***	2.34
21	5.09	7.26	5.92	42.81	16.88	21.49	21.49	6.72	0.89	***	***	2.43
22	4.25	7.18	6.20	38.44	16.88	23.48	21.24	6.50	***	***	***	2.48
23	3.95	6.95	6.50	33.13	16.54	27.22	20.73	6.35	***	***	***	2.53
24	3.71	6.80	6.80	31.09	16.20	29.72	20.23	5.24	***	***	***	2.53
25	3.43	6.72	7.03	30.78	15.98	30.93	19.48	3.72	***	***	***	2.53
26	3.54	6.65	7.18	30.78	15.76	31.09	18.88	2.94	***	***	***	2.63
27	3.95	6.65	7.26	30.47	15.98	30.93	18.04	2.43	***	***	***	2.73
28	4.25	6.50	7.26	28.68	16.20	30.47	17.23	2.15	***	***	***	2.83
29	4.76	6.35	9.36	26.64		28.68	16.65	1.92	***	***	***	2.94
30	5.22	6.35	16.91	30.38		26.08	15.76	1.79	***	***	1.22	2.94
31	5.85		58.75	32.50		24.68		4.95		***	2.99	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	2.99	7.73	15.98	10.03	10.67	18.64	19.48	1.19	1.26	✕40	✕40	✕40
2	3.04	7.73	14.57	9.50	10.67	17.69	17.71	1.38	1.15	✕40	✕40	✕40
3	3.04	7.73	13.10	9.24	10.67	16.54	15.76	1.38	1.15	✕40	✕40	✕40
4	3.43	7.65	12.60	9.24	10.67	15.76	15.00	1.38	1.15	✕40	✕40	✕40
5	4.01	7.57	12.40	9.50	11.04	16.32	13.93	1.38	1.08	✕40	✕40	✕40
6	4.44	7.57	11.43	9.76	12.01	15.98	13.62	1.38	1.01	✕40	✕40	✕40
7	4.82	7.57	10.03	9.76	12.60	15.43	13.62	1.58	1.01	✕40	✕40	✕40
8	5.02	7.57	8.89	9.76	13.10	15.76	12.50	1.79	1.01	✕40	✕40	✕40
9	5.09	7.57	8.22	9.76	13.62	15.76	10.31	1.79	1.01	✕40	✕40	✕40
10	5.09	7.42	8.73	10.49	14.68	16.09	8.98	1.79	1.01	✕40	✕40	✕40
11	4.96	7.26	9.41	11.33	15.76	16.43	8.39	1.79	1.01	✕40	✕40	✕40
12	4.82	7.26	9.41	11.42	16.32	16.09	7.90	1.79	0.98	✕40	✕40	0.45
13	4.82	7.26	9.59	11.42	19.02	15.76	7.50	2.01	0.95	✕40	✕40	1.15
14	5.57	7.26	11.94	11.52	20.23	15.76	6.65	5.40	0.95	✕40	✕40	1.15
15	7.19	7.26	15.00	11.62	18.76	15.76	4.85	9.59	0.95	✕40	✕40	1.15
16	8.30	7.26	13.84	11.62	17.81	15.76	3.71	9.94	0.95	✕40	✕40	1.15
17	8.72	7.26	11.81	11.42	17.69	15.76	4.01	9.85	0.95	✕40	✕40	1.15
18	8.89	7.26	11.62	10.76	18.04	15.76	4.70	9.76	1.05	✕40	✕40	1.15
19	8.89	7.26	11.62	10.12	18.28	15.32	5.29	8.98	1.15	✕40	✕40	1.15
20	8.89	7.26	11.62	9.94	18.52	14.78	5.63	7.74	1.08	✕40	✕40	1.15
21	8.89	7.26	11.81	9.85	18.88	14.67	5.43	7.11	1.01	✕40	✕40	1.15
22	8.89	7.26	12.30	9.76	19.61	14.46	4.76	6.72	1.01	✕40	✕40	1.15
23	9.06	8.48	12.60	9.76	20.23	14.24	4.44	5.11	0.92	✕40	✕40	1.15
24	9.24	10.68	12.60	9.76	20.48	13.93	4.13	3.27	0.82	✕40	✕40	1.15
25	9.06	22.96	12.60	9.76	20.73	13.41	3.16	2.48	0.82	✕40	✕40	1.15
26	8.89	26.76	12.30	9.85	20.98	12.90	2.15	2.24	✕40	✕40	✕40	1.15
27	8.64	15.25	11.81	10.30	20.98	12.40	1.58	2.01	✕40	✕40	✕40	1.15
28	8.22	16.98	11.62	10.67	20.10	14.27	1.38	1.58	✕40	✕40	✕40	1.15
29	8.06	19.50	11.33	10.67		17.23	1.19	1.38	✕40	✕40	✕40	1.15
30	8.06	16.88	10.86	10.67		18.64	1.01	1.38	✕40	✕40	✕40	1.15
31	7.90		10.49	10.67		19.24		1.38		✕40	✕40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	1.15	34.21	6.50	10.49	16.32	15.98	53.29	26.22	6.50	***	***	***
2	1.15	13.97	6.50	10.49	17.11	15.76	61.62	24.68	6.50	***	***	***
3	1.15	10.49	6.50	11.05	17.11	16.32	54.28	24.00	6.35	***	***	***
4	1.15	9.76	6.50	11.62	16.32	18.90	46.33	22.41	6.20	***	***	***
5	1.15	10.21	6.50	12.10	15.76	20.60	44.46	20.86	6.20	***	***	***
6	1.15	10.67	6.50	13.41	15.76	20.23	42.63	20.48	6.20	***	***	***
7	1.15	10.67	6.50	14.24	15.76	19.73	35.00	20.48	6.20	***	***	***
8	1.15	10.67	6.50	14.46	15.76	19.24	28.67	19.61	6.20	***	***	***
9	1.15	10.67	6.50	14.89	15.76	18.88	27.94	18.04	6.20	***	***	***
10	1.15	10.67	6.50	15.10	15.54	18.88	27.21	17.34	6.20	***	***	***
11	1.46	10.21	6.50	15.43	15.32	19.73	26.50	17.11	6.20	***	***	***
12	1.79	8.90	6.50	15.76	14.99	20.35	24.69	16.54	4.14	***	***	1.03
13	1.79	8.06	6.50	15.76	14.14	20.73	23.60	15.98	2.01	***	***	2.73
14	1.79	7.66	6.50	15.54	13.10	20.98	23.60	13.44	1.54	***	***	2.73
15	1.79	7.26	6.50	14.99	15.81	21.36	23.46	11.42	1.38	***	***	2.73
16	1.79	7.26	6.50	14.14	19.73	21.75	23.06	11.62	1.38	***	***	2.73
17	2.15	7.26	6.50	13.62	21.37	24.43	22.80	12.00	1.38	***	***	2.73
18	2.78	7.26	6.50	14.35	20.00	27.21	22.53	12.80	1.38	***	***	2.63
19	3.32	7.26	6.50	23.62	17.23	27.94	22.27	13.31	1.30	***	***	2.53
20	3.71	6.88	6.50	34.90	16.54	30.95	22.01	13.41	1.23	***	***	2.38
21	4.13	6.50	6.50	30.57	15.98	34.90	21.75	13.41	1.02	***	***	2.24
22	4.44	6.50	6.50	21.66	15.76	43.65	21.36	12.80	0.76	***	***	2.24
23	4.44	6.50	6.50	18.28	15.76	51.17	20.73	11.43	***	***	***	2.24
24	4.44	6.50	8.17	17.81	16.77	57.38	19.49	9.34	***	***	***	2.24
25	4.44	6.50	11.05	17.57	17.57	60.55	17.93	7.66	***	***	***	2.24
26	4.44	6.50	11.43	16.32	17.11	48.37	16.88	7.26	***	***	***	2.24
27	4.44	6.50	10.30	14.89	16.54	39.97	16.09	7.26	***	***	***	2.24
28	4.57	6.50	9.94	14.67	16.20	39.97	18.31	6.88	***	***	***	2.24
29	11.23	6.50	9.67	14.46		39.97	23.35	6.50	***	***	***	2.24
30	39.34	6.50	9.41	14.24		34.95	26.64	6.50	***	***	***	2.24
31	59.48		9.94	15.00		37.52		6.50		***	***	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

ΗΜ.	ΟΚΤ	ΝΟΒ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	2.48	6.80	7.26	7.26	9.41	19.27	16.89	6.88	0.70	4.0	4.0	4.0
2	2.99	6.80	7.26	7.26	9.59	23.75	15.76	6.50	0.70	4.0	4.0	4.0
3	3.49	6.80	7.26	7.26	9.76	25.10	15.76	6.50	0.70	4.0	4.0	4.0
4	3.71	6.80	7.26	7.26	9.76	23.73	15.76	6.50	0.70	4.0	4.0	4.0
5	3.71	7.03	7.26	7.26	9.76	22.40	15.21	6.50	0.70	4.0	4.0	4.0
6	3.71	7.26	7.26	7.26	9.76	19.87	14.67	6.50	0.70	4.0	4.0	4.0
7	3.83	7.26	7.26	7.26	9.76	26.76	15.21	6.50	0.70	4.0	4.0	4.0
8	3.95	7.42	7.26	7.26	9.76	55.91	15.76	6.50	0.70	4.0	4.0	4.0
9	4.19	7.57	7.26	7.26	9.76	66.26	15.76	6.50	0.70	4.0	4.0	4.0
10	4.44	7.57	7.26	7.26	9.76	45.56	15.76	6.50	0.70	4.0	4.0	4.0
11	4.44	7.57	7.26	7.26	9.76	34.90	15.76	6.50	0.70	4.0	4.0	4.0
12	4.44	7.57	7.26	7.26	9.76	31.71	15.76	6.50	0.70	4.0	4.0	4.0
13	4.44	7.57	7.26	7.26	11.64	27.95	14.68	5.78	0.70	4.0	4.0	4.0
14	4.44	7.42	7.26	7.26	24.92	23.75	12.12	4.76	0.70	4.0	4.0	4.0
15	4.44	7.26	7.26	7.26	37.39	21.75	10.67	4.13	0.70	4.0	4.0	4.0
16	4.44	7.26	7.26	7.26	30.27	19.87	10.67	3.54	0.70	4.0	4.0	4.0
17	4.44	7.26	7.26	7.26	20.53	19.25	10.67	2.99	4.0	4.0	4.0	4.0
18	4.44	7.26	7.26	7.26	16.88	20.48	10.67	2.73	4.0	4.0	4.0	4.0
19	4.44	7.26	7.26	7.26	16.88	20.48	10.67	2.73	4.0	4.0	4.0	4.0
20	4.44	7.26	7.26	7.26	16.88	20.48	8.92	2.48	4.0	4.0	4.0	4.0
21	4.44	7.26	7.26	7.26	16.32	19.25	7.26	1.80	4.0	4.0	4.0	4.0
22	4.44	7.26	7.26	8.57	15.76	18.04	7.26	1.38	4.0	4.0	4.0	4.0
23	5.09	7.26	7.26	11.34	15.76	18.04	7.26	1.38	4.0	4.0	4.0	4.0
24	5.77	7.26	7.26	13.21	15.76	18.04	7.26	1.38	4.0	4.0	4.0	4.0
25	5.92	7.26	7.26	13.62	16.89	18.04	7.26	1.38	4.0	4.0	4.0	4.0
26	6.06	7.26	7.26	12.90	22.48	18.04	7.26	1.02	4.0	4.0	4.0	0.53
27	6.06	7.26	7.26	11.15	31.77	18.04	7.26	0.70	4.0	4.0	4.0	1.38
28	6.06	7.26	7.26	9.50	31.77	18.04	7.26	0.70	4.0	4.0	4.0	1.38
29	6.20	7.26	7.26	9.15	21.85	18.04	7.26	0.70	4.0	4.0	4.0	1.80
30	6.35	7.26	7.26	9.41		18.04	7.26	0.70	4.0	4.0	4.0	2.24
31	6.57		7.26	9.41		18.04		0.70		4.0	4.0	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστόμο θύροφραγμάτων

ΣΤΑΘΜΟΣ : Ε.Καοδίτσας ΕΥΔΑΠ (706) - ΥΔΡΟΛ. ΕΤΟΣ 1988 - 89
 ΗΜΕΡΗΣΙΕΣ ΠΑΡΟΧΕΣ (σε m³/sec)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	2.24	5.09	7.27	12.60	8.89	14.48	16.88	2.24	40	40	40	40
2	2.24	5.09	7.67	12.60	8.89	18.71	16.88	2.24	40	40	40	40
3	2.24	5.09	9.77	12.60	8.06	14.67	16.88	2.24	40	40	40	40
4	2.24	5.09	10.67	11.62	7.26	14.67	16.88	2.24	40	40	40	40
5	2.24	5.09	10.21	10.67	7.26	14.67	15.76	2.24	40	40	40	40
6	2.24	5.09	9.76	10.67	7.26	13.62	14.67	2.24	40	40	40	40
7	2.24	5.43	8.48	10.67	7.26	12.60	14.67	2.24	40	40	40	40
8	2.24	5.77	6.88	10.67	7.26	11.62	12.62	2.24	40	40	40	40
9	2.24	5.77	8.51	10.67	7.26	9.77	10.67	2.24	40	40	40	40
10	2.24	5.77	27.65	10.67	7.26	8.89	9.77	2.24	40	40	40	40
11	2.24	5.43	37.66	10.67	7.26	8.89	7.67	2.24	40	40	40	40
12	2.24	5.09	21.85	10.67	7.26	8.89	6.13	2.24	40	40	40	40
13	2.24	5.09	15.76	10.67	7.26	8.89	5.77	2.24	40	40	40	40
14	2.24	5.09	14.67	10.67	7.26	8.89	8.11	2.24	40	40	40	40
15	2.24	5.09	14.67	10.67	7.26	8.47	10.67	2.24	40	40	40	40
16	2.24	5.09	16.33	10.67	7.26	7.66	10.67	2.24	40	40	40	40
17	2.24	5.09	18.64	10.21	7.26	7.26	9.77	2.24	40	40	40	40
18	2.24	5.43	19.24	9.76	7.26	7.26	8.06	2.24	40	40	40	40
19	2.24	5.77	19.24	9.32	7.26	7.26	7.26	1.41	40	40	40	40
20	2.24	5.77	19.24	8.89	7.26	7.26	7.26	40	40	40	40	40
21	2.24	5.77	19.24	8.89	7.26	7.26	7.26	40	40	40	40	40
22	2.24	5.77	19.24	8.89	7.26	7.26	7.26	40	40	40	40	40
23	2.24	5.77	19.24	8.89	7.26	7.26	6.50	40	40	40	40	40
24	2.24	5.77	19.24	8.89	7.26	34.54	5.77	40	40	40	40	40
25	2.24	15.88	19.24	8.89	7.26	78.02	3.89	40	40	40	40	40
26	2.24	28.67	19.24	8.89	7.26	75.59	2.24	40	40	40	40	40
27	3.58	25.14	19.24	8.89	7.26	68.38	2.24	40	40	40	40	40
28	5.09	18.10	19.24	8.89	7.26	46.20	2.24	40	40	40	40	40
29	5.09	12.62	16.91	8.89		21.85	2.24	40	40	40	40	40
30	5.09	9.34	13.62	8.89		16.88	2.24	40	40	40	40	40
31	5.09		12.60	8.89		16.88		40		40	40	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλειστό θύροφθαλάκιον

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*40	01	01	01	01	01	*40	*40	*40	*40	*40	01
2	*40	01	01	01	01	01	*40	*40	*40	*40	*40	01
3	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
4	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
5	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
6	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
7	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
8	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
9	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
10	01	01	01	01	01	01	*40	*40	*40	*40	*40	01
11	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
12	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
13	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
14	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
15	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
16	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
17	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
18	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
19	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
20	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
21	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
22	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
23	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
24	01	01	01	01	01	*40	*40	*40	*40	*40	*40	01
25	01	01	01	01	01	*40	*40	*40	*40	*40	01	01
26	01	01	01	01	01	*40	*40	*40	*40	*40	01	01
27	01	01	01	01	01	*40	*40	*40	*40	*40	01	01
28	01	01	01	01	01	*40	*40	*40	*40	*40	01	01
29	01	01	01	01		*40	*40	*40	*40	*40	01	01
30	01	01	01	01		*40	*40	*40	*40	*40	01	01
31	01		01	01		*40		*40		*40	01	

ΕΠΕΞΗΓΗΤΗ ΣΥΜΒΟΛΩΝ

*40 : Κλείσιμο θυροφραγμάτων

01 : δεν υπάρχει καμπύλη στάθμης-παροχής αυτή την ημερομηνία

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	01	01	01	01	01	01	01	01	--	--	--	--
2	01	01	01	01	01	01	01	01	--	--	--	--
3	01	01	01	01	01	01	01	01	--	--	--	--
4	01	01	01	01	01	01	01	01	--	--	--	--
5	01	01	01	01	01	01	01	01	--	--	--	--
6	01	01	01	01	01	01	01	01	--	--	--	--
7	01	01	01	01	01	01	01	01	--	--	--	--
8	01	01	01	01	01	01	01	01	--	--	--	--
9	01	01	01	01	01	01	01	01	--	--	--	--
10	01	01	01	01	01	01	01	01	--	--	--	--
11	01	01	01	01	01	01	01	01	--	--	--	--
12	01	01	01	01	01	01	01	01	--	--	--	--
13	01	01	01	01	01	01	01	01	--	--	--	--
14	01	01	01	01	01	01	01	01	--	--	--	--
15	01	01	01	01	01	01	01	--	--	--	--	--
16	01	01	01	01	01	01	01	--	--	--	--	--
17	01	01	01	01	01	01	01	--	--	--	--	--
18	01	01	01	01	01	01	01	--	--	--	--	--
19	01	01	01	01	01	01	01	--	--	--	--	--
20	01	01	01	01	01	01	01	--	--	--	--	--
21	01	01	01	01	01	01	01	--	--	--	--	--
22	01	01	01	01	01	01	01	--	--	--	--	--
23	01	01	01	01	01	01	01	--	--	--	--	--
24	01	01	01	01	01	01	01	--	--	--	--	--
25	01	01	01	01	01	01	01	--	--	--	--	--
26	01	01	01	01	01	01	01	--	--	--	--	--
27	01	01	01	01	01	01	01	--	--	--	--	--
28	01	01	01	01	01	01	01	--	--	--	--	--
29	01	01	01	01		01	01	--	--	--	--	--
30	01	01	01	01		01	01	--	--	--	--	--
31	01		01	01		01		--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

01 : δεν υπάρχει καμπύλη στάθμης-παροχής αυτή την ημερομηνία
 -- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΥΛΙΚΗ
(707)

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	78.93	*18	*18	79.17	79.10	*18	*18	77.85	*18
2	--	--	--	*18	79.20	79.58	*18	*18	78.52	78.27	*18	77.59
3	--	--	--	78.95	*18	*18	79.13	79.07	*18	*18	77.81	*18
4	--	--	--	*18	79.20	79.51	*18	*18	78.49	78.26	*18	77.59
5	--	--	--	78.95	*18	*18	79.12	79.05	*18	*18	77.77	*18
6	--	--	--	*18	79.20	79.44	*18	*18	78.45	78.23	*18	77.58
7	--	--	--	78.97	*18	*18	79.12	79.03	*18	*18	77.73	*18
8	--	--	--	*18	79.21	79.37	*18	*18	78.43	78.20	*18	77.57
9	--	--	--	78.99	*18	*18	79.18	79.00	*18	*18	77.69	*18
10	--	--	--	*18	79.30	79.30	*18	*18	78.40	78.17	*18	77.56
11	--	--	--	79.05	*18	*18	79.20	78.97	*18	*18	77.65	*18
12	--	--	--	*18	79.48	79.28	*18	*18	78.39	78.14	*18	77.56
13	--	--	--	79.02	*18	*18	79.23	78.93	*18	*18	77.61	*18
14	--	--	--	*18	79.55	79.27	*18	*18	78.38	78.12	*18	77.55
15	--	--	--	79.13	*18	*18	79.25	78.89	*18	*18	77.58	*18
16	--	--	--	*18	79.55	79.27	*18	*18	78.37	78.09	*18	77.55
17	--	--	--	79.16	*18	*18	79.28	78.85	*18	*18	77.55	*18
18	--	--	--	*18	79.65	79.25	*18	*18	78.35	78.06	*18	77.54
19	--	--	--	79.17	*18	*18	79.25	78.81	*18	*18	77.53	*18
20	--	--	--	*18	79.75	79.22	*18	*18	78.34	78.03	*18	77.55
21	--	--	--	79.18	*18	*18	79.25	78.76	*18	*18	77.55	*18
22	--	--	--	*18	79.70	79.20	*18	*18	78.33	78.00	*18	77.56
23	--	--	--	79.20	*18	*18	79.23	78.70	*18	*18	77.56	*18
24	--	--	--	*18	79.67	79.17	*18	*18	78.32	77.97	*18	77.57
25	--	--	--	79.20	*18	*18	79.20	78.64	*18	*18	77.57	*18
26	--	--	--	*18	79.65	79.23	*18	*18	78.31	77.94	*18	77.58
27	--	--	--	79.21	*18	*18	79.17	78.60	*18	*18	77.58	*18
28	--	--	--	*18	79.63	79.22	*18	*18	78.30	77.91	*18	77.59
29	--	--	--	79.21		*18	79.13	78.57	*18	*18	77.59	*18
30	--	--	--	*18		79.20		*18	*18	78.29	77.88	*18
31	--	--	--	79.22				*18			77.64	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο
 -- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*18	77.83	78.13	78.21	78.31	*18	78.23	78.09	*18	*18	76.62	*18
2	77.59	*18	*18	*18	*18	78.23	*18	*18	77.65	77.20	*18	76.39
3	*18	77.85	78.15	*18	78.31	*18	78.23	78.07	*18	*18	76.58	*18
4	77.61	*18	*18	78.21	*18	78.24	*18	*18	77.62	77.17	*18	76.37
5	*18	77.87	78.15	*18	78.30	*18	78.24	78.05	*18	*18	76.54	*18
6	77.64	*18	*18	78.21	*18	78.25	*18	*18	77.59	77.12	*18	76.36
7	*18	77.89	78.17	*18	78.31	*18	78.20	78.02	*18	*18	76.50	*18
8	77.66	*18	*18	78.21	*18	78.25	*18	*18	77.56	77.06	*18	76.35
9	*18	77.91	78.17	*18	78.30	*18	78.24	77.99	*18	*18	76.47	*18
10	77.67	*18	*18	78.23	*18	78.25	*18	*18	77.53	77.03	*18	76.33
11	*18	77.93	78.18	*18	78.30	*18	78.24	77.97	*18	*18	76.44	*18
12	77.68	*18	*18	78.27	*18	78.25	*18	*18	77.50	76.99	*18	76.31
13	*18	77.95	78.18	*18	78.29	*18	78.23	77.94	*18	*18	76.40	*18
14	77.69	*18	*18	78.24	*18	78.24	*18	*18	77.47	76.93	*18	76.30
15	*18	77.97	78.18	*18	78.28	*18	78.25	77.91	*18	*18	76.36	*18
16	77.71	*18	*18	78.31	*18	78.25	*18	*18	77.44	76.90	*18	76.28
17	*18	77.99	78.19	*18	78.27	*18	78.22	77.89	*18	*18	76.45	*18
18	77.73	*18	*18	78.33	*18	78.25	*18	*18	77.41	76.90	*18	76.26
19	*18	78.01	78.19	*18	78.26	*18	78.21	77.86	*18	*18	76.47	*18
20	77.75	*18	*18	78.32	*18	78.24	*18	*18	77.38	76.87	*18	76.24
21	*18	78.03	78.19	*18	78.25	*18	78.19	77.83	*18	*18	76.46	*18
22	77.77	*18	*18	78.31	*18	78.25	*18	*18	77.35	76.83	*18	76.22
23	*18	78.05	78.19	*18	78.24	*18	78.17	77.80	*18	*18	76.44	*18
24	77.78	*18	*18	78.30	*18	78.25	*18	*18	77.32	76.79	*18	76.20
25	*18	78.07	78.20	*18	78.23	*18	*18	77.77	*18	*18	76.44	*18
26	77.79	*18	*18	78.30	*18	78.24	78.15	*18	77.29	76.75	*18	76.19
27	*18	78.09	78.20	*18	78.22	*18	*18	77.74	*18	*18	76.43	*18
28	77.80	*18	*18	78.30	*18	78.24	78.13	*18	77.26	76.71	*18	76.18
29	*18	78.11	78.20	*18	78.22	*18	*18	77.71	*18	*18	76.42	*18
30	77.82	*18	*18	78.30		78.23	78.11	*18	77.23	76.66	*18	76.17
31	*18		78.20	*18		*18		77.67		*18	76.40	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθιμέτρου - Σταθός χωρίς σταθιμογράφο

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.16	*18	76.24	*18	79.45	78.87	*18	*18	78.28	78.09	*18	76.92
2	*18	76.07	*18	78.70	*18	*18	78.74	78.79	*18	*18	77.45	*18
3	76.15	*18	76.26	*18	79.43	78.84	*18	*18	78.30	78.05	*18	76.86
4	*18	76.07	*18	78.65	*18	*18	78.75	78.77	*18	*18	77.42	*18
5	76.14	*18	76.28	*18	79.40	78.82	*18	*18	78.32	78.01	*18	76.81
6	*18	76.06	*18	78.95	*18	*18	78.83	78.72	*18	*18	77.39	*18
7	76.14	*18	76.30	*18	79.36	78.81	*18	*18	78.34	77.97	*18	76.78
8	*18	76.06	*18	79.25	*18	*18	78.93	78.68	*18	*18	77.34	*18
9	76.14	*18	76.32	*18	79.30	78.81	*18	*18	78.34	77.93	*18	76.76
10	*18	76.05	*18	79.45	*18	*18	78.99	78.63	*18	*18	77.30	*18
11	76.13	*18	76.33	*18	79.25	78.82	*18	*18	78.33	77.89	*18	76.76
12	*18	76.06	*18	79.50	*18	*18	79.03	78.59	*18	*18	77.25	*18
13	76.13	*18	76.35	*18	79.22	78.82	*18	*18	78.30	77.86	*18	76.72
14	*18	76.07	*18	79.48	*18	*18	79.05	78.54	*18	*18	77.19	*18
15	76.12	76.07	76.38	*18	79.19	78.81	*18	*18	78.30	77.81	*18	76.72
16	*18	*18	*18	79.50	*18	*18	79.04	78.50	*18	*18	77.17	*18
17	76.11	76.09	76.40	*18	79.14	78.82	*18	*18	78.26	77.75	*18	76.71
18	*18	*18	*18	79.50	*18	*18	79.04	78.45	*18	*18	77.15	*18
19	76.11	76.11	76.42	*18	79.08	78.80	*18	*18	78.24	77.70	*18	76.70
20	*18	*18	*18	79.49	*18	*18	78.99	78.40	*18	*18	77.11	*18
21	76.10	76.14	76.85	*18	79.04	78.79	*18	*18	78.22	77.65	*18	76.69
22	*18	*18	*18	79.45	*18	*18	78.96	78.36	*18	*18	77.08	*18
23	76.09	76.16	77.35	*18	79.00	78.78	*18	*18	78.20	77.60	*18	76.69
24	*18	*18	*18	79.45	*18	*18	78.93	78.33	*18	*18	77.05	*18
25	76.09	76.18	77.85	*18	78.94	78.77	*18	*18	78.16	77.57	*18	76.68
26	*18	*18	*18	79.45	*18	*18	78.91	78.30	*18	*18	77.03	*18
27	76.09	76.20	78.25	*18	78.91	78.77	*18	*18	78.13	*18	*18	76.67
28	*18	*18	*18	79.45	*18	*18	78.87	78.27	*18	*18	77.00	*18
29	76.09	76.22	78.45	*18		78.76	*18	*18	78.11	77.49	*18	76.67
30	*18	*18	*18	79.45			*18	78.83	78.25	*18	*18	76.97
31	76.08		78.59	*18		78.75			*18	77.47	*18	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.66	*18	76.74	77.19	78.11	78.76	78.80	78.56	*18	*18	77.70	77.15
2	*18	76.61	76.75	77.22	78.13	78.79	78.79	78.56	*18	*18	*18	77.15
3	76.64	*18	76.76	77.24	78.15	78.81	78.78	78.55	*18	*18	77.50	77.15
4	*18	76.63	76.77	77.25	78.17	78.83	78.77	78.54	*18	*18	*18	77.15
5	76.62	*18	76.78	77.26	78.18	78.85	78.77	78.53	*18	*18	77.50	77.10
6	*18	76.64	76.80	77.27	78.20	78.87	78.77	78.52	*18	*18	*18	77.10
7	76.62	*18	76.81	77.29	78.22	78.89	78.78	78.52	*18	*18	*18	77.05
8	*18	76.63	76.82	77.34	78.23	78.91	78.78	78.53	*18	*18	77.50	77.05
9	76.63	*18	76.82	77.35	78.26	78.93	78.78	78.50	*18	*18	*18	77.05
10	*18	76.61	76.83	77.37	78.29	78.95	78.77	78.49	*18	*18	77.50	77.05
11	76.63	*18	76.83	77.38	78.34	78.95	78.76	78.48	*18	*18	*18	77.05
12	*18	76.63	76.84	77.40	78.39	78.94	78.75	78.47	*18	*18	77.50	77.00
13	76.63	*18	76.87	77.42	78.41	78.93	78.74	78.47	*18	*18	*18	77.00
14	*18	76.63	76.89	77.44	78.43	78.90	78.73	78.46	*18	*18	*18	77.00
15	76.64	76.63	76.91	77.46	78.45	78.88	78.72	78.46	*18	*18	77.45	77.00
16	*18	76.63	76.91	77.55	78.47	78.86	78.70	78.46	*18	*18	*18	76.95
17	76.63	76.63	76.92	77.62	78.49	78.84	78.68	78.46	*18	*18	77.45	76.95
18	*18	76.64	76.92	77.65	78.51	78.82	78.67	78.46	*18	*18	*18	76.95
19	76.62	76.65	76.93	77.66	78.53	78.79	78.66	*18	*18	*18	77.40	76.95
20	*18	76.65	76.94	77.69	78.55	78.76	78.65	*18	*18	*18	*18	*18
21	76.60	76.65	76.96	77.73	78.57	78.73	78.64	*18	*18	*18	*18	76.95
22	*18	76.66	76.99	77.77	78.59	78.71	78.64	*18	*18	*18	77.35	*18
23	76.58	76.67	77.01	77.80	78.61	78.70	78.64	*18	*18	*18	*18	*18
24	*18	76.68	77.06	77.83	78.63	78.70	78.63	*18	*18	*18	77.30	*18
25	76.57	76.68	77.08	77.87	78.65	78.72	78.62	*18	*18	*18	*18	*18
26	*18	76.79	77.09	77.90	78.67	78.76	78.61	*18	*18	77.87	*18	77.05
27	76.57	76.69	77.10	77.92	78.70	78.79	78.60	*18	*18	77.80	77.30	*18
28	*18	76.70	77.13	77.96	78.73	78.81	78.59	*18	*18	77.75	*18	77.05
29	76.58	76.72	77.14	77.99		78.82	78.58	*18	*18	77.75	77.30	*18
30	*18	76.71	77.15	78.02		78.82	78.57	*18	*18	77.75	*18	77.05
31	76.60		77.17	78.07		78.81		*18		77.70	77.20	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	*18	*18	*18	78.15	78.28	78.28	78.45	78.45	78.13	77.88	77.35	76.95
2	*18	77.15	77.55	78.17	78.27	78.30	78.45	78.45	78.12	77.86	77.30	76.95
3	77.05	*18	*18	78.20	78.26	78.30	78.45	78.45	78.12	77.85	77.30	76.90
4	*18	77.15	*18	78.25	78.25	78.30	78.45	78.45	78.11	77.84	77.30	76.90
5	77.05	*18	77.60	78.26	78.25	78.34	78.45	78.45	78.11	77.83	77.25	76.90
6	*18	*18	*18	78.31	78.24	78.37	78.46	78.44	78.11	77.82	77.25	76.85
7	77.05	77.20	77.65	78.33	78.24	78.38	78.46	78.43	78.11	77.79	77.25	76.85
8	*18	*18	*18	78.33	78.24	78.40	78.46	78.41	78.14	77.77	77.25	76.82
9	*18	77.25	77.65	78.33	78.24	78.41	78.46	78.39	78.15	77.75	77.25	76.82
10	77.10	*18	*18	78.32	78.24	78.41	78.46	78.37	78.15	77.74	77.25	76.80
11	*18	77.25	*18	78.32	78.25	78.41	78.46	78.35	78.16	77.72	77.20	76.80
12	77.10	*18	77.65	78.33	78.24	78.43	78.46	78.33	78.16	77.70	77.15	76.85
13	*18	*18	*18	78.36	78.24	78.45	78.45	78.30	78.15	77.69	77.15	76.85
14	77.10	77.25	77.65	78.37	78.24	78.44	78.45	78.30	78.14	77.68	77.10	76.85
15	*18	*18	77.65	78.38	78.24	78.45	78.46	78.28	78.13	77.67	77.10	76.80
16	*18	77.25	77.75	78.38	78.23	78.43	78.46	78.26	78.12	77.65	77.10	76.80
17	77.10	*18	77.80	78.37	78.23	78.44	78.46	78.25	78.11	77.64	77.05	76.80
18	*18	77.30	77.80	78.37	78.23	78.45	78.46	78.24	78.10	77.63	77.00	76.80
19	77.10	*18	77.80	78.37	78.23	78.45	78.46	78.22	78.10	77.61	76.95	76.80
20	*18	*18	77.80	78.37	78.23	78.45	78.46	78.21	78.09	77.59	77.00	76.80
21	77.15	77.30	77.90	78.37	78.21	78.45	78.46	78.20	78.07	77.57	77.00	76.80
22	*18	*18	77.80	78.35	78.27	78.45	78.46	78.18	78.05	77.55	77.00	76.80
23	*18	77.38	77.85	78.34	78.27	78.46	78.46	78.16	78.03	77.53	76.95	76.80
24	77.15	*18	77.98	78.33	78.25	78.45	78.46	78.15	78.01		*18	76.80
25	*18	77.40	78.01	78.32	78.25	78.45	78.46	78.15	78.01		*18	77.00
26	77.15	*18	78.04	78.31	78.23	78.45	78.46	78.15	77.97	77.40	77.00	76.80
27	*18	*18	78.02	78.31	78.23	78.45	78.46	78.15	77.95	77.40	76.95	76.80
28	77.15	77.50	78.07	78.29	78.25	78.45	78.46	78.14	77.93	77.40	76.90	76.80
29	*18	*18	78.10	78.29		78.45	78.46	78.14	77.91	77.40	76.90	76.80
30	*18	77.50	78.11	78.29		78.45	78.46	78.14	77.90	77.35	76.90	76.80
31	77.15		78.13	78.28		78.45		78.13		77.35	76.95	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετο. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.85	76.80	78.27	78.60	78.70	78.84	78.60	78.47	78.26	77.96	77.53	76.90
2	76.80	76.80	78.27	78.60	78.72	78.83	78.59	78.46	78.24	77.95	77.51	76.88
3	76.80	76.80	78.25	78.60	78.75	78.82	78.58	78.46	78.22	77.95	77.49	76.88
4	76.85	76.80	78.25	78.60	78.77	78.81	78.57	78.47	78.20	77.95	77.47	76.86
5	76.80	76.80	78.25	78.60	78.77	78.80	78.56	78.50	78.20	77.95	77.45	76.84
6	76.80	76.80	78.25	78.60	78.80	78.79	78.55	78.51	78.19	77.94	77.43	76.82
7	76.80	76.80	78.25	78.65	78.80	78.78	78.55	78.52	78.17	77.93	77.42	76.80
8	76.80	76.80	78.23	78.70	78.78	78.76	78.54	78.52	78.16	77.91	77.41	76.80
9	76.80	76.80	78.23	78.75	78.76	78.75	78.53	78.53	78.14	77.90	77.40	76.78
10	76.80	76.80	78.23	78.85	78.74	78.73	78.52	78.53	78.14	77.90	77.38	76.78
11	76.80	76.80	78.23	78.90	78.73	78.71	78.52	78.53	78.13	77.88	77.36	76.78
12	76.80	76.80	78.23	78.95	78.72	78.70	78.51	78.53	78.12	77.87	77.34	76.75
13	76.85	76.80	78.23	78.95	78.70	78.69	78.50	78.52	78.10	77.86	77.32	76.75
14	76.85	76.80	78.23	78.90	78.70	78.68	78.49	78.51	78.08	77.86	77.30	76.70
15	76.85	76.85	78.23	78.90	78.75	78.67	78.48	78.50	78.06	77.85	77.27	76.72
16	76.85	76.90	78.23	78.90	78.80	78.66	78.48	78.48	78.06	77.83	77.25	76.72
17	76.85	77.00	78.23	78.90	78.85	78.65	78.46	78.47	78.05	77.81	77.23	76.72
18	76.85	77.30	78.23	78.85	78.90	78.63	78.45	78.46	78.03	77.79	77.20	76.71
19	76.85	77.50	78.25	78.85	78.90	78.61	78.44	78.45	78.01	77.78	77.19	76.70
20	76.85	77.70	78.25	78.80	78.89	78.60	78.43	78.43	78.00	77.77	77.16	76.70
21	76.85	78.05	78.25	78.80	78.89	78.59	78.42	78.41	78.00	77.75	77.14	76.70
22	76.80	78.15	78.25	78.77	78.88	78.58	78.42	78.40	77.99	77.74	77.12	76.70
23	76.80	78.17	78.25	78.75	78.87	78.57	78.42	78.38	77.99	77.72	77.10	76.70
24	76.80	78.17	78.30	78.73	78.86	78.56	78.43	78.36	77.96	77.70	77.08	76.68
25	76.80	78.17	78.30	78.70	78.86	78.56	78.46	78.34	77.94	77.68	77.06	76.67
26	76.80	78.20	78.30	78.68	78.86	78.57	78.50	78.32	77.92	77.66	77.04	76.65
27	76.80	78.25	78.30	78.65	78.85	78.58	78.50	78.30	77.90	77.64	77.01	76.65
28	76.80	78.27	78.30	78.65	78.85	78.60	78.50	78.30	77.90	77.62	76.98	76.65
29	76.80	78.27	78.45	78.65	78.85	78.61	78.48	78.30	77.92	77.60	76.95	76.65
30	76.80	78.27	78.50	78.65		78.61	78.48	78.28	77.95	77.58	76.92	76.65
31	76.80		78.55	78.65		78.60		78.26		77.56	76.90	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.65	76.65	78.61	78.71	78.51	79.65	79.36	78.82	78.41	78.18	77.65	77.25
2	76.65	76.65	78.62	78.69	78.53	79.67	79.35	78.82	78.41	78.16	77.64	77.25
3	76.65	76.65	78.65	78.67	78.54	79.68	79.33	78.80	78.40	78.14	77.58	77.25
4	76.65	76.65	78.70	78.65	78.55	79.69	79.31	78.77	78.40	78.12	77.57	77.24
5	76.65	76.65	78.78	78.63	78.56	79.70	79.28	78.74	78.39	78.10	77.55	77.24
6	76.65	76.65	78.95	78.61	78.57	79.71	79.26	78.73	78.39	78.08	77.53	77.24
7	76.65	76.65	79.15	78.60	78.58	79.72	79.24	78.72	78.39	78.06	77.51	77.23
8	76.65	76.65	79.25	78.58	78.58	79.70	79.22	78.71	78.38	78.04	77.50	77.23
9	76.65	76.82	79.35	78.56	78.58	79.68	79.18	78.70	78.38	78.03	77.47	77.22
10	76.65	76.90	79.40	78.55	78.58	79.67	79.15	78.68	78.36	78.02	77.45	77.22
11	76.65	77.16	79.41	78.54	78.57	79.67	79.13	78.66	78.36	78.00	77.44	77.21
12	76.65	77.38	79.40	78.53	78.57	79.66	79.12	78.64	78.36	77.98	77.43	77.20
13	76.65	77.60	79.38	78.52	78.59	79.65	79.11	78.62	78.36	77.96	77.42	77.20
14	76.65	77.75	79.33	78.51	78.62	79.63	79.09	78.61	78.35	77.94	77.40	77.19
15	76.65	77.82	79.31	78.51	78.64	79.62	79.07	78.59	78.35	77.92	77.39	77.19
16	76.65	77.85	79.25	78.50	78.68	79.61	79.05	78.59	78.34	77.90	77.37	77.18
17	76.65	77.90	79.16	78.50	78.75	79.58	79.03	78.55	78.33	77.88	77.35	77.18
18	76.65	77.95	79.11	78.50	78.84	79.55	79.02	78.50	78.32	77.86	77.34	77.17
19	76.65	77.98	79.07	78.49	78.84	79.53	79.02	78.52	78.32	77.85	77.33	77.17
20	76.65	77.99	79.02	78.48	78.93	79.51	79.01	78.51	78.31	77.83	77.32	77.16
21	76.65	78.00	78.93	78.48	78.96	79.50	78.99	78.50	78.30	77.82	77.31	77.16
22	76.65	78.01	78.95	78.48	79.02	79.48	78.98	78.49	78.30	77.81	77.31	77.15
23	76.65	78.05	78.95	78.48	79.15	79.46	78.97	78.47	78.30	77.80	77.30	77.15
24	76.65	78.05	78.90	78.48	79.35	79.44	78.95	78.46	78.28	77.78	77.29	77.15
25	76.65	78.08	78.88	78.47	79.48	79.43	78.93	78.45	78.26	77.76	77.28	77.16
26	76.65	78.10	78.84	78.47	79.57	79.42	78.92	78.45	78.24	77.74	77.27	77.16
27	76.65	78.30	78.82	78.47	79.63	79.41	78.90	78.44	78.22	77.72	77.26	77.16
28	76.65	78.45	78.80	78.47	79.65	79.40	78.88	78.44	78.20	77.70	77.26	77.17
29	76.65	78.50	78.77	78.47		79.40	78.86	78.43	78.19	77.68	77.25	77.17
30	76.65	78.60	78.75	78.47		79.39	78.84	78.43	78.18	77.66	77.25	77.18
31	76.65		78.73	78.48		79.37		78.42		77.65	77.25	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.18	78.20	78.15	78.37	79.30	78.60	78.45	78.19	77.78	77.47	76.91	76.15
2	77.19	78.19	78.15	78.39	79.00	78.62	78.44	78.18	77.77	77.46	76.87	76.15
3	77.19	78.18	78.15	78.41	78.97	78.65	78.43	78.17	77.76	77.46	76.83	76.18
4	77.20	78.18	78.15	78.43	78.95	78.67	78.42	78.16	77.75	77.45	76.78	76.19
5	77.20	78.18	78.15	78.45	78.93	78.70	78.39	78.13	77.75	77.43	76.74	76.21
6	77.20	78.18	78.15	78.47	78.92	78.70	78.38	78.10	77.74	77.42	76.71	76.21
7	77.20	78.18	78.15	78.49	78.90	78.69	78.37	78.10	77.72	77.41	76.67	76.23
8	77.20	78.18	78.15	78.52	78.88	78.68	78.36	78.10	77.70	77.40	76.63	76.25
9	77.20	78.18	78.21	78.55	78.87	78.68	78.35	78.08	77.70	77.40	76.58	76.25
10	77.20	78.18	78.22	78.53	78.87	78.67	78.35	78.05	77.78	77.40	76.54	76.27
11	77.20	78.17	78.26	78.53	78.87	78.65	78.34	78.03	77.69	77.40	76.50	76.30
12	77.20	78.17	78.26	78.52	78.86	78.65	78.33	78.02	77.68	77.40	76.50	76.30
13	77.20	78.16	78.31	78.54	78.85	78.65	78.32	78.00	77.68	77.39	76.48	76.31
14	77.24	78.16	78.32	78.57	78.84	78.64	78.31	78.00	77.68	77.37	76.46	76.33
15	77.26	78.16	78.33	78.59	78.84	78.63	78.30	78.00	77.67	77.36	76.44	76.35
16	77.30	78.16	78.33	78.61	78.83	78.63	78.30	77.97	77.66	77.35	76.43	76.40
17	77.35	78.16	78.33	78.62	78.82	78.60	78.30	77.95	77.65	77.34	76.42	76.43
18	77.40	78.16	78.33	78.63	78.80	78.59	78.30	77.93	77.64	77.32	76.40	76.46
19	77.59	78.17	78.33	78.72	78.77	78.56	78.29	77.90	77.62	77.29	76.37	76.46
20	77.65	78.18	78.32	78.83	78.75	78.54	78.28	77.87	77.60	77.28	76.35	76.48
21	78.00	78.17	78.32	79.00	78.73	78.53	78.27	77.85	77.59	77.26	76.32	76.48
22	78.00	78.16	78.32	79.17	78.70	78.52	78.26	77.85	77.57	77.24	76.30	76.49
23	78.10	78.17	78.32	79.55	78.68	78.52	78.25	77.85	77.56	77.22	76.28	76.49
24	78.15	78.16	78.33	79.67	78.66	78.52	78.24	77.85	77.55	77.20	76.26	76.52
25	78.17	78.15	78.33	79.65	78.64	78.50	78.23	77.85	77.53	77.17	76.22	76.54
26	78.17	78.15	78.34	79.65	78.63	78.49	78.22	77.83	77.52	77.13	76.20	76.56
27	78.18	78.15	78.34	79.64	78.60	78.49	78.21	77.81	77.51	77.09	76.18	76.58
28	78.18	78.15	78.34	79.62	78.60	78.49	78.20	77.80	77.50	77.06	76.16	76.58
29	78.18	78.17	78.35	79.59		78.49	78.20	77.80	77.49	77.03	76.15	76.60
30	78.18	78.16	78.36	79.55		78.48	78.20	77.79	77.47	77.00	76.15	76.60
31	78.20		78.37	79.51		78.48		77.78		76.95	76.15	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.60	76.54	78.10	78.75	79.00	79.05	78.60	78.60	78.13	77.82	77.18	76.45
2	76.60	76.54	78.15	78.75	79.00	79.10	78.58	78.58	78.10	77.80	77.15	76.40
3	76.60	76.60	78.20	78.75	79.00	79.15	78.57	78.56	78.05	77.78	77.12	76.35
4	76.60	76.62	78.20	78.75	79.00	79.15	78.56	78.52	78.05	77.76	77.09	76.30
5	76.60	76.63	78.22	78.75	79.00	79.13	78.63	78.50	78.05	77.76	77.06	76.25
6	76.60	76.63	78.25	78.75	79.00	79.10	78.70	78.48	78.05	77.75	77.03	76.20
7	76.60	76.63	78.25	78.75	78.95	79.08	78.74	78.47	78.05	77.74	77.00	76.15
8	76.60	76.65	78.25	78.75	78.90	79.05	78.80	78.45	78.05	77.73	76.98	76.10
9	76.60	76.70	78.25	78.75	78.85	79.02	78.84	78.42	78.00	77.71	76.95	76.05
10	76.60	76.80	78.25	78.75	78.85	79.00	78.84	78.40	77.99	77.70	76.93	76.00
11	76.60	76.85	78.25	78.70	78.80	78.95	78.82	78.40	77.98	77.68	76.90	76.00
12	76.60	76.90	78.25	78.70	78.80	78.93	78.80	78.40	77.95	77.66	76.88	76.00
13	76.60	76.90	78.25	78.70	78.80	78.90	78.80	78.40	77.95	77.63	76.86	76.00
14	76.60	76.95	78.25	78.70	78.75	78.86	78.80	78.40	77.93	77.61	76.83	76.00
15	76.63	77.00	78.25	78.75	78.75	78.83	78.77	78.39	77.90	77.58	76.80	76.05
16	76.63	77.05	78.25	78.75	78.73	78.80	78.75	78.36	77.88	77.55	76.78	76.10
17	76.63	77.10	78.25	78.75	78.70	78.75	78.75	78.35	77.86	77.55	76.76	76.13
18	76.63	77.14	78.25	78.75	78.75	78.75	78.73	78.33	77.85	77.53	76.74	76.15
19	76.63	77.22	78.25	78.75	78.80	78.75	78.71	78.33	77.85	77.50	76.71	76.17
20	76.63	77.27	78.25	78.75	78.85	78.75	78.70	78.31	77.85	77.48	76.69	76.20
21	76.63	77.30	78.25	78.75	78.85	78.73	78.68	78.30	77.85	77.45	76.67	76.23
22	76.60	77.35	78.25	78.75	78.90	78.70	78.66	78.29	77.85	77.42	76.65	76.25
23	76.60	77.35	78.25	78.80	78.95	78.68	78.64	78.28	77.85	77.40	76.63	76.22
24	76.60	77.35	78.25	78.85	78.95	78.66	78.64	78.27	77.85	77.38	76.61	76.30
25	76.60	77.43	78.25	78.90	78.95	78.64	78.64	78.25	77.85	77.35	76.60	76.33
26	76.60	77.45	78.25	79.00	78.95	78.64	78.64	78.23	77.85	77.32	76.58	76.35
27	76.60	77.65	78.25	79.10	78.95	78.62	78.64	78.21	77.85	77.30	76.57	76.38
28	76.58	77.80	78.35	79.10	79.00	78.62	78.64	78.19	77.85	77.28	76.55	76.40
29	76.56	77.95	78.50	79.05		78.62	78.64	78.19	77.85	77.25	76.53	76.43
30	76.54	78.05	78.60	79.05		78.62	78.60	78.15	77.85	77.22	76.52	76.45
31	76.54		78.80	79.05		78.60		78.15		77.20	76.51	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.45	76.84	77.00	77.22	77.43	78.05	78.10	77.50	77.34	76.40	75.61	74.99
2	76.45	76.86	77.01	77.22	77.44	78.07	78.09	77.50	77.32	76.40	75.59	74.97
3	76.47	76.87	77.01	77.23	77.45	78.08	78.07	77.50	77.30	76.40	75.57	74.95
4	76.47	76.89	77.02	77.24	77.46	78.10	78.06	77.50	77.30	76.35	75.55	74.93
5	76.48	76.91	77.03	77.25	*18	78.13	78.04	77.50	77.29	76.35	75.53	74.91
6	76.48	76.93	77.04	77.25	77.48	78.13	78.02	77.50	77.27	76.30	75.51	74.89
7	76.48	76.93	77.05	77.25	77.50	78.13	78.00	77.50	77.25	76.25	75.49	74.87
8	76.48	76.94	77.05	77.25	77.52	78.14	77.95	77.50	77.23	76.20	75.47	74.85
9	76.49	76.95	77.05	77.26	77.54	78.15	77.93	77.50	77.20	76.15	75.45	74.83
10	76.50	76.96	77.05	77.27	77.55	78.17	77.92	77.48	77.18	76.10	75.43	74.81
11	76.50	76.96	77.06	77.28	77.56	78.19	77.90	77.45	77.15	76.05	75.41	74.79
12	76.51	76.97	77.06	77.29	77.64	78.20	77.87	77.45	77.13	76.00	75.39	74.77
13	76.52	76.97	77.07	77.30	77.70	78.20	77.85	77.45	77.10	76.00	75.37	74.75
14	76.53	76.97	77.08	77.30	77.75	78.20	77.83	77.43	77.08	75.97	75.35	74.73
15	76.54	76.97	77.09	77.30	77.80	78.20	77.77	77.40	77.05	75.96	75.33	74.71
16	76.54	76.97	77.10	77.30	77.85	78.20	77.75	77.40	77.03	75.94	75.31	74.69
17	76.55	76.97	77.12	77.30	77.90	78.20	77.73	77.40	77.00	75.92	75.29	74.67
18	76.56	76.97	77.13	77.30	77.93	78.21	77.70	77.40	76.97	75.90	75.27	74.65
19	76.56	76.97	77.14	77.30	77.95	78.22	77.68	77.40	76.95	75.88	75.25	74.63
20	76.57	76.97	77.15	77.30	77.96	78.23	77.65	77.40	76.90	75.86	75.23	74.61
21	76.58	76.97	77.16	77.30	77.98	78.24	77.64	77.39	76.85	75.84	75.21	74.59
22	76.60	76.97	77.17	77.30	78.00	78.20	77.63	77.39	76.83	75.82	75.19	74.57
23	76.61	76.97	77.18	77.30	78.00	78.18	77.58	77.39	76.70	75.79	75.17	74.55
24	76.65	76.97	77.19	77.33	78.00	78.15	77.54	77.39	76.67	75.77	75.15	74.53
25	76.70	76.97	77.20	77.35	78.00	78.13	77.50	77.39	76.65	75.75	75.13	74.51
26	76.73	76.97	77.21	77.36	78.00	78.13	77.50	77.39	76.60	75.73	75.11	74.49
27	76.75	76.98	77.21	77.37	78.02	78.13	77.50	77.38	76.55	75.71	75.09	74.47
28	76.77	77.00	77.22	77.38	78.03	78.13	77.50	77.38	76.50	75.69	75.07	74.45
29	76.80	77.00	77.21	77.40	78.05	78.12	77.50	77.38	76.47	75.67	75.05	74.43
30	76.82	77.00	77.21	77.41		78.12	77.50	77.37	76.45	75.65	75.03	74.41
31	76.85		77.22	77.42		78.10		77.35		75.63	75.01	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	74.40	73.96	73.89	73.95	74.14	74.81	74.91	74.26	73.57	72.82	72.14	71.62
2	74.37	73.95	73.89	73.95	74.18	74.82	74.90	74.23	73.55	72.80	72.13	71.59
3	74.34	73.95	73.89	73.95	74.21	74.85	74.88	74.21	73.52	72.78	72.11	71.55
4	74.31	73.94	73.89	73.95	74.24	74.87	74.87	74.19	73.49	72.76	72.09	71.49
5	74.28	73.93	73.89	73.91	74.29	74.89	74.85	74.17	73.46	72.73	72.08	71.45
6	74.26	73.92	73.89	73.91	74.32	74.89	74.84	74.15	73.43	72.70	72.07	71.41
7	74.23	73.92	73.89	73.90	74.35	74.87	74.84	74.13	73.42	72.67	72.06	71.37
8	74.21	73.91	73.85	73.90	74.39	74.87	74.83	74.10	73.39	72.63	72.04	71.34
9	74.19	73.91	73.85	73.90	74.40	74.86	74.83	74.07	73.37	72.59	72.02	71.30
10	74.17	73.90	73.86	73.90	74.41	74.84	74.82	74.03	73.35	72.57	72.00	71.27
11	74.15	73.90	73.86	73.90	74.42	74.83	74.79	74.01	73.32	72.55	71.99	71.24
12	74.13	73.90	73.87	73.90	74.43	74.83	74.76	73.99	73.29	72.53	71.97	71.20
13	74.11	73.89	73.87	73.90	74.45	74.83	74.75	73.96	73.27	72.50	71.95	71.17
14	74.09	73.89	73.89	73.90	74.49	74.84	74.62	73.94	73.23	72.49	71.94	71.14
15	74.07	73.89	73.91	73.90	74.49	74.85	74.61	73.92	73.21	72.44	71.93	71.12
16	74.06	73.89	73.91	73.90	74.51	74.87	74.59	73.89	73.19	72.42	71.92	71.08
17	74.06	73.89	73.93	73.90	74.54	74.88	74.54	73.87	73.17	72.40	71.91	70.99
18	74.06	73.89	73.92	73.90	74.57	74.88	74.50	73.85	73.15	72.38	71.89	70.94
19	74.05	73.89	73.92	73.90	74.59	74.89	74.49	73.83	73.13	72.36	71.87	70.91
20	74.05	73.89	73.92	73.90	74.62	74.91	74.46	73.81	73.11	72.35	71.85	70.88
21	74.03	73.89	73.95	73.92	74.64	74.91	74.45	73.79	73.09	72.34	71.84	70.85
22	74.02	73.89	73.95	73.92	74.64	74.91	74.44	73.77	73.06	72.33	71.82	70.82
23	74.01	73.89	73.95	73.94	74.67	74.91	74.42	73.75	73.03	72.31	71.80	70.79
24	74.01	73.89	73.95	73.96	74.67	74.91	74.40	73.73	73.00	72.29	71.79	70.76
25	74.01	73.89	73.95	73.97	74.71	74.91	74.39	73.71	72.97	72.27	71.77	70.72
26	74.00	73.89	73.95	73.98	74.74	74.91	74.36	73.69	72.95	72.25	71.75	70.69
27	73.99	73.89	73.95	73.98	74.79	74.91	74.33	73.67	72.93	72.23	71.73	70.67
28	73.97	73.89	73.95	74.03	74.79	74.91	74.30	73.65	72.91	72.21	71.71	70.62
29	73.97	73.89	73.95	74.03		74.91	74.29	73.63	72.87	72.20	71.69	70.59
30	73.97	73.89	73.95	74.09		74.91	74.27	73.61	72.85	72.19	71.67	70.55
31	73.96		73.95	74.09		74.91		73.59		72.18	71.66	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	70.54	70.16	70.18	70.49	70.86	71.94	*18	74.73	*18	73.73	73.06	72.27
2	70.53	70.13	70.18	70.51	70.86	71.98	*18	74.74	*18	73.70	73.03	72.25
3	70.51	70.11	70.16	70.53	70.86	72.04	*18	74.75	74.27	73.67	72.98	72.22
4	70.48	70.07	70.16	70.55	70.86	72.06	73.89	74.75	*18	73.67	72.95	72.10
5	70.45	70.06	70.16	70.57	70.87	72.09	*18	74.74	*18	73.67	72.93	72.16
6	70.43	70.05	70.16	70.57	70.88	72.14	*18	74.74	74.20	73.67	72.88	72.13
7	70.41	70.04	70.16	70.58	70.89	72.19	*18	74.73	74.18	73.67	72.82	72.12
8	70.39	70.03	70.16	70.59	70.89	*18	74.22	74.73	74.17	73.67	72.80	72.11
9	70.37	70.03	70.16	70.60	70.90	*18	*18	74.73	74.16	73.57	72.78	72.09
10	70.35	70.02	70.16	70.61	70.90	72.52	74.27	74.72	74.15	73.55	72.75	72.08
11	70.32	70.01	70.16	70.64	70.91	*18	*18	74.71	74.13	73.53	72.72	72.06
12	70.30	70.00	70.16	70.67	70.91	*18	74.38	74.70	74.10	73.50	72.70	72.04
13	70.30	69.99	70.16	70.70	70.91	*18	*18	74.68	74.08	73.48	72.67	71.99
14	70.29	69.99	70.16	70.74	70.93	*18	74.55	74.66	74.05	73.47	72.65	71.94
15	70.29	69.99	70.16	70.76	*18	*18	74.50	74.65	74.03	73.55	72.63	71.90
16	70.28	70.01	70.16	70.79	*18	72.72	74.54	74.64	74.03	73.43	72.61	71.86
17	70.26	70.04	70.16	70.81	*18	*18	74.58	74.63	74.03	73.39	72.59	71.84
18	70.24	70.04	70.17	70.83	71.32	*18	74.60	74.60	74.03	73.37	72.56	71.82
19	70.22	70.09	70.17	70.84	*18	*18	74.62	74.58	73.97	73.34	72.54	71.79
20	70.21	70.13	70.17	70.85	71.54	72.95	74.64	74.55	73.95	73.31	72.53	71.78
21	70.21	70.16	70.18	70.86	*18	*18	74.67	74.53	73.93	73.28	72.52	71.76
22	70.20	70.17	70.20	70.86	*18	*18	74.69	74.49	73.89	73.26	72.51	71.74
23	70.20	70.18	70.23	70.86	71.76	73.13	74.70	74.47	73.87	73.24	72.50	71.74
24	70.19	70.18	70.28	70.86	*18	*18	74.71	74.45	73.85	73.23	72.48	71.74
25	70.19	70.19	70.30	70.86	71.79	*18	74.72	74.44	73.83	73.22	72.45	71.74
26	70.19	70.19	70.31	70.86	*18	73.30	74.73	74.40	73.80	73.21	72.42	71.74
27	70.19	70.19	70.33	70.86	*18	*18	74.74	74.36	73.78	73.20	72.38	71.74
28	70.19	70.18	70.34	70.86	71.92	*18	74.74	74.33	73.76	73.19	72.34	71.74
29	70.19	70.16	70.38	70.86	*18	*18	74.74	74.29	73.75	73.18	72.30	71.74
30	70.19	70.14	70.41	70.86	*18	*18	74.73	74.29	73.74	73.11	72.26	71.55
31	70.18		70.45	70.86		73.65		74.28		73.08	72.22	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	71.55	72.09	73.75	76.31	79.60	79.67	79.35	78.60	78.55	78.20	77.53	76.85
2	71.55	72.16	73.88	76.35	79.70	79.67	79.25	78.58	78.55	78.17	77.50	76.83
3	71.55	72.19	73.95	76.39	79.79	79.63	79.20	78.55	78.53	78.15	77.47	76.83
4	71.55	72.21	74.17	76.45	79.73	79.62	79.15	78.55	78.53	78.15	77.45	76.83
5	71.55	72.23	74.38	76.55	79.70	79.60	79.10	78.53	78.53	78.15	77.43	76.80
6	71.55	72.24	74.52	76.64	79.70	79.53	79.05	78.50	78.50	78.15	77.37	76.78
7	71.55	72.24	74.62	76.75	79.68	79.52	79.00	78.50	78.50	78.15	77.35	76.70
8	71.55	72.24	74.72	76.83	79.65	79.50	78.95	78.50	78.50	78.07	77.33	76.70
9	71.60	72.24	74.79	76.95	79.70	79.50	78.85	78.50	78.50	78.05	77.30	76.70
10	71.64	72.24	74.84	77.06	79.69	79.48	78.80	78.50	78.45	78.09	77.30	76.70
11	71.65	72.24	74.90	77.15	79.68	79.45	78.80	78.50	78.43	78.00	77.27	76.93
12	71.66	72.24	74.97	77.32	79.67	79.42	78.80	78.50	78.40	77.93	77.25	76.95
13	71.67	72.24	75.02	77.40	79.66	79.42	78.80	78.49	78.37	77.95	77.23	76.97
14	71.67	72.24	75.05	77.48	79.65	79.40	78.80	78.47	78.35	77.93	77.20	77.00
15	71.64	72.29	75.18	77.55	79.82	79.38	78.80	78.45	78.33	77.90	77.17	77.03
16	71.64	72.35	75.27	77.60	79.85	79.35	78.79	78.45	78.30	77.87	77.14	77.05
17	71.64	72.40	75.31	77.65	79.90	79.43	78.79	78.45	78.30	77.85	77.12	77.05
18	71.64	72.45	75.39	77.73	79.88	79.45	78.75	78.45	78.30	77.83	77.10	77.05
19	71.64	72.50	75.46	77.80	79.86	79.47	78.73	78.50	78.30	77.80	77.07	77.05
20	71.64	72.55	75.56	77.88	79.85	79.47	78.70	78.55	78.30	77.77	77.05	77.05
21	71.64	72.60	75.64	77.95	79.84	79.50	78.70	78.59	78.30	77.75	77.03	77.00
22	71.63	72.70	75.71	78.05	79.80	79.55	78.70	78.63	78.30	77.73	77.00	77.00
23	71.63	72.75	75.79	78.15	79.80	79.60	78.70	78.65	78.27	77.70	76.97	76.97
24	71.62	72.85	75.94	78.25	79.77	79.60	78.67	78.65	78.25	77.65	76.97	76.95
25	71.62	73.00	75.94	78.35	79.75	79.60	78.65	78.65	78.25	77.65	76.95	76.95
26	71.63	73.23	76.01	78.45	79.73	79.55	78.65	78.63	78.25	77.63	76.95	76.95
27	71.63	73.38	76.08	78.60	79.70	79.50	78.65	78.60	78.23	77.60	76.95	76.95
28	71.64	73.48	76.16	78.80	79.67	79.45	78.65	78.60	78.20	77.63	76.93	76.95
29	71.72	73.58	76.21	79.00		79.40	78.63	78.60	78.20	77.60	76.90	76.95
30	71.86	73.73	76.26	79.10		79.38	78.63	78.60	78.20	77.57	76.90	76.95
31	71.99		76.29	79.20		79.35		78.60		77.55	76.87	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΣΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.00	77.35	77.90	78.37	78.43	78.48	78.60	78.31	78.19	78.05	77.17	76.51
2	77.00	77.35	77.90	78.36	78.43	78.55	78.58	78.30	78.19	78.04	77.15	76.51
3	77.00	77.37	77.90	78.36	78.42	78.60	78.57	78.29	78.18	78.03	77.15	76.50
4	77.00	77.40	77.92	78.37	78.41	78.66	78.56	78.28	78.18	78.02	77.14	76.50
5	77.00	77.42	77.94	78.38	78.40	78.71	78.54	78.26	78.17	77.98	77.14	76.48
6	77.00	77.45	77.94	78.39	78.39	78.76	78.53	78.24	78.17	77.95	77.13	76.48
7	77.05	77.47	77.94	78.40	78.38	78.80	78.51	78.22	78.17	77.93	77.12	76.47
8	77.05	77.50	77.98	78.40	78.37	78.83	78.51	78.22	78.16	77.90	77.10	76.47
9	77.05	77.53	78.00	78.39	78.37	78.85	78.51	78.22	78.17	77.80	77.08	76.46
10	77.05	77.55	78.00	78.38	78.37	78.88	78.50	78.21	78.18	77.84	77.06	76.45
11	77.05	77.55	78.03	78.38	78.37	78.92	78.49	78.20	78.19	77.82	77.04	76.44
12	77.05	77.55	78.05	78.37	78.37	78.89	78.49	78.22	78.20	77.80	77.02	76.42
13	77.05	77.55	78.05	78.35	78.37	78.85	78.48	78.23	78.20	77.78	77.00	76.42
14	77.05	77.60	78.05	78.34	78.37	78.82	78.46	78.23	78.19	77.76	76.98	76.41
15	77.05	77.63	78.05	78.32	78.37	78.81	78.45	78.23	78.18	77.74	76.96	76.39
16	77.13	77.65	78.07	78.32	78.37	78.79	78.43	78.22	78.18	77.72	76.94	76.39
17	77.15	77.67	78.07	78.32	78.36	78.78	78.43	78.21	78.16	77.68	76.90	76.38
18	77.15	77.70	78.08	78.30	78.36	78.77	78.43	78.20	78.16	77.60	76.88	76.37
19	77.15	77.70	78.09	78.30	78.36	78.76	78.42	78.19	78.15	77.58	76.85	76.37
20	77.15	77.70	78.09	78.30	78.35	78.75	78.41	78.19	78.15	77.55	76.82	76.36
21	77.15	77.70	78.12	78.29	78.34	78.74	78.40	78.19	78.14	77.51	76.79	76.35
22	77.17	77.70	78.15	78.28	78.34	78.73	78.38	78.18	78.12	77.48	76.75	76.34
23	77.20	77.73	78.25	78.28	78.34	78.71	78.36	78.18	78.12	77.43	76.71	76.33
24	77.20	77.75	78.35	78.30	78.35	78.69	78.35	78.19	78.12	77.39	76.68	76.31
25	77.20	77.77	78.38	78.32	78.36	78.67	78.34	78.19	78.10	77.35	76.65	76.30
26	77.23	77.80	78.40	78.36	78.37	78.67	78.34	78.19	78.09	77.32	76.63	76.29
27	77.25	77.82	78.40	78.40	78.39	78.65	78.34	78.20	78.08	77.29	76.62	76.28
28	77.27	77.85	78.40	78.45	78.40	78.66	78.34	78.20	78.07	77.26	76.60	76.27
29	77.30	77.87	78.40	78.45	78.42	78.64	78.34	78.20	78.06	77.22	76.57	76.26
30	77.32	77.90	78.40	78.44		78.63	78.33	78.20	78.05	77.22	76.54	76.25
31	77.35		78.38	78.44		78.61		78.19		77.19	76.52	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.24	77.57	78.75	79.73	79.11	79.16	78.88	78.78	78.32	78.28	77.68	77.11
2	76.23	77.73	78.73	79.70	79.09	79.13	78.88	78.77	78.30	78.27	77.66	77.11
3	76.22	77.88	78.71	79.67	79.10	79.13	78.87	78.75	78.28	78.25	77.64	77.11
4	76.22	78.10	78.69	79.63	79.11	79.12	78.87	78.74	78.40	78.24	77.62	77.11
5	76.22	78.30	78.67	79.59	79.11	79.12	78.86	78.73	78.42	78.22	77.59	77.11
6	76.22	78.52	78.65	79.56	79.11	79.12	78.86	78.72	78.32	78.21	77.56	77.10
7	76.22	78.73	78.65	79.53	79.09	79.09	78.85	78.71	78.34	78.20	77.54	77.09
8	76.23	78.82	78.65	79.51	79.07	79.06	78.84	78.70	78.45	78.15	77.51	77.09
9	76.24	78.90	78.65	79.49	79.11	79.04	78.84	78.70	78.46	78.14	77.50	77.09
10	76.25	79.02	78.65	79.48	79.16	79.03	78.83	78.71	78.46	78.10	77.48	77.09
11	76.25	79.05	78.64	79.46	79.18	79.07	78.82	78.71	78.46	78.06	77.47	77.09
12	76.26	79.08	78.63	79.43	79.34	79.11	78.81	78.70	78.46	78.04	77.45	77.09
13	76.27	79.08	78.68	79.41	79.36	79.10	78.80	78.69	78.46	78.02	77.43	77.10
14	76.28	79.08	78.74	79.37	79.38	79.09	78.79	78.68	78.46	78.01	77.40	77.10
15	76.30	79.05	78.76	79.33	79.40	79.08	78.78	78.67	78.46	77.99	77.38	77.11
16	76.34	79.02	78.79	79.30	79.38	79.07	78.77	78.66	78.45	77.98	77.36	77.11
17	76.36	78.99	78.82	79.26	79.36	79.05	78.76	78.65	78.44	77.96	77.34	77.11
18	76.36	78.97	78.85	79.26	79.36	79.04	78.75	78.64	78.42	77.95	77.32	77.11
19	76.38	78.95	78.98	79.25	79.35	79.03	78.76	78.63	78.41	77.93	77.30	77.11
20	76.39	78.94	79.20	79.30	79.35	79.02	78.76	78.62	78.41	77.92	77.28	77.11
21	76.41	78.91	79.30	79.30	79.34	79.01	78.77	78.60	78.40	77.91	77.26	77.10
22	76.43	78.89	79.40	79.31	79.31	79.00	78.77	78.59	78.39	77.90	77.24	77.10
23	76.48	78.87	79.58	79.30	79.28	78.98	78.76	78.58	78.38	77.89	77.23	77.09
24	76.60	78.85	79.70	79.27	79.27	78.97	78.75	78.56	78.37	77.88	77.21	77.10
25	76.75	78.83	79.75	79.24	79.26	78.96	78.76	78.55	78.35	77.87	77.20	77.09
26	76.90	78.83	79.80	79.20	79.25	78.94	78.76	78.53	78.34	77.84	77.18	77.10
27	77.05	78.81	79.80	79.18	79.22	78.93	78.77	78.52	78.33	77.81	77.17	77.10
28	77.25	78.90	79.80	79.17	79.20	78.91	78.78	78.50	78.32	77.78	77.15	77.10
29	77.36	78.78	79.75	79.16		78.89	78.78	78.48	78.31	77.75	77.15	77.16
30	77.44	78.76	79.70	79.15		78.88	78.79	78.46	78.30	77.73	77.14	77.25
31	77.50		79.66	79.13			78.87			77.70	77.13	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.34	78.18	79.35	79.61	79.68	79.35	79.01	78.63	78.44	78.09	77.39	76.59
2	77.44	78.18	79.37	79.59	79.67	79.34	79.01	78.61	78.43	78.07	77.37	76.56
3	77.55	78.18	79.36	79.56	79.65	79.34	79.00	78.59	78.43	78.04	77.34	76.53
4	77.65	78.18	79.37	79.43	79.62	79.32	78.99	78.56	78.43	78.02	77.32	76.51
5	77.76	78.19	79.38	79.39	79.61	79.31	78.98	78.54	78.42	78.01	77.30	76.49
6	77.81	78.19	79.39	79.54	79.58	79.30	78.97	78.53	78.41	77.99	77.28	76.44
7	77.86	78.20	79.52	79.60	79.56	79.29	78.96	78.53	78.41	77.97	77.26	76.44
8	77.89	78.21	79.66	79.67	79.53	79.28	78.95	78.53	78.40	77.96	77.24	76.42
9	77.92	78.21	79.74	79.76	79.53	79.26	78.94	78.55	78.39	77.94	77.21	76.40
10	77.94	78.21	79.83	79.76	79.53	79.25	78.94	78.54	78.38	77.91	77.19	76.38
11	77.96	78.27	79.86	79.80	79.56	79.24	78.93	78.54	78.37	77.89	77.17	76.37
12	77.97	78.33	79.89	79.78	79.56	79.23	78.91	78.54	78.36	77.86	77.14	76.33
13	77.99	78.43	79.89	79.75	79.56	79.22	78.90	78.54	78.36	77.84	77.11	76.31
14	78.00	78.52	79.89	79.71	79.56	79.20	78.89	78.53	78.35	77.82	77.09	76.31
15	78.01	78.54	79.89	79.67	79.55	79.19	78.89	78.53	78.34	77.80	77.06	76.31
16	78.02	78.56	79.88	79.66	79.53	79.18	78.89	78.52	78.33	77.78	77.04	76.32
17	78.03	78.58	79.88	79.65	79.52	79.17	78.87	78.52	78.32	77.75	77.01	76.33
18	78.03	78.60	79.88	79.66	79.52	79.16	78.85	78.51	78.31	77.73	76.99	76.34
19	78.03	78.62	79.84	79.68	79.51	79.16	78.84	78.51	78.32	77.71	76.96	76.35
20	78.04	78.64	79.80	79.70	79.50	79.15	78.83	78.50	78.31	77.69	76.94	76.36
21	78.05	78.66	79.78	79.73	79.49	79.14	78.83	78.49	78.28	77.66	76.91	76.37
22	78.05	78.68	79.76	79.80	79.48	79.13	78.81	78.48	78.26	77.64	76.88	76.37
23	78.06	78.71	79.75	79.80	79.45	79.11	78.78	78.48	78.24	77.61	76.86	76.37
24	78.07	78.71	79.73	79.80	79.43	79.10	78.77	78.47	78.21	77.59	76.82	76.37
25	78.08	79.07	79.72	79.79	79.41	79.10	78.75	78.46	78.19	77.56	76.79	76.38
26	78.09	79.21	79.71	79.76	79.39	79.09	78.73	78.45	78.17	77.54	76.76	76.38
27	78.11	79.27	79.68	79.73	79.37	79.07	78.71	78.44	78.16	77.52	76.73	76.38
28	78.12	79.33	79.64	79.71	79.37	79.05	78.69	78.45	78.14	77.50	76.70	76.39
29	78.14	79.33	79.68	79.69		79.04	78.67	78.45	78.12	77.47	76.67	76.39
30	78.16	79.33	79.66	79.68		79.02	78.65	78.44	78.11	77.45	76.64	76.39
31	78.18		79.65	79.68		79.01		78.44		77.41	76.61	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.40	76.50	77.97	78.65	79.17	79.12	78.96	78.84	78.72	78.74	78.07	77.54
2	76.40	76.51	78.00	78.65	79.16	79.11	78.94	78.86	78.70	78.74	78.05	77.53
3	76.40	76.52	78.00	78.65	79.13	79.10	78.94	78.90	78.69	78.71	78.03	77.53
4	76.40	76.53	78.01	78.76	79.11	79.09	78.95	78.97	78.67	78.68	78.00	77.53
5	76.41	76.54	78.08	78.93	79.09	79.08	78.95	79.05	78.65	78.65	77.98	77.52
6	76.41	76.55	78.08	79.12	79.08	79.06	78.95	79.15	78.63	78.63	77.97	77.52
7	76.42	76.55	78.11	79.26	79.06	79.06	78.95	79.21	78.60	78.60	77.96	77.52
8	76.42	76.59	78.12	79.31	79.04	79.05	78.94	79.24	78.57	78.59	77.95	77.51
9	76.42	76.62	78.14	79.33	79.03	79.05	78.94	79.24	78.56	78.58	77.90	77.50
10	76.42	76.64	78.16	79.33	79.01	79.04	78.96	79.23	78.56	78.56	77.85	77.50
11	76.42	76.67	78.19	79.34	79.05	79.04	79.00	79.21	78.69	78.54	77.82	77.49
12	76.42	76.71	78.28	79.34	79.00	79.03	79.00	79.20	78.78	78.53	77.79	77.49
13	76.43	76.83	78.38	79.34	79.00	79.03	79.02	79.16	78.82	78.50	77.77	77.49
14	76.43	76.95	78.42	79.34	79.02	79.06	79.01	79.14	78.86	78.48	77.75	77.49
15	76.43	77.11	78.45	79.28	79.06	79.10	79.01	79.10	78.90	78.44	77.73	77.49
16	76.44	77.30	78.48	79.25	79.11	79.12	79.04	79.07	78.93	78.40	77.71	77.51
17	76.44	77.45	78.50	79.21	79.12	79.15	79.03	79.05	78.94	78.38	77.70	77.52
18	76.44	77.56	78.51	79.20	79.12	79.15	79.03	79.02	78.94	78.36	77.69	77.52
19	76.44	77.64	78.52	79.19	79.12	79.15	79.02	79.00	78.93	78.33	77.66	77.52
20	76.44	77.70	78.53	79.19	79.12	79.15	79.00	78.98	78.91	78.30	77.63	77.53
21	76.44	77.75	78.55	79.17	79.11	79.15	78.99	78.95	78.89	78.27	77.60	77.53
22	76.44	77.77	78.56	79.15	79.10	79.15	78.99	78.92	78.89	78.25	77.59	77.53
23	76.44	77.78	78.56	79.13	79.10	79.14	78.98	78.90	78.88	78.23	77.58	77.53
24	76.45	77.83	78.56	79.11	79.10	79.13	78.97	78.87	78.86	78.21	77.57	77.53
25	76.45	77.85	78.57	79.08	79.11	79.10	78.95	78.85	78.85	78.18	77.55	77.53
26	76.45	77.87	78.57	79.06	79.11	79.08	78.93	78.83	78.83	78.15	77.55	77.53
27	76.46	77.89	78.58	79.05	79.12	79.06	78.91	78.81	78.81	78.14	77.54	77.54
28	76.46	77.90	78.58	79.06	79.12	79.03	78.89	78.79	78.79	78.12	77.54	77.54
29	76.47	77.95	78.60	79.11		79.01	78.87	78.78	78.78	78.11	77.54	77.55
30	76.48	77.96	78.62	79.15		79.00	78.85	78.76	78.75	78.10	77.54	77.55
31	76.49		78.64	79.17			78.98			78.08	77.54	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.55	77.70	77.86	78.36	78.80	79.02	78.85	78.41	78.14	78.00	77.09	76.33
2	77.55	77.71	77.86	78.38	78.84	79.00	78.85	78.39	78.14	77.98	77.06	76.31
3	77.55	77.71	77.85	78.38	78.87	78.95	78.85	78.35	78.14	77.95	77.02	76.29
4	77.56	77.71	77.85	78.38	78.89	78.96	78.85	78.32	78.14	77.93	77.00	76.27
5	77.56	77.71	77.84	78.38	78.90	78.94	78.84	78.30	78.14	77.90	76.95	76.25
6	77.57	77.72	77.83	78.38	78.91	78.92	78.82	78.28	78.13	77.88	76.95	76.24
7	77.59	77.74	77.83	78.40	78.93	78.91	78.80	78.27	78.13	77.86	76.95	76.24
8	77.60	77.75	77.83	78.41	78.95	78.89	78.79	78.26	78.12	77.84	76.95	76.25
9	77.60	77.76	77.97	78.42	78.94	78.87	78.77	78.26	78.12	77.81	76.93	76.27
10	77.60	77.76	77.98	78.43	78.92	78.85	78.75	78.24	78.12	77.79	76.91	76.28
11	77.61	77.77	78.00	78.43	78.90	78.83	78.74	78.22	78.12	77.77	76.88	76.29
12	77.62	77.78	78.00	78.43	78.91	78.81	78.73	78.18	78.14	77.74	76.85	76.30
13	77.62	77.80	78.01	78.60	78.96	78.79	78.72	78.16	78.15	77.71	76.82	76.31
14	77.62	77.81	78.02	78.74	79.00	78.78	78.70	78.13	78.16	77.69	76.80	76.31
15	77.63	77.82	78.04	78.88	79.05	78.78	78.68	78.10	78.16	77.66	76.75	76.31
16	77.64	77.83	78.14	78.90	79.08	78.78	78.66	78.12	78.16	77.64	76.72	76.31
17	77.65	77.84	78.17	78.91	79.10	78.80	78.64	78.13	78.16	77.60	76.70	76.32
18	77.66	77.86	78.18	78.92	79.11	78.83	78.62	78.13	78.16	77.56	76.67	76.35
19	77.66	77.89	78.18	78.87	79.15	78.86	78.60	78.13	78.16	77.53	76.65	76.37
20	77.66	77.91	78.19	78.85	79.15	78.87	78.59	78.13	78.14	77.48	76.63	76.39
21	77.66	77.90	78.19	78.84	79.11	78.88	78.58	78.14	78.13	77.45	76.60	76.41
22	77.66	77.90	78.20	78.83	79.09	78.88	78.57	78.15	78.12	77.42	76.57	76.42
23	77.66	77.89	78.23	78.84	79.06	78.87	78.56	78.15	78.11	77.40	76.54	76.43
24	77.66	77.88	78.24	78.84	79.07	78.86	78.54	78.14	78.10	77.35	76.51	76.44
25	77.66	77.88	78.25	78.85	79.09	78.84	78.52	78.15	78.09	77.32	76.48	76.44
26	77.67	77.87	78.26	78.86	79.07	78.85	78.50	78.15	78.08	77.31	76.45	76.44
27	77.67	77.87	78.26	78.83	79.05	78.85	78.49	78.15	78.07	77.27	76.43	76.45
28	77.68	77.86	78.30	78.81	79.04	78.85	78.47	78.14	78.05	77.23	76.41	76.45
29	77.68	77.86	78.31	78.80	79.03	78.84	78.45	78.14	78.04	77.19	76.39	76.45
30	77.69	77.86	78.33	78.77		78.86	78.43	78.14	78.02	77.15	76.37	76.45
31	77.70		78.35	78.75		78.86		78.14		77.12	76.35	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΣΤΑΘΜΟΣ : ΥΛ(κπ)
 ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΔΡΟΛ. ΕΤΟΣ 1924 - 25

1

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.45	76.64	78.52	78.92	78.68	78.89	79.47	78.91	78.75	78.46	77.89	77.17
2	76.45	76.67	78.57	78.91	78.67	78.88	79.45	78.89	78.74	78.44	77.86	77.16
3	76.46	76.70	78.61	78.89	78.67	78.87	79.42	78.88	78.72	78.42	77.84	77.14
4	76.46	76.72	78.66	78.88	78.66	78.86	79.40	78.86	78.70	78.40	77.81	77.13
5	76.46	76.75	78.70	78.86	78.73	78.84	79.36	78.84	78.69	78.38	77.79	77.11
6	76.46	76.77	78.75	78.85	78.85	78.84	79.32	78.82	78.68	78.35	77.76	77.10
7	76.46	76.79	78.79	78.83	78.99	78.84	79.27	78.80	78.67	78.33	77.73	77.08
8	76.46	76.81	78.83	78.81	79.03	78.82	79.23	78.78	78.67	78.31	77.71	77.07
9	76.46	76.83	78.88	78.81	79.05	78.81	79.20	78.77	78.66	78.30	77.68	77.05
10	76.46	76.86	78.91	78.81	79.06	78.79	79.22	78.75	78.65	78.28	77.66	77.04
11	76.47	76.98	78.95	78.81	79.06	78.78	79.22	78.73	78.64	78.26	77.63	77.03
12	76.48	77.15	78.96	78.81	79.05	78.76	79.19	78.71	78.64	78.24	77.61	77.00
13	76.49	77.25	78.96	78.78	79.03	78.76	79.19	78.70	78.63	78.24	77.58	76.97
14	76.50	77.35	78.96	78.78	79.02	78.75	79.18	78.68	78.62	78.22	77.56	76.95
15	76.51	77.45	78.96	78.78	79.00	78.73	79.15	78.70	78.61	78.20	77.53	76.93
16	76.52	77.60	78.96	78.78	78.99	78.72	79.12	78.72	78.60	78.19	77.51	76.92
17	76.53	77.66	78.97	78.77	78.97	78.77	79.11	78.74	78.58	78.18	77.48	76.91
18	76.53	77.69	78.97	78.76	78.96	78.88	79.10	78.74	78.57	78.17	77.47	76.90
19	76.53	77.74	78.97	78.76	78.95	79.03	79.09	78.73	78.56	78.16	77.44	76.89
20	76.53	77.80	78.97	78.75	78.94	79.15	79.08	78.74	78.55	78.14	77.42	76.88
21	76.53	77.86	78.98	78.75	78.92	79.36	79.07	78.77	78.54	78.14	77.39	76.86
22	76.54	77.91	78.98	78.75	78.91	79.36	79.05	78.80	78.53	78.13	77.37	76.82
23	76.55	78.02	78.98	78.74	78.90	79.40	79.04	78.82	78.55	78.10	77.35	76.80
24	76.55	78.08	78.99	78.74	78.90	79.46	79.03	78.84	78.55	78.08	77.32	76.77
25	76.55	78.13	78.99	78.73	78.92	79.50	79.00	78.85	78.55	78.06	77.30	76.75
26	76.56	78.17	78.98	78.73	78.91	79.53	78.99	78.86	78.54	78.05	77.28	76.69
27	76.57	78.21	78.96	78.73	78.91	79.55	78.98	78.85	78.53	78.02	77.25	76.66
28	76.58	78.33	78.94	78.72	78.90	79.54	78.96	78.83	78.51	78.00	77.24	76.63
29	76.59	78.41	78.93	78.71		79.53	78.94	78.81	78.49	77.97	77.22	76.61
30	76.60	78.41	78.92	78.70		79.50	78.93	78.79	78.47	77.94	77.21	76.59
31	76.62		78.91	78.64		79.48		78.77		77.91	77.19	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.57	76.46	76.75	77.30	78.63	78.77	78.86	78.27	77.55	76.93	76.03	75.55
2	76.57	76.48	76.77	77.32	78.63	78.78	78.85	78.23	77.54	76.91	76.00	75.54
3	76.56	76.48	76.78	77.33	78.63	78.78	78.86	78.20	77.53	76.88	75.98	75.53
4	76.53	76.48	76.80	77.35	78.63	78.78	78.85	78.16	77.52	76.85	75.96	75.52
5	76.49	76.48	76.81	77.37	78.63	78.79	78.84	78.13	77.51	76.82	75.93	75.51
6	76.47	76.49	76.82	77.40	78.63	78.80	78.83	78.10	77.50	76.79	75.91	75.50
7	76.46	76.49	76.85	77.44	78.61	78.81	78.82	78.10	77.49	76.76	75.89	75.48
8	76.43	76.50	76.87	77.48	78.60	78.83	78.81	78.09	77.48	76.73	75.87	75.47
9	76.41	76.52	76.89	77.51	78.59	78.84	78.80	78.07	77.46	76.70	75.85	75.45
10	76.39	76.53	76.90	77.55	78.58	78.85	78.79	78.04	77.45	76.68	75.84	75.44
11	76.37	76.54	76.91	77.60	78.58	78.86	78.78	78.02	77.44	76.65	75.83	75.43
12	76.35	76.55	76.92	77.63	78.58	78.86	78.76	77.99	77.42	76.62	75.81	75.40
13	76.32	76.55	76.92	77.66	78.58	78.88	78.74	77.97	77.40	76.59	75.80	75.39
14	76.30	76.57	76.95	77.70	78.60	78.90	78.71	77.95	77.39	76.56	75.78	75.38
15	76.29	76.57	76.98	77.73	78.67	78.91	78.68	77.92	77.37	76.53	75.77	75.37
16	76.28	76.58	77.02	77.76	78.71	78.92	78.65	77.89	77.35	76.50	75.75	75.35
17	76.27	76.58	77.05	77.84	78.74	78.93	78.62	77.86	77.29	76.48	75.74	75.34
18	76.30	76.58	77.08	77.96	78.77	78.94	78.60	77.84	77.26	76.45	75.73	75.32
19	76.32	76.59	77.11	78.09	78.77	78.95	78.59	77.81	77.26	76.42	75.71	75.32
20	76.34	76.60	77.13	78.18	78.77	78.95	78.57	77.79	77.23	76.40	75.70	75.32
21	76.36	76.60	77.14	78.23	78.77	78.95	78.56	77.76	77.20	76.36	75.68	75.32
22	76.37	76.61	77.16	78.27	78.76	78.95	78.54	77.74	77.18	76.32	75.67	75.32
23	76.39	76.61	77.17	78.30	78.76	78.95	78.52	77.71	77.15	76.29	75.65	75.32
24	76.40	76.62	77.18	78.38	78.75	78.95	78.50	77.69	77.12	76.26	75.64	75.31
25	76.42	76.62	77.20	78.44	78.76	78.94	78.47	77.66	77.10	76.22	75.63	75.31
26	76.43	76.64	77.21	78.48	78.76	78.93	78.45	77.65	77.07	76.20	75.62	75.31
27	76.44	76.65	77.22	78.51	78.76	78.92	78.41	77.63	77.04	76.17	75.60	75.31
28	76.45	76.67	77.23	78.54	78.76	78.90	78.38	77.62	77.01	76.14	75.59	75.30
29	76.45	76.69	77.24	78.57		78.90	78.35	77.60	76.98	76.11	75.58	75.29
30	76.45	76.72	77.25	78.60		78.89	78.30	77.58	76.95	76.08	75.57	75.28
31	76.46		77.27	78.63		78.87		77.57		76.05	75.57	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	75.28	75.19	75.08	75.24	75.39	75.46	76.10	76.38	75.58	75.06	74.51	74.12
2	75.28	75.18	75.08	75.25	75.39	75.46	76.11	76.36	75.55	75.04	74.50	74.11
3	75.27	75.18	75.08	75.25	75.39	75.46	76.13	76.35	75.52	75.02	74.49	74.10
4	75.27	75.18	75.08	75.25	75.40	75.47	76.15	76.34	75.50	75.01	74.47	74.09
5	75.27	75.17	75.08	75.25	75.40	75.48	76.17	76.32	75.47	75.00	74.46	74.08
6	75.26	75.16	75.08	75.26	75.42	75.48	76.19	76.30	75.40	74.98	74.45	74.07
7	75.26	75.16	75.08	75.25	75.42	75.49	76.21	76.27	75.42	74.96	74.43	74.06
8	75.25	75.16	75.10	75.26	75.42	75.50	76.22	76.24	75.40	74.94	74.42	74.05
9	75.25	75.15	75.11	75.27	75.42	75.50	76.24	76.22	75.38	74.92	74.41	74.04
10	75.24	75.15	75.14	75.27	75.42	75.52	76.26	76.20	75.36	74.91	74.40	74.03
11	75.24	75.15	75.16	75.28	75.42	75.56	76.28	76.18	75.34	74.89	74.39	74.02
12	75.24	75.14	75.17	75.28	75.42	75.59	76.29	76.15	75.32	74.87	74.38	74.01
13	75.24	75.14	75.18	75.29	75.42	75.62	76.30	76.13	75.29	74.85	74.37	74.00
14	75.24	75.13	75.18	75.29	75.43	75.64	76.32	76.11	75.27	74.83	74.36	73.99
15	75.24	75.13	75.19	75.30	75.43	75.66	76.34	76.09	75.25	74.81	74.34	73.98
16	75.24	75.12	75.19	75.30	75.43	75.68	76.35	76.05	75.24	74.79	74.33	73.97
17	75.23	75.12	75.19	75.30	75.43	75.70	76.36	76.02	75.23	74.77	74.32	73.95
18	75.23	75.12	75.20	75.31	75.43	75.73	76.37	76.00	75.22	74.75	74.31	73.95
19	75.23	75.13	75.20	75.31	75.43	75.76	76.38	75.97	75.21	74.73	74.30	73.94
20	75.23	75.12	75.20	75.31	75.44	75.78	76.39	75.94	75.20	74.72	74.28	73.93
21	75.23	75.12	75.20	75.31	75.44	75.81	76.40	75.91	75.18	74.71	74.26	73.92
22	75.22	75.11	75.20	75.32	75.45	75.84	76.41	75.88	75.17	74.69	74.24	73.91
23	75.22	75.11	75.20	75.33	75.45	75.87	76.42	75.86	75.16	74.69	74.22	73.90
24	75.22	75.11	75.21	75.33	75.45	75.90	76.43	75.83	75.15	74.66	74.21	73.88
25	75.21	75.10	75.22	75.33	75.45	75.92	76.44	75.80	75.14	74.64	74.20	73.86
26	75.21	75.10	75.22	75.33	75.45	75.95	76.43	75.78	75.12	74.63	74.18	73.84
27	75.21	75.09	75.23	75.34	75.45	75.98	76.42	75.76	75.11	74.61	74.17	73.82
28	75.21	75.09	75.23	75.37	75.46	76.00	76.41	75.73	75.09	74.60	74.16	73.79
29	75.20	75.09	75.23	75.38		76.03	76.40	75.70	75.08	74.57	74.15	73.78
30	75.19	75.08	75.23	75.38		76.06	76.39	75.66	75.07	74.55	74.14	73.77
31	75.19		75.24	75.38		76.09		75.62		74.53	74.13	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	73.76	74.36	74.45	75.75	79.26	79.42	80.33	79.36	78.75	78.22	77.44	76.70
2	73.76	74.39	74.45	75.77	79.50	79.45	80.31	79.34	78.72	78.20	77.41	76.67
3	73.75	74.41	74.45	75.85	79.70	79.47	80.28	79.33	78.71	78.17	77.40	76.64
4	73.75	74.42	74.45	75.94	79.90	79.48	80.23	79.30	78.71	78.13	77.38	76.60
5	73.74	74.43	74.45	76.00	80.00	79.48	80.17	79.29	78.70	78.11	77.36	76.58
6	73.74	74.44	74.45	76.05	80.05	79.48	80.12	79.26	78.68	78.08	77.33	76.54
7	73.73	74.45	74.46	76.09	80.05	79.47	80.07	79.25	78.68	78.05	77.30	76.51
8	73.73	74.46	74.49	76.11	80.03	79.46	80.02	79.22	78.67	78.03	77.28	76.49
9	73.72	74.46	74.61	76.15	80.00	79.45	79.97	79.21	78.66	78.01	77.24	76.46
10	73.72	74.47	74.75	76.18	79.94	79.43	79.92	79.19	78.64	77.98	77.21	76.43
11	73.72	74.47	74.86	76.20	79.89	79.42	79.87	79.16	78.63	77.96	77.19	76.41
12	73.71	74.46	74.95	76.30	79.84	79.41	79.84	79.14	78.63	77.93	77.17	76.38
13	73.71	74.46	74.99	76.69	79.80	79.42	79.80	79.11	78.61	77.90	77.15	76.35
14	73.71	74.47	75.01	77.00	79.75	79.42	79.77	79.10	78.59	77.88	77.12	76.32
15	73.70	74.47	75.06	77.27	79.71	79.48	79.74	79.07	78.56	77.86	77.10	76.30
16	73.70	74.47	75.10	77.50	79.66	79.55	79.71	79.05	78.56	77.82	77.08	76.28
17	73.70	74.47	75.14	77.70	79.63	79.60	79.67	79.03	78.54	77.80	77.06	76.26
18	73.69	74.47	75.18	77.85	79.60	79.64	79.64	79.01	78.52	77.77	77.04	76.23
19	73.69	74.47	75.22	78.00	79.54	79.71	79.61	78.98	78.50	77.75	77.01	76.23
20	73.68	74.47	75.25	78.15	79.52	79.76	79.58	78.96	78.47	77.72	76.98	76.23
21	73.67	74.47	75.36	78.28	79.50	79.77	79.56	78.94	78.45	77.70	76.96	76.21
22	73.67	74.47	75.41	78.40	79.48	79.76	79.52	78.92	78.44	77.67	76.93	76.20
23	73.67	74.47	75.45	78.53	79.47	79.74	79.50	78.90	78.40	77.65	76.91	76.17
24	73.67	74.47	75.48	78.63	79.45	79.72	79.47	78.87	78.38	77.63	76.89	76.16
25	73.67	74.47	75.50	78.72	79.44	79.73	79.46	78.85	78.36	77.60	76.87	76.15
26	73.80	74.47	75.55	78.79	79.42	79.80	79.44	78.82	78.34	77.58	76.84	76.17
27	74.10	74.47	75.58	78.86	79.42	79.85	79.43	78.80	78.33	77.55	76.81	76.17
28	74.21	74.46	75.60	78.92	79.42	79.99	79.43	78.80	78.31	77.53	76.79	76.17
29	74.29	74.46	75.65	78.95	79.42	80.10	79.41	78.78	78.29	77.51	76.76	76.18
30	74.33	74.46	75.68	78.99		80.23	79.39	78.77	78.26	77.49	76.73	76.20
31	74.35		75.71	79.10		80.30		78.76		77.46	76.71	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.21	76.34	77.50	78.81	79.25	79.61	79.17	78.94	78.55	78.17	77.44	76.78
2	76.21	76.35	77.61	78.80	79.27	79.65	79.16	78.90	78.55	78.15	77.41	76.74
3	76.21	76.36	77.75	78.79	79.27	79.70	79.15	78.88	78.56	78.12	77.39	76.76
4	76.22	76.36	77.85	78.79	79.26	79.73	79.14	78.83	78.56	78.10	77.36	76.74
5	76.22	76.37	77.93	78.79	79.26	79.75	79.14	78.81	78.56	78.08	77.34	76.72
6	76.22	76.37	78.00	78.79	79.26	79.72	79.15	78.80	78.55	78.06	77.30	76.71
7	76.23	76.37	78.05	78.79	79.26	79.70	79.15	78.77	78.55	78.04	77.27	76.72
8	76.23	76.38	78.12	78.80	79.26	79.67	79.19	78.75	78.55	78.03	77.25	76.73
9	76.23	76.38	78.16	78.80	79.25	79.66	79.20	78.73	78.55	78.01	77.23	76.73
10	76.24	76.38	78.20	78.81	79.25	79.63	79.20	78.70	78.55	77.98	77.22	76.73
11	76.23	76.39	78.23	78.88	79.23	79.60	79.20	78.67	78.54	77.95	77.20	76.75
12	76.24	76.41	78.29	78.92	79.21	79.56	79.20	78.63	78.52	77.93	77.17	76.76
13	76.25	76.42	78.33	78.94	79.22	79.52	79.19	78.63	78.51	77.91	77.14	76.77
14	76.26	76.43	78.39	78.96	79.25	79.50	79.18	78.57	78.50	77.87	77.12	76.77
15	76.27	76.50	78.50	78.96	79.33	79.48	79.17	78.57	78.47	77.85	77.10	76.78
16	76.27	76.60	78.60	79.00	79.41	79.45	79.15	78.56	78.45	77.83	77.07	76.78
17	76.28	76.65	78.66	79.06	79.43	79.41	79.14	78.55	78.43	77.80	77.05	76.79
18	76.28	76.80	78.70	79.13	79.50	79.39	79.14	78.54	78.41	77.77	77.02	76.80
19	76.28	76.92	78.74	79.20	79.65	79.36	79.12	78.54	78.41	77.74	77.01	76.81
20	76.29	77.03	78.75	79.26	79.78	79.34	79.11	78.53	78.40	77.69	77.00	76.82
21	76.30	77.08	78.76	79.30	79.85	79.32	79.10	78.51	78.38	77.69	76.98	76.83
22	76.31	77.13	78.76	79.28	79.84	79.31	79.10	78.52	78.35	77.66	76.95	76.83
23	76.31	77.16	78.76	79.26	79.82	79.29	79.10	78.52	78.34	77.65	76.92	76.84
24	76.31	77.18	78.76	79.23	79.77	79.28	79.08	78.51	78.31	77.63	76.90	76.85
25	76.31	77.20	78.76	79.21	79.72	79.27	79.06	78.51	78.32	77.60	76.87	76.85
26	76.32	77.21	78.76	79.19	79.68	79.25	79.03	78.51	78.32	77.57	76.85	76.86
27	76.32	77.23	78.78	79.18	79.64	79.23	79.00	78.51	78.29	77.55	76.83	76.88
28	76.33	77.25	78.80	79.17	79.61	79.22	79.00	78.52	78.26	77.52	76.81	76.90
29	76.33	77.33	78.80	79.17		79.20	78.99	78.52	78.22	77.50	76.80	76.98
30	76.33	77.41	78.80	79.20		79.20	78.97	78.52	78.26	77.49	76.78	77.03
31	76.32		78.81	79.23		79.18		78.54		77.46	76.77	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΙ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.08	77.72	78.77	78.83	78.92	79.87	79.34	78.99	78.64	78.53	78.05	77.23
2	77.12	77.73	78.76	78.83	78.94	79.80	79.36	78.97	78.61	78.53	78.02	77.20
3	77.15	77.74	78.76	78.82	78.98	79.78	79.36	78.96	78.60	78.53	78.00	77.17
4	77.17	77.76	78.75	78.83	79.03	79.76	79.35	78.96	78.56	78.53	77.97	77.15
5	77.19	77.77	78.74	78.85	79.04	79.65	79.35	78.96	78.54	78.54	77.95	77.12
6	77.21	77.78	78.72	78.86	79.05	79.59	79.34	78.95	78.51	78.54	77.92	77.08
7	77.22	77.80	78.71	78.87	79.06	79.55	79.32	78.95	78.49	78.53	77.90	77.06
8	77.24	77.80	78.70	78.88	79.07	79.53	79.29	78.94	78.48	78.52	77.88	77.05
9	77.25	77.81	78.69	78.88	79.09	79.50	79.27	78.92	78.47	78.51	77.85	77.03
10	77.26	77.81	78.67	78.86	79.10	79.48	79.26	78.90	78.46	78.50	77.82	77.02
11	77.25	77.82	78.66	78.87	79.09	79.46	79.25	78.90	78.45	78.51	77.80	77.00
12	77.28	77.85	78.65	78.87	79.07	79.43	79.23	78.89	78.43	78.51	77.77	76.98
13	77.29	77.87	78.64	78.86	79.05	79.43	79.21	78.88	78.41	78.51	77.75	76.96
14	77.31	77.88	78.63	78.86	79.04	79.46	79.20	78.87	78.39	78.51	77.73	76.94
15	77.40	77.90	78.64	78.85	79.03	79.47	79.21	78.86	78.39	78.50	77.70	76.94
16	77.42	77.91	78.64	78.84	79.00	79.49	79.23	78.86	78.39	78.47	77.69	76.96
17	77.45	77.91	78.65	78.83	78.96	79.49	79.24	78.86	78.37	78.45	77.66	76.97
18	77.47	77.92	78.65	78.82	78.95	79.50	79.25	78.85	78.36	78.42	77.63	76.97
19	77.49	77.92	78.65	78.82	79.00	79.50	79.25	78.84	78.36	78.40	77.63	76.97
20	77.50	77.97	78.64	78.81	79.01	79.50	79.24	78.83	78.37	78.37	77.57	76.97
21	77.51	78.10	78.65	78.80	79.03	79.47	79.21	78.82	78.37	78.35	77.54	76.97
22	77.53	78.20	78.66	78.80	79.35	79.45	79.21	78.81	78.40	78.31	77.51	76.97
23	77.55	78.30	78.68	78.80	79.61	79.43	79.20	78.80	78.45	78.29	77.47	76.98
24	77.50	78.40	78.68	78.80	79.80	79.43	79.15	78.79	78.48	78.26	77.45	77.00
25	77.58	78.54	78.70	78.79	79.92	79.40	79.13	78.76	78.50	78.24	77.43	77.02
26	77.60	78.65	78.72	78.78	79.97	79.38	79.11	78.75	78.52	78.20	77.40	77.03
27	77.61	78.71	78.76	78.78	79.99	79.36	79.08	78.74	78.53	78.18	77.37	77.03
28	77.60	78.74	78.78	78.79	79.95	79.35	79.06	78.72	78.54	78.15	77.34	77.04
29	77.64	78.77	78.79	78.79		79.35	79.05	78.70	78.55	78.12	77.31	77.05
30	77.66	78.79	78.81	78.86		79.34	79.02	78.69	78.54	78.10	77.28	77.06
31	77.69		78.82	78.90		79.33		78.66		78.07	77.25	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.06	77.22	77.59	78.45	79.07	79.42	79.20	79.23	78.97	78.55	77.72	77.00
2	77.06	77.23	77.60	78.47	79.06	79.40	79.21	79.20	78.99	78.51	77.69	76.97
3	77.06	77.23	77.60	78.50	79.08	79.39	79.25	79.18	78.98	78.48	77.67	76.95
4	77.06	77.24	77.60	78.51	79.14	79.36	79.29	79.15	78.96	78.45	77.64	76.92
5	77.07	77.25	77.60	78.53	79.18	79.34	79.31	79.14	78.98	78.41	77.62	76.88
6	77.07	77.26	77.62	78.54	79.21	79.31	79.32	79.11	79.00	78.38	77.60	76.87
7	77.08	77.28	77.62	78.57	79.23	79.30	79.32	79.09	79.00	78.35	77.58	76.85
8	77.08	77.29	77.63	78.59	79.36	79.28	79.32	79.08	78.99	78.33	77.56	76.83
9	77.08	77.30	77.64	78.59	79.50	79.26	79.35	79.05	78.98	78.30	77.53	76.83
10	77.08	77.30	77.65	78.61	79.59	79.24	79.48	79.03	78.96	78.28	77.50	76.83
11	77.09	77.31	77.66	78.66	79.62	79.23	79.62	79.00	78.95	78.25	77.48	76.83
12	77.09	77.34	77.67	78.75	79.62	79.22	79.75	78.98	78.93	78.21	77.47	76.82
13	77.10	77.36	77.71	78.80	79.61	79.21	79.81	78.99	78.90	78.18	77.45	76.82
14	77.11	77.38	77.74	78.92	79.58	79.19	79.83	78.99	78.89	78.16	77.43	76.81
15	77.12	77.40	77.76	79.10	79.54	79.19	79.81	78.99	78.88	78.13	77.40	76.81
16	77.13	77.42	77.77	79.26	79.52	79.19	79.77	78.98	78.87	78.11	77.38	76.81
17	77.13	77.44	77.80	79.36	79.52	79.18	79.73	78.97	78.85	78.09	77.36	76.81
18	77.14	77.45	77.84	79.40	79.56	79.18	79.66	78.96	78.84	78.06	77.34	76.81
19	77.14	77.45	77.87	79.37	79.58	79.20	79.65	78.95	78.81	78.03	77.32	76.82
20	77.14	77.46	77.90	79.35	79.58	79.20	79.60	78.93	78.80	78.00	77.30	76.82
21	77.15	77.48	77.92	79.33	79.56	79.20	79.55	78.91	78.78	77.98	77.27	76.82
22	77.15	77.50	77.95	79.29	79.54	79.19	79.52	78.89	78.76	77.95	77.25	76.84
23	77.15	77.52	78.00	79.25	79.52	79.18	79.48	78.86	78.74	77.93	77.24	76.85
24	77.16	77.53	78.11	79.21	79.50	79.16	79.45	78.85	78.73	77.90	77.21	76.86
25	77.16	77.54	78.20	79.18	79.47	79.15	79.42	78.82	78.71	77.88	77.19	76.87
26	77.17	77.55	78.26	79.15	79.47	79.14	79.35	78.85	78.69	77.86	77.16	76.88
27	77.17	77.57	78.31	79.11	79.46	79.15	79.34	78.87	78.67	77.84	77.13	76.88
28	77.18	77.58	78.33	79.11	79.45	79.17	79.31	78.90	78.65	77.82	77.10	76.89
29	77.18	77.59	78.37	79.10		79.18	79.29	78.93	78.61	77.80	77.08	76.89
30	77.20	77.59	78.40	79.09		79.20	79.25	78.95	78.58	77.78	77.05	76.90
31	77.21		78.42	79.08		79.20		78.96		77.75	77.03	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.90	77.17	77.33	78.95	78.71	79.21	79.60	79.01	78.48	78.12	77.42	76.78
2	76.91	77.17	77.37	79.07	78.70	79.21	79.60	79.00	78.46	78.08	77.39	76.77
3	76.92	77.18	77.41	79.14	78.70	79.21	79.59	78.98	78.45	78.05	77.37	76.75
4	76.93	77.18	77.46	79.18	78.69	79.22	79.56	78.96	78.44	78.05	77.35	76.74
5	76.94	77.18	77.50	79.21	78.67	79.30	79.55	78.93	78.42	78.00	77.34	76.72
6	76.94	77.18	77.51	79.21	78.66	79.35	79.53	78.93	78.40	78.00	77.31	76.72
7	76.95	77.18	77.52	79.21	78.64	79.37	79.50	78.85	78.40	77.98	77.29	76.73
8	76.96	77.18	77.52	79.21	78.64	79.47	79.48	78.81	78.39	77.95	77.26	76.74
9	76.97	77.18	77.55	79.18	78.64	79.54	79.45	78.78	78.37	77.93	77.24	76.75
10	76.98	77.18	77.56	79.16	78.63	79.62	79.41	78.74	78.35	77.92	77.21	76.75
11	76.98	77.18	77.57	79.12	78.62	79.71	79.40	78.70	78.34	77.91	77.18	76.76
12	76.99	77.19	77.61	79.11	78.64	79.71	79.38	78.70	78.32	77.89	77.16	76.76
13	77.00	77.20	77.67	79.10	78.65	79.69	79.35	78.69	78.31	77.86	77.13	76.76
14	77.00	77.21	77.75	79.04	78.65	79.67	79.32	78.68	78.30	77.84	77.10	76.76
15	77.01	77.22	77.87	79.00	78.65	79.65	79.30	78.66	78.29	77.81	77.09	76.75
16	77.02	77.23	77.96	78.98	78.65	79.60	79.28	78.65	78.27	77.80	77.07	76.75
17	77.03	77.24	78.05	78.96	78.65	79.58	79.25	78.64	78.26	77.79	77.05	76.74
18	77.05	77.24	78.09	78.93	78.66	79.53	79.23	78.64	78.26	77.77	77.02	76.73
19	77.06	77.25	78.20	78.91	78.72	79.51	79.21	78.63	78.26	77.73	77.01	76.73
20	77.07	77.25	78.31	78.89	78.80	79.50	79.20	78.61	78.25	77.70	76.98	76.72
21	77.08	77.26	78.43	78.87	78.86	79.49	79.17	78.60	78.25	77.69	76.95	76.72
22	77.09	77.26	78.56	78.85	78.92	79.46	79.16	78.59	78.24	77.66	76.93	76.72
23	77.10	77.26	78.66	78.84	78.98	79.48	79.13	78.57	78.23	77.64	76.91	76.72
24	77.11	77.27	78.75	78.83	79.04	79.50	79.12	78.56	78.22	77.62	76.88	76.72
25	77.12	77.27	78.80	78.81	79.06	79.51	79.11	78.55	78.20	77.60	76.86	76.71
26	77.13	77.28	78.83	78.79	79.11	79.52	79.09	78.53	78.19	77.56	76.85	76.71
27	77.14	77.29	78.85	78.78	79.16	79.55	79.08	78.52	78.14	77.54	76.83	76.71
28	77.15	77.30	78.85	78.76	79.20	79.56	79.05	78.51	78.14	77.51	76.81	76.70
29	77.16	77.30	78.85	78.75	79.21	79.58	79.04	78.50	78.14	77.50	76.80	76.70
30	77.16	77.31	78.89	78.74		79.60	79.03	78.48	78.13	77.47	76.78	76.69
31	77.16		78.91	78.73		79.60		78.48		77.44	76.78	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.68	76.60	77.34	77.68	78.85	79.30	78.60	78.67	78.39	78.29	77.51	76.87
2	76.67	76.61	77.35	77.69	78.86	79.29	78.59	78.66	78.39	78.26	77.49	76.84
3	76.66	76.61	77.36	77.70	78.87	79.25	78.55	78.66	78.39	78.23	77.46	76.82
4	76.66	76.61	77.36	77.70	78.88	79.21	78.55	78.65	78.40	78.21	77.43	76.80
5	76.65	76.61	77.40	77.71	78.87	79.19	78.53	78.64	78.41	78.18	77.41	76.79
6	76.65	76.61	77.42	77.71	78.87	79.15	78.53	78.64	78.42	78.16	77.39	76.78
7	76.64	76.61	77.43	77.71	78.87	79.11	78.52	78.62	78.43	78.13	77.36	76.77
8	76.63	76.62	77.42	77.72	78.85	79.07	78.52	78.61	78.44	78.10	77.34	76.75
9	76.63	76.62	77.45	77.72	78.84	79.05	78.52	78.60	78.45	78.08	77.32	76.74
10	76.63	76.62	77.46	77.73	78.84	79.00	78.52	78.59	78.46	78.05	77.30	76.73
11	76.63	76.62	77.50	77.74	78.84	78.98	78.57	78.56	78.46	78.03	77.28	76.72
12	76.62	76.62	77.52	77.76	78.84	78.96	78.60	78.55	78.46	78.00	77.26	76.71
13	76.62	76.62	77.54	77.76	78.84	78.95	78.61	78.53	78.46	77.98	77.23	76.71
14	76.62	76.62	77.54	77.83	78.85	78.93	78.61	78.50	78.47	77.95	77.22	76.71
15	76.62	76.65	77.55	77.88	78.85	78.90	78.62	78.50	78.47	77.94	77.20	76.70
16	76.62	76.80	77.56	77.95	78.85	78.89	78.64	78.49	78.47	77.91	77.19	76.70
17	76.61	76.90	77.55	77.98	78.85	78.86	78.66	78.45	78.46	77.88	77.17	76.69
18	76.61	76.95	77.55	78.00	78.87	78.84	78.67	78.41	78.46	77.86	77.15	76.69
19	76.61	76.97	77.56	78.01	78.93	78.81	78.67	78.39	78.44	77.83	77.13	76.68
20	76.61	76.99	77.57	78.06	78.96	78.80	78.67	78.39	78.43	77.81	77.10	76.68
21	76.62	77.00	77.59	78.10	78.99	78.77	78.67	78.38	78.43	77.78	77.08	76.67
22	76.62	77.01	77.60	78.13	79.10	78.75	78.61	78.40	78.41	77.76	77.06	76.67
23	76.62	77.03	77.61	78.25	79.24	78.72	78.65	78.40	78.40	77.73	77.03	76.67
24	76.61	77.05	77.61	78.35	79.30	78.71	78.67	78.41	78.39	77.71	77.01	76.67
25	76.61	77.08	77.62	78.46	79.34	78.69	78.68	78.41	78.38	77.68	77.00	76.67
26	76.60	77.14	77.63	78.55	79.35	78.69	78.69	78.41	78.37	77.66	76.98	76.66
27	76.60	77.18	77.64	78.63	79.36	78.69	78.69	78.40	78.35	77.63	76.97	76.66
28	76.59	77.23	77.65	78.70	79.34	78.66	78.68	78.40	78.34	77.61	76.95	76.65
29	76.59	77.28	77.66	78.75		78.63	78.68	78.40	78.32	77.58	76.93	76.64
30	76.59	77.32	77.67	78.79		78.62	78.67	78.40	78.30	77.56	76.91	76.64
31	76.59		77.67	78.82		78.60		78.39		77.54	76.89	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.63	76.60	76.45	77.82	78.85	79.24	79.15	78.75	78.35	78.39	77.68	76.95
2	76.63	76.59	76.45	77.92	78.84	79.20	79.15	78.72	78.35	78.37	77.65	76.93
3	76.63	76.57	76.48	78.08	78.83	79.19	79.14	78.70	78.34	78.35	77.63	76.90
4	76.63	76.55	76.54	78.20	78.82	79.15	79.15	78.68	78.34	78.32	77.62	76.87
5	76.63	76.54	76.57	78.30	78.85	79.28	79.18	78.65	78.34	78.30	77.60	76.85
6	76.62	76.54	76.59	78.38	78.10	79.45	79.20	78.62	78.34	78.28	77.58	76.83
7	76.62	76.53	76.60	78.41	79.45	79.55	79.20	78.60	78.33	78.26	77.55	76.81
8	76.62	76.52	76.61	78.49	79.60	79.60	79.19	78.59	78.33	78.24	77.53	76.79
9	76.62	76.51	76.62	78.52	79.70	79.67	79.19	78.58	78.32	78.21	77.50	76.78
10	76.62	76.50	76.64	78.56	79.75	79.70	79.16	78.58	78.31	78.19	77.49	76.76
11	76.62	76.48	76.66	78.60	79.70	79.66	79.15	78.56	78.30	78.17	77.47	76.75
12	76.61	76.47	76.70	78.62	79.65	79.63	79.12	78.54	78.30	78.15	77.45	76.73
13	76.62	76.45	76.76	78.64	79.63	79.57	79.10	78.51	78.29	78.12	77.42	76.70
14	76.64	76.44	76.80	78.65	79.58	79.55	79.10	78.50	78.29	78.10	77.39	76.68
15	76.65	76.43	76.86	78.77	79.52	79.54	79.08	78.50	78.29	78.08	77.37	76.66
16	76.66	76.43	76.91	78.87	79.50	79.50	79.06	78.49	78.31	78.06	77.35	76.64
17	76.67	76.43	77.00	78.91	79.47	79.47	79.05	78.48	78.35	78.03	77.32	76.61
18	76.68	76.43	77.05	78.94	79.42	79.40	79.00	78.47	78.37	78.00	77.29	76.60
19	76.68	76.43	77.08	79.00	79.38	79.37	79.00	78.46	78.38	77.98	77.26	76.59
20	76.68	76.42	77.13	79.04	79.36	79.35	78.97	78.45	78.40	77.96	77.22	76.57
21	76.69	76.41	77.23	79.05	79.36	79.32	78.95	78.44	78.41	77.94	77.20	76.55
22	76.69	76.40	77.28	79.04	79.36	79.30	78.93	78.43	78.42	77.92	77.18	76.53
23	76.70	76.40	77.37	79.00	79.35	79.29	78.90	78.42	78.43	77.90	77.16	76.51
24	76.70	76.40	77.40	79.00	79.32	79.26	78.90	78.41	78.44	77.88	77.13	76.50
25	76.70	76.42	77.44	78.98	79.30	79.25	78.90	78.40	78.44	77.85	77.11	76.48
26	76.70	76.43	77.47	78.96	79.28	79.22	78.86	78.40	78.44	77.83	77.08	76.46
27	76.68	76.44	77.52	78.94	79.26	79.20	78.85	78.40	78.42	77.80	77.05	76.45
28	76.67	76.45	77.58	78.91	79.25	79.16	78.81	78.40	78.41	77.77	77.03	76.42
29	76.65	76.45	77.63	78.90		79.14	78.78	78.39	78.41	77.75	77.01	76.40
30	76.63	76.45	77.67	78.88		79.14	78.77	78.39	78.40	77.73	77.00	76.38
31	76.62		77.70	78.86		79.16		78.37		77.70	76.97	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.35	76.22	76.38	77.70	79.32	78.92	78.90	78.48	78.20	77.84	77.10	76.29
2	76.33	76.22	76.38	77.76	79.36	78.90	78.92	78.48	78.19	77.81	77.07	76.26
3	76.31	76.23	76.39	77.81	79.37	78.90	78.94	78.47	78.19	77.79	77.05	76.24
4	76.30	76.23	76.39	77.86	79.34	78.90	78.95	78.47	78.17	77.78	77.03	76.21
5	76.28	76.23	76.39	77.92	79.30	78.88	78.94	78.47	78.16	77.74	77.01	76.19
6	76.26	76.24	76.39	77.98	79.26	78.88	78.90	78.46	78.15	77.73	76.97	76.17
7	76.25	76.24	76.39	78.04	79.24	78.89	78.86	78.44	78.14	77.71	76.95	76.15
8	76.23	76.24	76.40	78.08	79.18	78.88	78.84	78.43	78.13	77.70	76.92	76.13
9	76.21	76.25	76.40	78.15	79.15	78.91	78.81	78.41	78.10	77.67	76.90	76.12
10	76.20	76.25	76.40	78.20	79.10	78.93	78.80	78.40	78.09	77.64	76.88	76.10
11	76.19	76.25	76.41	78.25	79.07	78.94	78.77	78.37	78.07	77.62	76.85	76.08
12	76.18	76.25	76.41	78.30	79.09	78.95	78.75	78.35	78.05	77.59	76.83	76.06
13	76.19	76.25	76.42	78.38	79.10	78.95	78.75	78.34	78.04	77.56	76.80	76.04
14	76.20	76.26	76.42	78.44	79.15	78.95	78.74	78.34	78.02	77.53	76.77	76.02
15	76.20	76.26	76.43	78.55	79.19	78.96	78.72	78.32	78.00	77.50	76.75	76.00
16	76.20	76.26	76.43	78.60	79.20	78.97	78.70	78.31	77.99	77.48	76.72	75.98
17	76.20	76.26	76.44	78.67	79.20	78.97	78.70	78.30	77.96	77.46	76.69	75.97
18	76.20	76.27	76.46	78.71	79.20	78.96	78.69	78.29	77.93	77.44	76.66	75.95
19	76.19	76.27	76.49	78.75	79.17	78.95	78.68	78.28	77.91	77.40	76.63	75.93
20	76.19	76.27	76.52	78.78	79.15	78.94	78.67	78.27	77.88	77.38	76.61	75.92
21	76.18	76.27	76.55	78.80	79.11	78.91	78.65	78.26	77.86	77.37	76.59	75.90
22	76.18	76.27	76.68	78.90	79.10	78.90	78.65	78.25	77.83	77.35	76.56	75.88
23	76.18	76.29	76.84	78.95	79.06	78.88	78.63	78.24	77.82	77.33	76.53	75.86
24	76.18	76.31	76.93	79.01	79.04	78.86	78.60	78.24	77.81	77.30	76.51	75.84
25	76.19	76.33	77.00	79.04	79.00	78.85	78.60	78.24	77.85	77.27	76.48	75.82
26	76.19	76.34	77.15	79.05	78.98	78.82	78.58	78.23	77.86	77.25	76.45	75.80
27	76.20	76.35	77.30	79.06	78.96	78.81	78.57	78.23	77.86	77.22	76.42	75.78
28	76.20	76.36	77.40	79.08	78.94	78.80	78.55	78.23	77.85	77.20	76.39	75.75
29	76.21	76.37	77.46	79.10		78.81	78.53	78.22	77.85	77.17	76.36	75.73
30	76.21	76.37	77.59	79.15		78.85	78.51	78.22	77.85	77.13	76.34	75.71
31	76.21		77.66	79.26		78.87		78.21		77.12	76.31	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	75.69	75.57	75.79	77.72	78.50	78.68	78.36	78.15	78.48	78.05	77.52	76.72
2	75.67	75.57	75.80	77.75	78.60	78.66	78.36	78.14	78.48	78.05	77.50	76.70
3	75.66	75.57	75.81	77.81	78.60	78.65	78.35	78.13	78.46	78.05	77.48	76.68
4	75.64	75.59	75.81	77.85	78.61	78.65	78.35	78.17	78.45	78.05	77.45	76.66
5	75.62	75.60	75.81	77.87	78.71	78.64	78.35	78.21	78.43	78.07	77.42	76.64
6	75.61	75.60	75.82	77.95	78.75	78.62	78.35	78.26	78.41	78.09	77.37	76.62
7	75.60	75.61	75.82	78.15	78.80	78.61	78.35	78.30	78.40	78.10	77.37	76.60
8	75.58	75.61	75.83	78.26	78.90	78.60	78.35	78.34	78.38	78.10	77.35	76.59
9	75.56	75.61	75.86	78.35	78.96	78.60	78.35	78.37	78.36	78.10	77.32	76.57
10	75.54	75.62	75.91	78.41	79.00	78.58	78.33	78.40	78.34	78.10	77.30	76.56
11	75.53	75.62	75.96	78.44	79.00	78.56	78.31	78.42	78.32	78.09	77.27	76.54
12	75.52	75.63	76.02	78.45	79.00	78.56	78.30	78.46	78.30	78.06	77.25	76.52
13	75.51	75.63	76.17	78.55	79.00	78.55	78.27	78.50	78.29	78.05	77.22	76.49
14	75.50	75.63	76.30	78.55	78.95	78.55	78.26	78.52	78.26	78.03	77.20	76.47
15	75.49	75.64	76.50	78.55	78.96	78.54	78.25	78.55	78.25	78.00	77.18	76.45
16	75.47	75.64	76.75	78.55	78.93	78.54	78.24	78.56	78.22	77.98	77.15	76.42
17	75.46	75.64	76.91	78.56	78.91	78.52	78.21	78.56	78.20	77.94	77.11	76.40
18	75.45	75.64	77.05	78.56	78.90	78.50	78.19	78.56	78.17	77.90	77.08	76.38
19	75.43	75.65	77.15	78.57	78.87	78.49	78.16	78.55	78.15	77.87	77.05	76.37
20	75.42	75.65	77.25	78.57	78.84	78.49	78.14	78.55	78.14	77.86	77.02	76.36
21	75.41	75.65	77.30	78.58	78.82	78.48	78.11	78.55	78.12	77.81	76.98	76.35
22	75.42	75.65	77.33	78.58	78.81	78.45	78.08	78.55	78.10	77.79	76.96	76.34
23	75.43	75.65	77.35	78.55	78.79	78.44	78.08	78.55	78.09	77.76	76.93	76.32
24	75.48	75.65	77.35	78.55	78.78	78.42	78.08	78.55	78.06	77.75	76.92	76.31
25	75.51	75.66	77.40	78.53	78.76	78.41	78.08	78.54	78.06	77.71	76.90	76.30
26	75.53	75.66	77.46	78.52	78.74	78.40	78.07	78.53	78.05	77.70	76.87	76.28
27	75.55	75.67	77.52	78.51	78.74	78.39	78.07	78.51	78.02	77.66	76.85	76.26
28	75.56	75.71	77.60	78.50	78.72	78.37	78.10	78.50	78.02	77.64	76.82	76.24
29	75.56	75.74	77.65	78.51	78.70	78.36	78.14	78.50	78.02	77.61	76.80	76.21
30	75.56	75.77	77.70	78.51		78.36	78.15	78.50	78.05	77.58	76.78	76.19
31	75.57		77.71	78.51		78.36		78.50		77.56	76.75	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.17	75.98	76.60	78.31	78.62	78.96	78.50	78.40	78.14	77.62	76.92	76.24
2	76.14	76.00	76.64	78.32	78.64	78.94	78.50	78.39	78.14	77.60	76.90	76.22
3	76.11	76.02	76.72	78.34	78.66	78.94	78.55	78.37	78.14	77.58	76.88	76.20
4	76.09	76.02	76.80	78.36	78.81	78.94	78.64	78.35	78.13	77.56	76.85	76.17
5	76.05	76.02	76.95	78.37	78.90	78.93	78.66	78.34	78.13	77.54	76.83	76.15
6	76.02	76.02	77.00	78.37	78.96	78.91	78.67	78.33	78.13	77.52	76.83	76.14
7	76.00	76.09	77.08	78.39	79.02	78.90	78.66	78.35	78.11	77.50	76.79	76.12
8	75.98	76.10	77.11	78.40	79.06	78.88	78.66	78.38	78.09	77.48	76.77	76.10
9	75.98	76.13	77.15	78.41	79.07	78.85	78.66	78.39	78.08	77.45	76.75	76.08
10	76.00	76.14	77.17	78.41	79.07	78.83	78.64	78.39	78.07	77.45	76.73	76.06
11	76.02	76.14	77.19	78.41	79.07	78.83	78.64	78.39	78.05	77.45	76.70	76.04
12	76.02	76.14	77.21	78.41	79.07	78.81	78.64	78.39	78.02	77.38	76.68	76.02
13	76.03	76.14	77.26	78.41	79.05	78.79	78.64	78.39	78.02	77.36	76.66	76.00
14	76.00	76.14	77.40	78.41	79.02	78.77	78.64	78.37	78.01	77.34	76.64	75.97
15	76.00	76.13	77.50	78.45	79.02	78.76	78.63	78.34	78.00	77.31	76.62	75.95
16	76.00	76.13	77.60	78.47	79.05	78.73	78.63	78.33	77.97	77.28	76.60	75.94
17	76.00	76.11	77.66	78.48	79.06	78.70	78.63	78.33	77.95	77.26	76.58	75.92
18	76.02	76.11	77.73	78.50	79.06	78.68	78.62	78.33	77.93	77.24	76.56	75.90
19	76.02	76.11	77.78	78.51	79.06	78.67	78.60	78.31	77.90	77.21	76.53	75.90
20	76.02	76.13	77.85	78.52	79.06	78.65	78.59	78.30	77.88	77.18	76.51	75.89
21	76.01	76.17	77.87	78.54	79.06	78.64	78.57	78.30	77.85	77.16	76.49	75.89
22	75.98	76.20	77.91	78.55	79.06	78.64	78.56	78.30	77.83	77.14	76.47	75.89
23	75.96	76.26	77.99	78.55	79.06	78.61	78.54	78.29	77.80	77.08	76.45	75.88
24	75.96	76.31	78.02	78.56	79.05	78.60	78.51	78.27	77.78	77.08	76.42	75.88
25	75.96	76.35	78.06	78.56	79.05	78.58	78.50	78.24	77.75	77.60	76.40	75.87
26	75.96	76.45	78.10	78.56	79.03	78.56	78.49	78.21	77.73	77.04	76.38	75.87
27	75.96	76.47	78.15	78.56	79.00	78.55	78.47	78.20	77.70	77.01	76.36	75.86
28	75.96	76.48	78.20	78.56	78.99	78.54	78.45	78.20	77.69	76.98	76.34	75.86
29	75.95	76.48	78.25	78.56		78.53	78.43	78.18	77.67	76.96	76.31	75.86
30	75.95	76.52	78.27	78.58		78.51	78.40	78.14	77.65	76.96	76.29	75.86
31	75.95		78.30	78.60		78.50		78.14		76.95	76.27	

ΕΡΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	75.86	76.51	77.25	79.20	79.20	79.51	79.15	79.81	78.85	78.47	77.82	77.20
2	75.86	76.52	77.35	79.28	79.18	79.49	79.15	79.76	78.80	78.46	77.79	77.20
3	75.86	76.54	77.40	79.33	79.16	79.46	79.15	79.74	78.80	78.46	77.76	77.19
4	75.86	76.55	77.43	79.33	79.16	79.44	79.13	79.71	78.78	78.45	77.73	77.18
5	75.86	76.56	77.50	79.33	79.40	79.46	79.13	79.68	78.75	78.43	77.71	77.16
6	75.84	76.58	77.64	79.33	79.61	79.47	79.15	79.65	78.72	78.41	77.68	77.15
7	75.83	76.60	77.75	79.33	79.81	79.48	79.16	79.61	78.69	78.39	77.66	77.15
8	75.82	76.62	77.92	79.31	79.96	79.48	79.16	79.58	78.66	78.38	77.64	77.15
9	75.82	76.64	78.00	79.26	80.05	79.47	79.16	79.54	78.64	78.36	77.61	77.15
10	75.82	76.66	78.10	79.24	80.06	79.44	79.16	79.50	78.61	78.35	77.59	77.15
11	75.82	76.66	78.15	79.22	80.03	79.42	79.16	79.47	78.61	78.34	77.56	77.15
12	75.81	76.66	78.20	79.20	79.98	79.40	79.20	79.44	78.61	78.32	77.54	77.15
13	75.81	76.66	78.26	79.18	79.95	79.39	79.46	79.41	78.61	78.29	77.52	77.15
14	75.81	76.66	78.30	79.20	79.91	79.37	79.71	79.38	78.61	78.25	77.50	77.15
15	75.82	76.66	78.35	79.21	79.88	79.35	79.86	79.35	78.61	78.23	77.48	77.15
16	75.83	76.66	78.37	79.21	79.85	79.35	80.01	79.33	78.61	78.20	77.46	77.15
17	75.83	76.66	78.40	79.18	79.81	79.35	80.08	79.30	78.61	78.18	77.44	77.16
18	75.84	76.66	78.45	79.16	79.79	79.35	80.12	79.29	78.61	78.16	77.44	77.16
19	75.90	76.68	78.50	79.13	79.77	79.32	80.14	79.25	78.61	78.14	77.39	77.17
20	76.00	76.70	78.50	79.10	79.74	79.30	80.12	79.22	78.58	78.11	77.36	77.19
21	76.10	76.72	78.53	79.08	79.72	79.26	80.12	79.18	78.57	78.09	77.37	77.20
22	76.16	76.74	78.57	79.05	79.70	79.24	80.08	79.14	78.56	78.06	77.32	77.21
23	76.25	76.75	78.60	79.14	79.67	79.21	80.04	79.10	78.54	78.03	77.29	77.22
24	76.31	76.75	78.63	79.23	79.64	79.19	80.01	79.08	78.54	78.01	77.26	77.24
25	76.36	76.75	78.66	79.29	79.61	79.17	79.96	79.05	78.53	77.98	77.24	77.25
26	76.40	76.75	78.68	79.30	79.59	79.17	79.92	79.02	78.51	77.97	77.24	77.27
27	76.46	76.80	78.68	79.30	79.55	79.16	79.90	79.00	78.51	77.95	77.24	77.28
28	76.48	76.90	78.70	79.30	79.53	79.15	79.86	78.97	78.51	77.93	77.23	77.29
29	76.50	77.00	78.75	79.29		79.15	79.85	78.94	78.50	77.90	77.23	77.30
30	76.50	77.10	78.96	79.25		79.16	79.83	78.90	78.49	77.88	77.21	77.31
31	76.51		79.11	79.23		79.16		78.87		77.84	77.20	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.32	77.58	77.80	79.15	79.03	79.00	79.80	79.10	78.56	78.70	78.07	77.39
2	77.33	77.59	77.81	79.15	79.04	79.16	79.76	79.07	78.60	78.73	78.04	77.36
3	77.35	77.60	77.95	79.12	79.05	79.31	79.74	79.05	78.65	78.75	78.01	77.34
4	77.35	77.61	78.05	79.10	79.05	79.50	79.72	79.02	78.68	78.88	77.99	77.32
5	77.35	77.61	78.15	79.07	79.04	79.61	79.71	78.99	78.70	78.88	77.96	77.29
6	77.36	77.62	78.25	79.05	79.02	79.67	79.70	78.96	78.71	78.88	77.95	77.26
7	77.37	77.63	78.30	79.02	78.99	79.65	79.67	78.94	78.75	78.86	77.93	77.24
8	77.38	77.63	78.35	79.00	78.98	79.68	79.62	78.94	78.78	78.83	77.91	77.22
9	77.39	77.64	78.45	79.15	78.96	79.66	79.60	78.92	78.80	78.79	77.89	77.20
10	77.40	77.65	78.50	79.30	78.93	79.64	79.56	78.90	78.82	78.75	77.86	77.20
11	77.40	77.65	78.55	79.36	78.91	79.61	79.50	78.88	78.84	78.72	77.84	77.20
12	77.41	77.66	78.58	79.39	78.96	79.61	79.48	78.85	78.84	78.65	77.81	77.20
13	77.41	77.66	78.64	79.40	78.88	79.64	79.43	78.82	78.83	78.61	77.78	77.22
14	77.42	77.66	78.68	79.37	78.86	79.64	79.40	78.80	78.81	78.57	77.77	77.24
15	77.43	77.66	78.69	79.34	78.84	79.62	79.36	78.78	78.80	78.55	77.75	77.25
16	77.44	77.66	78.70	79.31	78.82	79.60	79.34	78.75	78.80	78.51	77.74	77.28
17	77.44	77.66	78.70	79.25	78.81	79.57	79.31	78.72	78.78	78.47	77.72	77.30
18	77.45	77.67	78.70	79.20	78.80	79.55	79.28	78.69	78.77	78.43	77.70	77.33
19	77.45	77.67	78.71	79.15	78.78	79.53	79.25	78.66	78.76	78.41	77.69	77.36
20	77.46	77.68	78.83	79.12	78.76	79.50	79.25	78.63	78.75	78.39	77.67	77.38
21	77.47	77.69	78.88	79.10	78.76	79.48	79.23	78.60	78.75	78.36	77.65	77.40
22	77.48	77.70	78.90	79.05	78.75	79.56	79.21	78.58	78.75	78.35	77.64	77.42
23	77.50	77.71	78.95	79.05	78.76	79.65	79.20	78.56	78.72	78.33	77.62	77.45
24	77.51	77.72	78.96	79.06	78.81	79.66	79.19	78.54	78.70	78.30	77.60	77.47
25	77.52	77.73	79.00	79.06	78.85	79.66	79.20	78.53	78.70	78.28	77.59	77.47
26	77.53	77.74	79.09	79.09	78.86	79.77	79.20	78.51	78.70	78.25	77.56	77.47
27	77.54	77.75	79.12	79.13	78.85	79.86	79.19	78.51	78.70	78.22	77.55	77.47
28	77.55	77.76	79.14	79.15	78.86	79.90	79.17	78.49	78.68	78.19	77.53	77.48
29	77.56	77.77	79.15	79.14		79.90	79.16	78.51	78.65	78.17	77.50	77.50
30	77.57	77.79	79.15	79.10		79.87	79.13	78.52	78.66	78.14	77.45	77.55
31	77.57		79.15	79.04		79.83		78.55		78.11	77.42	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.57	77.82	78.09	78.95	79.60	79.13	79.00	78.78	78.97	78.53	77.89	77.54
2	77.60	77.82	78.09	78.97	79.55	79.11	79.00	78.77	78.94	78.53	77.87	77.54
3	77.61	77.82	78.10	78.98	79.55	79.10	78.98	78.76	78.91	78.53	77.85	77.53
4	77.62	77.82	78.10	79.00	79.54	79.09	78.96	78.75	78.90	78.52	77.83	77.53
5	77.63	77.82	78.11	79.00	79.49	79.07	78.95	78.73	78.88	78.52	77.80	77.53
6	77.64	77.83	78.11	79.00	79.45	79.03	78.94	78.72	78.86	78.51	77.78	77.54
7	77.65	77.85	78.11	79.00	79.40	79.00	78.93	78.70	78.86	78.50	77.77	77.55
8	77.65	77.90	78.12	79.06	79.35	79.00	78.93	78.71	78.85	78.48	77.75	77.55
9	77.66	77.90	78.13	79.12	79.32	79.00	78.93	78.72	78.86	78.46	77.73	77.56
10	77.66	77.90	78.15	79.14	79.30	78.98	78.93	78.75	78.82	78.44	77.73	77.56
11	77.67	77.90	78.16	79.17	79.26	78.96	78.91	78.75	78.80	78.40	77.73	77.56
12	77.68	77.91	78.17	79.21	79.25	78.95	78.90	78.75	78.77	78.38	77.73	77.56
13	77.68	77.92	78.20	79.28	79.22	78.93	78.89	78.78	78.83	78.34	77.73	77.55
14	77.69	77.92	78.22	79.30	79.20	78.90	78.90	78.78	78.80	78.33	77.73	77.55
15	77.70	77.93	78.23	79.29	79.18	78.90	78.91	78.78	78.76	78.30	77.73	77.54
16	77.71	77.94	78.25	79.26	79.16	78.89	78.92	78.78	78.75	78.28	77.72	77.54
17	77.71	77.95	78.26	79.30	79.13	78.90	78.94	78.86	78.74	78.26	77.70	77.54
18	77.72	77.96	78.27	79.35	79.10	79.00	78.95	78.96	78.71	78.24	77.68	77.54
19	77.72	77.97	78.28	79.40	79.11	79.18	78.94	79.05	78.71	78.21	77.65	77.53
20	77.73	77.98	78.30	79.46	79.15	79.13	78.92	79.10	78.69	78.19	77.63	77.53
21	77.74	77.98	78.31	79.45	79.16	79.15	78.90	79.10	78.68	78.16	77.60	77.52
22	77.75	78.00	78.33	79.50	79.15	79.14	78.88	79.10	78.68	78.13	77.59	77.51
23	77.75	78.00	78.35	79.50	79.14	79.12	78.87	79.10	78.64	78.10	77.59	77.51
24	77.76	78.00	78.36	79.49	79.13	79.11	78.86	79.08	78.62	78.07	77.59	77.51
25	77.76	78.01	78.37	79.45	79.12	79.10	78.85	79.06	78.60	78.05	77.59	77.51
26	77.76	78.03	78.35	79.51	79.12	79.09	78.83	79.07	78.57	78.03	77.58	77.52
27	77.77	78.05	78.41	79.55	79.13	79.09	78.82	79.07	78.56	78.00	77.57	77.52
28	77.78	78.06	78.50	79.60	79.14	79.08	78.80	79.05	78.55	77.97	77.56	77.52
29	77.80	78.07	78.60	79.65	79.14	79.07	78.79	79.04	78.53	77.95	77.56	77.52
30	77.81	78.08	78.76	79.67		79.05	78.78	79.00	78.53	77.93	77.54	77.52
31	77.82		78.75	79.65		79.03		79.00		77.91	77.54	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.52	77.68	77.87	79.36	79.24	79.14	78.82	78.65	78.13	77.69	77.06	76.47
2	77.52	77.69	77.87	79.36	79.23	79.15	78.81	78.65	78.11	77.69	77.03	76.45
3	77.52	77.69	77.90	79.32	79.23	79.12	78.80	78.65	78.09	77.68	77.00	76.44
4	77.52	77.75	77.92	79.30	79.23	79.09	78.79	78.65	78.07	77.65	76.98	76.44
5	77.53	77.75	77.93	79.30	79.21	79.09	78.78	78.64	78.05	77.64	76.97	76.44
6	77.53	77.75	77.93	79.30	79.19	79.09	78.77	78.63	78.03	77.62	76.95	76.42
7	77.53	77.75	77.93	79.30	79.29	79.06	78.76	78.63	78.01	77.60	76.93	76.41
8	77.54	77.75	78.00	79.28	79.40	79.05	78.75	78.62	77.98	77.59	76.91	76.40
9	77.54	77.71	78.02	79.23	79.50	79.03	78.74	78.60	77.96	77.57	76.90	76.39
10	77.54	77.74	78.06	79.28	79.53	79.00	78.73	78.58	77.93	77.56	76.89	76.38
11	77.54	77.75	78.09	79.15	79.55	78.99	78.70	78.56	77.90	77.53	76.87	76.37
12	77.55	77.76	78.16	79.13	79.54	78.97	78.68	78.55	77.87	77.51	76.86	76.36
13	77.55	77.76	78.24	79.13	79.51	78.96	78.66	78.54	77.86	77.48	76.84	76.35
14	77.55	77.77	78.30	79.15	79.48	78.96	78.65	78.53	77.84	77.46	76.82	76.35
15	77.55	77.77	78.37	79.16	79.44	78.96	78.65	78.50	77.82	77.43	76.80	76.35
16	77.55	77.78	78.40	79.17	79.38	78.96	78.65	78.48	77.80	77.41	76.77	76.34
17	77.55	77.78	78.48	79.25	79.32	78.96	78.65	78.46	77.79	77.39	76.75	76.34
18	77.55	77.79	78.52	79.32	79.30	78.95	78.66	78.46	77.77	77.37	76.74	76.33
19	77.55	77.80	78.55	79.33	79.30	78.94	78.66	78.43	77.76	77.35	76.72	76.33
20	77.55	77.80	78.60	79.35	79.29	78.93	78.66	78.41	77.76	77.33	76.70	76.33
21	77.55	77.80	78.65	79.38	79.29	78.93	78.67	78.38	77.75	77.31	76.67	76.33
22	77.55	77.81	78.65	79.40	79.28	78.91	78.69	78.36	77.75	77.29	76.65	76.33
23	77.60	77.81	78.67	79.38	79.25	78.90	78.70	78.33	77.75	77.27	76.63	76.33
24	77.60	77.82	78.72	79.35	79.22	78.90	78.70	78.31	77.76	77.23	76.60	76.33
25	77.60	77.83	78.77	79.31	79.18	78.90	78.70	78.29	77.75	77.20	76.59	76.33
26	77.60	77.85	78.92	79.28	79.15	78.88	78.69	78.27	77.75	77.18	76.79	76.33
27	77.65	77.85	79.00	79.25	79.13	78.87	78.68	78.24	77.73	77.16	76.55	76.33
28	77.66	77.85	79.10	79.24	79.13	78.85	78.67	78.22	77.75	77.14	76.53	76.33
29	77.66	77.85	79.18	79.22		78.85	78.66	78.19	77.70	77.12	76.51	76.33
30	77.67	77.86	79.28	79.21		78.84	78.66	78.17	77.70	77.10	76.50	76.33
31	77.67		79.35	79.21		78.83		78.15		77.08	76.49	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.34	76.68	77.45	78.20	79.17	79.44	79.20	78.89	78.28	78.09	77.60	76.95
2	76.34	76.68	77.50	78.21	79.25	79.65	79.28	78.87	78.27	78.09	77.57	76.94
3	76.34	76.68	77.54	78.22	79.47	79.80	79.32	78.85	78.26	78.09	77.54	76.93
4	76.34	76.68	77.55	78.23	79.60	79.86	79.33	78.83	78.25	78.10	77.51	76.92
5	76.34	76.68	77.58	78.24	79.77	79.87	79.33	78.81	78.25	78.11	77.49	76.91
6	76.34	76.69	77.61	78.25	79.85	79.87	79.33	78.79	78.25	78.11	77.46	76.91
7	76.34	76.70	77.63	78.29	79.88	79.85	79.32	78.77	78.26	78.11	77.44	76.90
8	76.34	76.70	77.65	78.31	79.91	79.82	79.30	78.76	78.30	78.11	77.42	76.90
9	76.34	76.70	77.66	78.48	79.87	79.80	79.27	78.74	78.30	78.10	77.39	76.90
10	76.34	76.71	77.70	78.60	79.84	79.77	79.24	78.72	78.31	78.09	77.36	76.90
11	76.34	76.71	77.75	78.70	79.84	79.71	79.22	78.70	78.32	78.08	77.33	76.89
12	76.34	76.71	77.80	78.75	79.84	79.68	79.20	78.67	78.32	78.06	77.31	76.87
13	76.34	76.72	77.83	78.78	79.82	79.63	79.18	78.65	78.31	78.04	77.28	76.86
14	76.34	76.72	77.87	78.80	79.80	79.59	79.18	78.62	78.31	78.02	77.26	76.85
15	76.34	76.77	77.90	78.81	79.76	79.53	79.18	78.60	78.30	78.00	77.23	76.84
16	76.34	76.91	77.92	78.82	79.74	79.49	79.15	78.57	78.29	77.98	77.20	76.85
17	76.37	77.00	77.93	78.82	79.71	79.42	79.13	78.54	78.27	77.96	77.20	76.86
18	76.45	77.07	77.94	78.84	79.68	79.38	79.12	78.51	78.24	77.94	77.19	76.86
19	76.50	77.12	77.96	78.86	79.67	79.35	79.09	78.46	78.22	77.91	77.19	76.86
20	76.56	77.15	78.00	78.90	79.62	79.31	79.07	78.46	78.21	77.88	77.18	76.87
21	76.60	77.17	78.02	78.90	79.58	79.28	79.05	78.45	78.21	77.86	77.16	76.88
22	76.62	77.20	78.05	78.90	79.55	79.30	79.02	78.44	78.19	77.82	77.14	76.88
23	76.63	77.22	78.08	78.89	79.52	79.30	79.00	78.42	78.17	77.80	77.14	76.88
24	76.63	77.24	78.10	78.89	79.48	79.29	78.97	78.41	78.17	77.78	77.12	76.88
25	76.64	77.25	78.12	78.87	79.45	79.28	78.96	78.39	78.17	77.76	77.10	76.89
26	76.65	77.28	78.14	78.85	79.44	79.26	78.95	78.37	78.15	77.74	77.07	76.89
27	76.66	77.32	78.14	78.94	79.42	79.25	78.94	78.35	78.14	77.72	77.05	76.89
28	76.63	77.37	78.15	78.92	79.42	79.22	78.93	78.34	78.13	77.69	77.03	76.89
29	76.60	77.40	78.17	79.10		79.20	78.91	78.32	78.11	77.67	77.00	76.89
30	76.67	77.42	78.18	79.13		79.18	78.90	78.31	78.10	77.64	76.97	76.89
31	76.67		78.19	79.14		79.16		78.30		77.62	76.95	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.89	77.02	77.28	77.76	78.10	78.33	78.52	78.32	78.12	77.47	76.66	76.13
2	76.88	77.02	77.30	77.77	78.11	78.32	78.51	78.30	78.10	77.45	76.63	76.12
3	76.88	77.03	77.31	77.79	78.11	78.32	78.50	78.29	78.09	77.43	76.60	76.11
4	76.88	77.03	77.32	77.79	78.13	78.31	78.50	78.26	78.07	77.40	76.59	76.10
5	76.88	77.03	77.33	77.80	78.13	78.30	78.50	78.24	78.05	77.38	76.58	76.09
6	76.88	77.03	77.35	77.82	78.15	78.30	78.50	78.20	78.02	77.35	76.56	76.08
7	76.89	77.04	77.36	77.83	78.15	78.30	78.49	78.18	78.00	77.33	76.53	76.15
8	76.89	77.04	77.37	77.85	78.15	78.29	78.48	78.15	77.97	77.30	76.51	76.21
9	76.90	77.05	77.39	77.86	78.15	78.29	78.47	78.14	77.94	77.28	76.49	76.29
10	76.90	77.05	77.41	77.87	78.17	78.28	78.46	78.12	77.93	77.25	76.46	76.31
11	76.91	77.06	77.43	77.87	78.17	78.28	78.46	78.08	77.91	77.22	76.44	76.32
12	76.91	77.06	77.44	77.89	78.19	78.31	78.46	78.04	77.89	77.19	76.44	76.33
13	76.91	77.06	77.45	77.90	78.23	78.43	78.46	78.00	77.86	77.17	76.42	76.33
14	76.91	77.07	77.47	77.91	78.26	78.55	78.46	77.99	77.84	77.13	76.40	76.33
15	76.92	77.07	77.49	77.93	78.27	78.62	78.46	77.97	77.82	77.12	76.38	76.33
16	76.92	77.08	77.50	77.93	78.29	78.65	78.45	77.95	77.79	77.10	76.35	76.33
17	76.93	77.09	77.51	77.97	78.32	78.65	78.45	77.94	77.77	77.08	76.34	76.33
18	76.94	77.10	77.53	78.00	78.32	78.65	78.44	77.94	77.75	77.05	76.32	76.33
19	76.95	77.11	77.55	78.02	78.32	78.65	78.43	78.01	77.74	77.02	76.30	76.33
20	76.95	77.12	77.57	78.02	78.33	78.65	78.43	78.07	77.72	76.98	76.29	76.32
21	76.95	77.14	77.59	78.02	78.34	78.64	78.43	78.10	77.70	76.95	76.27	76.32
22	76.95	77.16	77.61	78.02	78.35	78.63	78.42	78.12	77.67	76.95	76.26	76.32
23	76.95	77.17	77.63	78.02	78.35	78.61	78.41	78.13	77.65	76.93	76.24	76.32
24	76.96	77.18	77.64	78.04	78.35	78.60	78.41	78.15	77.63	76.91	76.23	76.31
25	76.96	77.19	77.66	78.05	78.35	78.60	78.40	78.15	77.60	76.87	76.21	76.30
26	76.97	77.23	77.68	78.05	78.34	78.57	78.40	78.15	77.58	76.83	76.20	76.30
27	76.98	77.24	77.69	78.06	78.33	78.56	78.39	78.15	77.55	76.79	76.19	76.29
28	76.99	77.25	77.72	78.07	78.33	78.55	78.38	78.15	77.53	76.76	76.18	76.29
29	77.00	77.26	77.74	78.09		78.54	78.36	78.14	77.51	76.73	76.17	76.29
30	77.01	77.27	77.74	78.10		78.54	78.35	78.14	77.49	76.71	76.16	76.28
31	77.02		77.75	78.10		78.54		78.14		76.68	76.14	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.28	76.15	76.67	76.90	78.18	79.20	78.79	78.75	78.18	77.71	77.17	77.14
2	76.28	76.15	76.69	76.95	78.20	79.20	78.77	78.77	78.16	77.70	77.14	77.14
3	76.25	76.15	76.69	77.10	78.21	79.19	78.75	78.77	78.14	77.69	77.11	77.14
4	76.25	76.15	76.69	77.15	78.22	79.16	78.74	78.76	78.11	77.67	77.08	77.14
5	76.24	76.15	76.69	77.18	78.22	79.13	78.74	78.75	78.09	77.64	76.83	77.14
6	76.23	76.15	76.69	77.20	78.25	79.10	78.73	78.75	78.08	77.62	76.80	77.14
7	76.22	76.15	76.69	77.30	78.27	79.08	78.74	78.74	78.06	77.60	76.80	77.14
8	76.21	76.16	76.70	77.37	78.30	79.08	78.75	78.72	78.03	77.57	76.72	77.14
9	76.20	76.16	76.70	77.42	78.31	79.06	78.76	78.70	78.00	77.53	76.70	77.13
10	76.19	76.16	76.70	77.45	78.33	79.10	78.75	78.67	78.00	77.51	76.67	77.12
11	76.18	76.17	76.70	77.48	78.35	79.10	78.75	78.64	77.98	77.48	76.64	77.11
12	76.18	76.17	76.71	77.53	78.36	79.12	78.76	78.64	77.96	77.46	76.62	77.10
13	76.18	76.17	76.72	77.57	78.38	79.10	78.77	78.64	77.94	77.43	76.60	77.10
14	76.21	76.26	76.72	77.61	78.41	79.10	78.80	78.63	77.92	77.39	76.59	77.10
15	76.23	76.30	76.72	77.64	78.45	79.06	78.80	78.61	77.90	77.36	76.57	77.08
16	76.23	76.34	76.73	77.66	78.55	79.05	78.85	78.59	77.87	77.33	76.54	77.05
17	76.23	76.36	76.74	77.68	78.65	79.03	78.89	78.56	77.85	77.31	76.52	77.05
18	76.23	76.37	76.75	77.70	78.70	79.00	78.90	78.54	77.83	77.29	76.50	77.05
19	76.23	76.38	76.76	77.73	78.75	79.00	78.89	78.52	77.82	77.26	76.48	77.04
20	76.22	76.43	76.76	77.76	78.80	78.97	78.96	78.50	77.81	77.24	76.46	77.06
21	76.21	76.50	76.77	77.80	78.95	78.94	78.85	78.48	77.81	77.23	76.43	77.06
22	76.21	76.25	76.77	77.83	79.11	78.92	78.85	78.45	77.80	77.21	76.41	77.06
23	76.20	76.60	76.78	77.86	79.20	78.89	78.84	78.42	77.80	77.21	76.39	77.06
24	76.18	76.72	76.78	77.90	79.22	78.87	78.82	78.40	77.79	77.21	76.37	77.06
25	76.18	76.64	76.79	77.93	79.22	78.85	78.80	78.36	77.77	77.21	76.35	77.05
26	76.17	76.64	76.80	77.92	79.22	78.85	78.79	78.34	77.76	77.21	76.39	77.05
27	76.17	76.64	76.80	78.00	79.21	78.84	78.77	78.31	77.74	77.21	76.95	77.05
28	76.17	76.65	76.82	78.05	79.21	78.82	78.75	78.29	77.74	77.21	77.05	77.05
29	76.17	76.66	76.82	78.10	79.21	78.80	78.74	78.25	77.73	77.21	77.10	77.04
30	76.16	76.67	76.86	78.14		78.80	78.72	78.23	77.72	77.21	77.12	77.03
31	76.15		76.87	78.16		78.80		78.20		76.97	77.14	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	77.02	76.96	76.95	77.84	79.08	78.99	78.85	78.74	78.12	77.50	76.61	76.06
2	77.02	76.96	76.98	77.86	79.07	79.03	78.85	78.73	78.10	77.49	76.59	76.05
3	77.02	76.96	77.00	77.94	79.07	79.05	78.85	78.71	78.09	77.46	76.57	76.05
4	77.02	76.96	77.03	78.02	79.07	79.07	78.85	78.70	78.08	77.43	76.54	76.04
5	77.02	76.95	77.06	78.12	79.06	79.09	78.85	78.70	78.07	77.40	76.52	76.04
6	77.01	76.95	77.09	78.19	79.06	79.10	78.85	78.68	78.07	77.37	76.50	76.04
7	77.01	76.95	77.12	78.28	79.05	79.12	78.85	78.65	78.04	77.34	76.48	76.03
8	77.00	76.95	77.14	78.37	79.05	79.14	78.85	78.64	78.02	77.32	76.45	76.03
9	76.99	76.95	77.15	78.47	79.06	79.12	78.85	78.62	78.00	77.29	76.43	76.04
10	76.98	76.94	77.16	78.53	79.07	79.10	78.85	78.58	77.97	77.25	76.41	76.06
11	76.96	76.94	77.17	78.60	79.04	79.09	78.85	78.56	77.95	77.22	76.40	76.06
12	76.95	76.94	77.18	78.68	79.01	79.08	78.84	78.55	77.93	77.20	76.38	76.07
13	76.95	76.94	77.19	78.74	78.98	79.06	78.83	78.53	77.90	77.18	76.36	76.07
14	76.95	76.93	77.20	78.80	78.95	79.03	78.82	78.52	77.87	77.15	76.34	76.08
15	76.95	76.93	77.22	78.82	78.92	79.00	78.80	78.51	77.85	77.13	76.33	76.12
16	76.95	76.93	77.26	78.86	78.90	78.98	78.80	78.50	77.85	77.10	76.31	76.14
17	76.95	76.93	77.29	78.90	78.88	78.96	78.80	78.48	77.80	77.10	76.30	76.15
18	76.94	76.92	77.32	78.98	78.86	78.93	78.80	78.48	77.77	77.07	76.28	76.15
19	76.94	76.92	77.35	79.04	78.85	78.91	78.80	78.46	77.74	77.04	76.27	76.15
20	76.93	76.92	77.38	79.05	78.86	78.89	78.80	78.43	77.71	77.02	76.25	76.15
21	76.93	76.91	77.42	79.08	78.87	78.87	78.80	78.39	77.68	76.98	76.21	76.16
22	76.92	76.91	77.45	79.10	78.88	78.86	78.79	78.38	77.67	76.94	76.15	76.17
23	76.92	76.91	77.48	79.13	78.89	78.85	78.78	78.36	77.65	76.91	76.13	76.17
24	76.94	76.91	77.51	79.15	78.90	78.85	78.77	78.32	77.64	76.87	76.12	76.17
25	76.94	76.91	77.53	79.15	78.91	78.84	78.77	78.30	77.62	76.84	76.10	76.17
26	76.95	76.91	77.58	79.14	78.92	78.84	78.77	78.28	77.61	76.81	76.09	76.16
27	76.96	76.90	77.62	79.13	78.94	78.84	78.77	78.25	77.59	76.79	76.07	76.16
28	76.96	76.90	77.66	79.13	78.95	78.84	78.75	78.22	77.57	76.74	76.07	76.17
29	76.96	76.90	77.72	79.12		78.84	78.75	78.18	77.54	76.71	76.07	76.17
30	76.96	76.90	77.77	79.11		78.84	78.75	78.16	77.50	76.68	76.07	76.17
31	76.96		77.80	79.10		78.84		78.14		76.65	76.06	

ΕΡΕΣΗΓΗΧΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.17	76.20	77.31	79.16	79.43	78.93	79.02	78.81	78.48	77.73	77.00	76.32
2	76.17	76.20	77.40	79.15	79.43	78.95	79.01	78.80	78.45	77.70	77.00	76.31
3	76.17	76.20	77.40	79.15	79.41	78.95	79.00	78.79	78.41	77.68	76.96	76.29
4	76.17	76.20	77.40	79.15	79.40	78.95	78.95	78.78	78.39	77.66	76.94	76.28
5	76.17	76.20	77.41	79.20	79.35	78.92	78.95	78.77	78.38	77.65	76.90	76.27
6	76.19	76.20	77.50	79.38	79.32	78.95	78.94	78.76	78.35	77.61	76.88	76.27
7	76.19	76.20	77.55	79.60	79.30	78.95	78.93	78.75	78.31	77.60	76.86	76.28
8	76.19	76.20	77.65	79.75	79.25	78.95	78.93	78.75	78.30	77.58	76.82	76.29
9	76.19	76.20	77.71	79.80	79.23	78.95	78.93	78.75	78.27	77.56	76.80	76.29
10	76.19	76.21	77.76	79.82	79.17	78.95	78.92	78.75	78.24	77.54	76.75	76.29
11	76.20	76.21	77.83	79.83	79.15	78.93	78.91	78.75	78.21	77.51	76.73	76.29
12	76.20	76.21	77.95	79.75	79.13	78.93	78.90	78.75	78.19	77.48	76.70	76.29
13	76.20	76.22	78.05	79.70	79.09	78.93	78.89	78.73	78.16	77.46	76.68	76.28
14	76.20	76.23	78.11	79.65	79.05	78.93	78.87	78.73	78.15	77.45	76.65	76.28
15	76.20	76.24	78.16	79.63	79.03	78.92	78.85	78.72	78.10	77.43	76.63	76.28
16	76.20	76.27	78.20	79.60	79.00	78.94	78.84	78.71	78.07	77.45	76.61	76.27
17	76.20	76.32	78.24	79.58	79.00	79.07	78.85	78.70	78.05	77.44	76.59	76.27
18	76.20	76.45	78.25	79.55	79.00	79.14	78.86	78.69	78.04	77.38	76.57	76.25
19	76.20	76.56	78.28	79.54	79.00	79.15	78.86	78.69	78.00	77.36	76.55	76.25
20	76.20	76.66	78.30	79.50	79.00	79.15	78.86	78.64	77.98	77.34	76.53	76.25
21	76.20	76.70	78.31	79.48	79.00	79.14	78.86	78.62	77.96	77.32	76.50	76.25
22	76.20	76.75	78.33	79.46	79.00	79.12	78.86	78.62	77.94	77.30	76.49	76.25
23	76.21	76.77	78.35	79.40	78.99	79.10	78.86	78.60	77.91	77.28	76.47	76.25
24	76.21	76.80	78.35	79.37	78.97	79.08	78.86	78.57	77.90	77.26	76.45	76.24
25	76.21	76.85	78.41	79.35	78.97	79.05	78.87	78.58	77.87	77.22	76.40	76.24
26	76.21	76.97	78.48	79.33	78.96	79.13	78.86	78.50	77.85	77.20	76.41	76.24
27	76.21	77.05	78.70	79.32	78.95	79.01	78.85	78.53	77.93	77.17	76.40	76.24
28	76.21	77.10	78.93	79.36	78.94	79.01	78.84	78.57	77.80	77.14	76.38	76.23
29	76.21	77.20	79.07	79.40		79.02	78.83	78.56	77.77	77.12	76.37	76.23
30	76.20	77.28	79.15	79.41		79.04	78.82	78.54	77.75	77.10	76.35	76.22
31	76.20		79.18	79.43		79.04		78.50		77.06	76.33	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.22	76.30	76.69	--	--	--	--	--	--	--	--	--
2	76.22	76.31	76.69	--	--	--	--	--	--	--	--	--
3	76.21	76.31	76.70	--	--	--	--	--	--	--	--	--
4	76.20	76.31	76.70	--	--	--	--	--	--	--	--	--
5	76.21	76.32	76.71	--	--	--	--	--	--	--	--	--
6	76.20	76.32	76.72	--	--	--	--	--	--	--	--	--
7	76.20	76.33	76.82	--	--	--	--	--	--	--	--	--
8	76.21	76.33	76.81	--	--	--	--	--	--	--	--	--
9	76.21	76.33	76.82	--	--	--	--	--	--	--	--	--
10	76.20	76.32	76.72	--	--	--	--	--	--	--	--	--
11	76.17	76.29	76.72	--	--	--	--	--	--	--	--	--
12	76.16	76.29	76.71	--	--	--	--	--	--	--	--	--
13	76.21	76.31	76.71	--	--	--	--	--	--	--	--	--
14	76.21	76.32	76.72	--	--	--	--	--	--	--	--	--
15	76.22	76.32	76.72	--	--	--	--	--	--	--	--	--
16	76.22	76.32	76.72	--	--	--	--	--	--	--	--	--
17	76.22	76.32	76.72	--	--	--	--	--	--	--	--	--
18	76.24	76.32	76.85	--	--	--	--	--	--	--	--	--
19	76.25	76.32	77.85	--	--	--	--	--	--	--	--	--
20	76.26	76.55	77.96	--	--	--	--	--	--	--	--	--
21	76.26	76.59	78.06	--	--	--	--	--	--	--	--	--
22	76.26	76.62	78.10	--	--	--	--	--	--	--	--	--
23	76.27	76.63	78.25	--	--	--	--	--	--	--	--	--
24	76.27	76.64	78.35	--	--	--	--	--	--	--	--	--
25	76.27	76.64	78.40	--	--	--	--	--	--	--	--	--
26	76.28	76.65	78.65	--	--	--	--	--	--	--	--	--
27	76.29	76.65	78.80	--	--	--	--	--	--	--	--	--
28	76.29	76.67	78.98	--	--	--	--	--	--	--	--	--
29	76.29	76.67	79.20	--	--	--	--	--	--	--	--	--
30	76.29	76.68	79.35	--	--	--	--	--	--	--	--	--
31	76.29	76.68	79.50	--	--	--	--	--	--	--	--	--
	76.29		79.60	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑ/κπ
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΔΡΟΛ. ΕΤΟΣ 1947 - 48

24

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑΟκπ
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΟΡΟΛ. ΕΤΟΣ 1950 - 51

27

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑΧκη
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΔΡΟΛ. ΕΤΟΣ 1951 - 52

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η ανγρωσή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΛΙΟΝ
ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΟΡΩΝ. ΕΤΟΣ 1953 - 54

30

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η ενγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑ(κπ)
 ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΔΡΟΛ. ΕΤΟΣ 1954 - 55

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ
 -- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑΙκη
 ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΟΡΟΑ. ΕΤΟΣ 1955 - 56

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγράφη δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑΙκκ

(707) - ΥΟΡΔΑ, ΕΤΟΣ 1957 - 58

34

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	76.91	78.58	78.70	78.80	78.52	78.10	77.34	75.89	74.69
2	--	--	--	76.92	78.57	78.68	78.79	78.49	78.10	77.31	75.84	74.67
3	--	--	--	76.93	78.57	78.66	78.78	78.45	78.10	77.28	75.79	74.66
4	--	--	--	76.96	78.57	78.70	78.78	78.41	78.10	77.25	75.74	74.65
5	--	--	--	77.08	78.56	78.81	78.78	78.37	78.08	77.21	75.70	74.64
6	--	--	--	77.23	78.56	78.83	78.77	78.34	78.05	77.17	75.65	74.63
7	--	--	--	77.29	78.57	78.84	78.77	78.31	78.02	77.12	75.61	74.60
8	--	--	--	77.35	78.61	78.83	78.76	78.29	77.99	77.08	75.56	74.52
9	--	--	--	77.41	78.75	78.88	78.75	78.27	77.96	77.04	75.50	74.49
10	--	--	--	77.45	78.84	78.92	78.74	78.27	77.93	76.99	75.44	74.47
11	--	--	--	77.50	78.96	78.97	78.73	78.31	77.90	76.94	75.39	74.51
12	--	--	--	77.56	78.87	78.98	78.72	78.33	77.86	76.90	75.33	74.57
13	--	--	--	77.63	78.88	78.97	78.71	78.33	77.81	76.85	75.27	74.69
14	--	--	--	77.75	78.89	78.96	78.70	78.33	77.77	76.80	75.22	74.69
15	--	--	--	77.89	78.90	78.96	78.69	78.32	77.74	76.75	75.16	74.70
16	--	--	--	77.99	78.86	78.96	78.67	78.32	77.70	76.70	75.11	74.70
17	--	--	--	78.08	78.86	78.95	78.68	78.32	77.63	76.66	75.06	74.71
18	--	--	--	78.15	78.85	78.95	78.66	78.33	77.59	76.61	75.00	74.70
19	--	--	--	78.28	78.84	78.96	78.65	78.33	77.56	76.56	74.96	74.69
20	--	--	--	78.42	78.83	78.95	78.63	78.32	77.54	76.51	74.91	74.68
21	--	--	--	78.50	78.82	78.95	78.62	78.29	77.52	76.46	74.86	74.68
22	--	--	--	78.54	78.81	78.94	78.61	78.26	77.50	76.41	74.83	74.68
23	--	--	--	78.57	78.80	78.94	78.61	78.24	77.49	76.36	74.80	74.67
24	--	--	--	78.58	78.79	78.93	78.59	78.21	77.47	76.31	74.80	74.67
25	--	--	--	78.59	78.77	78.91	78.58	78.18	77.45	76.25	74.79	74.66
26	--	--	--	78.60	78.76	78.89	78.57	78.16	77.43	76.20	74.78	74.66
27	--	--	--	78.60	78.74	78.88	78.56	78.13	77.42	76.14	74.77	74.66
28	--	--	--	78.60	78.72	78.87	78.55	78.12	77.40	76.09	74.77	74.66
29	--	--	--	78.59	78.70	78.85	78.54	78.15	77.38	76.04	74.75	74.66
30	--	--	--	78.59		78.84	78.53	78.13	77.36	75.98	74.72	74.66
31	--	--	--	78.59		78.82		78.11		75.94	74.70	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	74.66	74.42	74.28	75.09	75.90	76.90	78.69	78.38	77.87	76.90	75.46	74.51
2	74.66	74.42	74.27	75.11	75.93	76.91	78.67	78.36	77.83	76.86	75.40	74.50
3	74.65	74.42	74.26	75.13	75.96	76.94	78.65	78.34	77.80	76.83	75.35	74.49
4	74.65	74.40	74.24	75.14	76.02	77.18	78.64	78.32	77.76	76.79	75.30	74.48
5	74.64	74.40	74.23	75.15	76.09	77.69	78.62	78.31	77.72	76.76	75.27	74.45
6	74.63	74.40	74.22	75.16	76.15	78.12	78.61	78.30	77.67	76.73	75.23	74.45
7	74.62	74.39	74.21	75.17	76.22	78.43	78.60	78.29	77.63	76.68	75.20	74.45
8	74.61	74.39	74.20	75.18	76.29	78.64	78.59	78.28	77.58	76.65	75.17	74.45
9	74.57	74.38	74.21	75.21	76.35	78.75	78.58	78.27	77.54	76.59	75.14	74.43
10	74.56	74.37	74.22	75.23	76.40	78.81	78.57	78.26	77.50	76.54	75.10	74.41
11	74.55	74.36	74.22	75.24	76.45	78.86	78.57	78.25	77.46	76.49	75.07	74.40
12	74.55	74.35	74.24	75.25	76.49	78.90	78.57	78.24	77.43	76.44	75.04	74.39
13	74.54	74.34	74.26	75.26	76.52	78.92	78.57	78.23	77.40	76.38	75.00	74.37
14	74.53	74.34	74.29	75.27	76.56	78.92	78.56	78.21	77.37	76.34	74.97	74.36
15	74.52	74.34	74.23	75.28	76.59	78.92	78.55	78.21	77.34	76.30	74.95	74.35
16	74.52	74.33	74.30	75.30	76.62	78.89	78.54	78.21	77.30	76.25	74.92	74.33
17	74.51	74.33	74.30	75.34	76.65	78.87	78.53	78.20	77.27	76.20	74.89	74.31
18	74.50	74.33	74.30	75.41	76.67	78.85	78.52	78.19	77.25	76.15	74.86	74.30
19	74.50	74.33	74.34	75.42	76.71	78.84	78.51	78.18	77.23	76.09	74.82	74.29
20	74.49	74.32	74.46	75.43	76.74	78.83	78.50	78.18	77.21	76.04	74.78	74.28
21	74.49	74.31	74.52	75.43	76.76	78.81	78.48	78.16	77.18	75.99	74.75	74.27
22	74.48	74.31	74.54	75.44	76.77	78.79	78.47	78.15	77.15	75.95	74.73	74.26
23	74.47	74.31	74.55	75.45	76.78	78.78	78.45	78.14	77.11	75.89	74.71	74.24
24	74.47	74.30	74.56	75.46	76.80	78.78	78.43	78.12	77.08	75.84	74.69	74.23
25	74.47	74.31	74.59	75.50	76.82	78.78	78.43	78.10	77.06	75.80	74.68	74.21
26	74.46	74.31	74.59	75.54	76.84	78.77	78.44	78.08	77.04	75.76	74.66	74.20
27	74.45	74.31	74.60	75.57	76.86	78.76	78.43	78.04	77.02	75.71	74.64	74.19
28	74.44	74.30	74.71	75.63	76.88	78.74	78.42	78.00	77.00	75.65	74.62	74.18
29	74.44	74.29	74.90	75.72		78.72	78.41	77.98	76.96	75.60	74.58	74.17
30	74.44	74.28	74.99	75.81		78.72	78.40	77.95	76.93	75.56	74.55	74.15
31	74.43		75.05	75.86		78.71		77.91		75.53	74.53	

ΕΡΕΣΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	74.14	73.94	73.95	74.55	74.69	75.66	76.62	76.11	75.13	74.03	72.56	71.28
2	74.13	73.93	73.94	74.57	74.71	75.73	76.63	76.08	75.09	73.99	72.51	71.25
3	74.11	73.93	73.94	74.60	74.75	75.80	76.63	76.06	75.05	73.93	72.46	71.23
4	74.09	73.92	73.94	74.62	74.75	75.85	76.64	76.04	75.01	73.87	72.41	71.20
5	74.08	73.91	73.93	74.62	74.75	75.89	76.65	76.02	74.97	73.81	72.36	71.17
6	74.07	73.94	73.92	74.62	74.78	75.93	76.64	76.00	74.93	73.75	72.31	71.15
7	74.05	74.01	73.91	74.63	74.80	75.99	76.64	75.97	74.89	73.70	72.26	71.13
8	74.05	74.02	73.91	74.64	74.81	76.02	76.63	75.94	74.86	73.64	72.21	71.11
9	74.03	74.02	73.93	74.64	74.81	76.05	76.61	75.92	74.82	73.59	72.16	71.09
10	74.05	74.03	73.98	74.64	74.81	76.07	76.58	75.90	74.78	73.54	72.11	71.07
11	74.05	74.05	74.00	74.64	74.80	76.09	76.55	75.88	74.74	73.48	72.06	71.04
12	74.05	74.05	74.00	74.65	74.80	76.11	76.52	75.85	74.71	73.41	72.01	71.01
13	74.06	74.05	73.98	74.65	74.80	76.12	76.50	75.83	74.69	73.33	71.97	70.98
14	74.06	74.06	73.97	74.65	74.82	76.14	76.49	75.80	74.66	73.24	71.93	70.95
15	74.06	74.06	73.96	74.66	74.85	76.15	76.49	75.78	74.63	73.15	71.90	70.92
16	74.05	74.05	73.95	74.66	74.95	76.20	76.49	75.74	74.60	73.07	71.86	70.89
17	74.05	74.05	73.94	74.66	74.99	76.25	76.48	75.70	74.57	72.96	71.82	70.86
18	74.04	74.05	73.95	74.66	75.02	76.30	76.46	75.65	74.54	72.55	71.77	70.85
19	74.04	74.05	73.94	74.66	75.04	76.36	76.43	75.61	74.51	73.19	71.73	70.84
20	74.02	74.05	73.93	74.65	75.06	76.38	76.41	75.57	74.47	73.14	71.69	70.82
21	74.01	74.03	73.97	74.65	75.07	76.38	76.39	75.53	74.43	73.07	71.66	70.80
22	74.00	74.02	73.97	74.65	75.07	76.39	76.37	75.49	74.39	73.06	71.62	70.78
23	74.00	74.01	73.97	74.65	75.11	76.41	76.34	75.44	74.36	73.01	71.59	70.77
24	73.99	74.00	73.97	74.65	75.21	76.46	76.31	75.40	74.33	72.96	71.54	70.77
25	73.98	73.99	74.06	74.65	75.37	76.50	76.29	75.35	74.28	72.91	71.50	70.77
26	73.98	73.98	74.13	74.65	75.47	76.53	76.26	75.31	74.23	72.86	71.48	70.83
27	73.97	73.97	74.22	74.65	75.53	76.55	76.23	75.28	74.19	72.81	71.45	70.88
28	73.96	73.97	74.34	74.65	75.61	76.57	76.21	75.24	74.15	72.76	71.42	70.92
29	73.96	73.97	74.39	74.65		76.59	76.17	75.22	74.11	72.71	71.38	70.94
30	73.96	73.97	74.44	74.67		76.60	76.14	75.19	74.07	72.66	71.34	70.92
31	73.95		74.51	74.69		76.61		75.16		72.61	71.31	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	70.90	71.41	72.98	79.65	79.25	79.30	79.13	79.42	79.96	79.00	77.58	76.47
2	70.88	71.52	73.10	79.63	79.22	79.34	79.11	79.43	79.98	78.97	77.53	76.47
3	70.88	71.59	73.74	79.63	79.50	79.34	79.11	79.45	79.95	78.92	77.48	76.45
4	71.02	71.63	74.25	79.58	79.77	79.36	79.10	79.50	79.94	78.88	77.43	76.45
5	71.11	71.65	74.70	79.55	79.95	79.44	79.10	79.52	79.96	78.84	77.37	76.44
6	71.12	71.68	75.07	79.50	80.05	79.46	79.07	79.55	79.95	78.80	77.32	76.43
7	71.13	71.72	75.35	79.47	80.10	79.42	79.07	79.57	79.95	78.75	77.29	76.42
8	71.14	71.76	75.63	79.43	80.05	79.40	79.05	79.55	79.93	78.70	77.25	76.41
9	71.14	71.78	75.84	79.38	80.05	79.38	79.03	79.55	79.93	78.65	77.23	76.39
10	71.12	71.79	76.00	79.34	80.00	79.36	79.01	79.55	79.92	78.60	77.20	76.38
11	71.11	71.80	76.12	79.29	79.95	79.32	79.00	79.55	79.89	78.54	77.17	76.37
12	71.11	71.82	76.25	79.25	79.90	79.34	78.97	79.54	79.85	78.50	77.14	76.36
13	71.11	71.88	76.37	79.20	79.80	79.32	78.95	79.54	79.80	78.45	77.11	76.35
14	71.11	71.98	76.47	79.22	79.74	79.32	78.93	79.54	79.76	78.41	77.08	76.31
15	71.10	72.10	76.55	79.17	79.68	79.30	78.93	79.55	79.72	78.36	77.05	76.30
16	71.10	72.17	76.68	79.14	79.62	79.27	78.91	79.62	79.68	78.34	77.00	76.28
17	71.10	72.22	76.75	79.10	79.54	79.26	78.90	79.62	79.63	78.29	76.96	76.26
18	71.13	72.26	76.85	79.05	79.62	79.23	78.89	79.69	79.60	78.24	76.91	76.25
19	71.16	72.29	77.14	79.05	79.55	79.18	78.95	79.74	79.55	78.19	76.86	76.24
20	71.17	72.32	77.41	79.07	79.50	79.18	79.00	79.77	79.50	78.16	76.81	76.23
21	71.18	72.44	77.72	79.13	79.47	79.16	79.01	79.79	79.48	78.09	76.76	76.22
22	71.20	72.61	78.10	79.28	79.47	79.13	79.03	79.83	79.44	78.04	76.71	76.21
23	71.20	72.71	78.37	79.30	79.40	79.10	79.07	79.85	79.40	77.98	76.67	76.20
24	71.21	72.79	78.61	79.34	79.35	79.09	79.15	79.90	79.35	77.93	76.64	76.18
25	71.21	72.82	78.81	79.37	79.33	79.08	79.19	79.93	79.30	77.89	76.59	76.15
26	71.22	72.85	78.92	79.33	79.36	79.07	79.24	79.95	79.26	77.84	76.54	76.13
27	71.23	72.87	79.08	79.30	79.32	79.05	79.29	79.95	79.21	77.79	76.51	76.11
28	71.23	72.90	79.23	79.28	79.30	79.07	79.34	79.96	79.18	77.74	76.50	76.15
29	71.23	72.92	79.39	79.25		79.09	79.39	79.96	79.13	77.68	76.50	76.17
30	71.23	72.96	79.52	79.25		79.12	79.41	79.96	79.07	77.65	76.49	76.14
31	71.25		79.62	79.22		79.15		79.96		77.62	76.48	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.12	77.07	77.64	78.48	79.00	79.00	78.90	79.32	79.23	79.00	77.40	76.42
2	76.10	77.12	77.66	78.48	79.05	78.98	78.90	79.32	79.20	78.98	77.35	76.40
3	76.15	77.16	77.67	78.48	79.08	79.00	78.90	79.35	79.18	78.96	77.28	76.41
4	76.14	77.21	77.69	78.48	79.06	78.98	78.88	79.35	79.18	78.94	77.22	76.40
5	76.13	77.25	77.71	78.52	79.05	78.96	78.85	79.35	79.15	78.92	77.17	76.40
6	76.14	77.30	77.74	78.58	79.00	78.98	78.85	79.37	79.13	78.82	77.13	76.41
7	76.14	77.34	77.77	78.62	79.00	78.95	78.83	79.35	79.10	78.78	77.08	76.39
8	76.13	77.36	77.79	78.72	78.95	79.00	78.81	79.34	79.07	78.74	77.00	76.39
9	76.12	77.38	77.80	78.85	78.95	79.05	78.81	79.35	79.04	78.70	77.02	76.38
10	76.15	77.40	77.83	78.90	78.92	79.20	78.85	79.33	79.00	78.67	76.95	76.36
11	76.22	77.43	77.86	78.95	78.90	79.26	78.88	79.31	79.00	78.62	76.93	76.35
12	76.27	77.43	77.90	78.95	78.90	79.29	78.92	79.29	79.00	78.50	76.90	76.35
13	76.31	77.43	77.90	78.88	78.87	79.27	79.00	79.30	79.07	78.46	76.85	76.35
14	76.35	77.40	77.94	78.88	78.85	79.25	79.00	79.32	79.12	78.39	76.83	76.32
15	76.36	77.40	78.00	78.85	78.85	79.28	79.05	79.29	79.13	78.36	76.80	76.30
16	76.38	77.41	78.10	78.85	78.82	79.25	79.08	79.28	79.14	78.33	76.78	76.29
17	76.36	77.43	78.15	78.83	78.82	79.25	79.10	79.30	79.14	78.25	76.75	76.29
18	76.36	77.44	78.22	78.80	78.82	79.23	79.12	79.34	79.14	78.20	76.72	76.28
19	76.38	77.45	78.30	78.80	78.81	79.23	79.14	79.38	79.17	78.12	76.70	76.28
20	76.38	77.46	78.32	78.78	78.80	79.20	79.15	79.39	79.15	78.06	76.68	76.27
21	76.38	77.47	78.33	78.75	78.85	79.18	79.17	79.39	79.13	78.00	76.65	76.25
22	76.38	77.48	78.36	78.73	78.95	79.16	79.19	79.39	79.13	77.96	76.63	76.24
23	76.35	77.49	78.40	78.73	79.05	79.12	79.20	79.38	79.11	77.90	76.63	76.23
24	76.37	77.50	78.44	78.72	79.05	79.10	79.20	79.36	79.10	77.85	76.60	76.23
25	76.40	77.50	78.47	78.72	79.04	79.10	79.22	79.35	79.09	77.80	76.58	76.21
26	76.40	77.50	78.50	78.70	79.00	79.07	79.23	79.34	79.08	77.75	76.56	76.20
27	76.43	77.50	78.50	78.70	79.00	79.04	79.25	79.31	79.08	77.65	76.54	76.20
28	76.59	77.50	78.50	78.70	79.03	79.00	79.27	79.30	79.06	77.55	76.51	76.21
29	76.85	77.55	78.48	78.67	79.00	78.97	79.30	79.30	79.04	77.50	76.48	76.20
30	76.95	77.60	78.48	78.78		78.97	79.32	79.30	79.02	77.45	76.45	76.20
31	77.00		78.48	78.90		78.95		79.25		77.45	76.42	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	76.19	75.95	75.80	75.75	76.07	76.62	77.37	78.56	78.53	77.43	75.68	74.40
2	76.19	75.94	75.78	75.76	76.08	76.64	77.45	78.58	78.50	77.37	75.62	74.40
3	76.18	75.92	75.78	75.76	76.09	76.65	77.50	78.59	78.46	77.31	75.56	74.38
4	76.16	75.90	75.78	75.78	76.12	76.66	77.55	78.60	78.43	77.25	75.50	74.36
5	76.15	75.89	75.78	75.78	76.12	76.69	77.60	78.64	78.41	77.22	75.46	74.33
6	76.15	75.88	75.79	75.77	76.12	76.72	77.62	78.63	78.37	77.18	75.38	74.32
7	76.14	75.87	75.79	75.74	76.12	76.75	77.66	78.65	78.33	77.11	75.32	74.30
8	76.13	75.86	75.79	75.72	76.12	76.72	77.67	78.66	78.29	77.07	75.27	74.29
9	76.13	75.85	75.78	75.70	76.12	76.77	77.71	78.68	78.24	77.02	75.21	74.26
10	76.12	75.84	75.75	75.70	76.10	76.77	77.75	78.68	78.19	76.97	75.16	74.25
11	76.11	75.83	75.75	75.71	76.12	76.77	77.80	78.69	78.14	76.91	75.11	74.23
12	76.10	75.82	75.75	75.69	76.15	76.79	77.88	78.71	78.08	76.84	75.07	74.20
13	76.09	75.82	75.75	75.68	76.18	76.79	77.95	78.72	78.04	76.78	75.01	74.18
14	76.08	75.85	75.75	75.68	76.20	76.79	78.02	78.73	77.99	76.72	74.97	74.17
15	76.07	75.84	75.74	75.68	76.21	76.80	78.08	78.73	77.94	76.65	74.92	74.15
16	76.06	75.83	75.74	75.68	76.21	76.80	78.12	78.73	77.88	76.59	74.88	74.12
17	76.05	75.83	75.73	75.66	76.23	76.79	78.18	78.74	77.84	76.53	74.83	74.10
18	76.05	75.82	75.72	75.63	76.30	76.78	78.23	78.75	77.79	76.48	74.78	74.09
19	76.05	75.82	75.72	75.61	76.31	76.76	78.27	78.74	77.78	76.43	74.73	74.08
20	76.04	75.81	75.71	75.64	76.36	76.75	78.33	78.75	77.76	76.38	74.70	74.04
21	76.04	75.80	75.70	75.66	76.41	76.74	78.38	78.75	77.73	76.32	74.66	74.03
22	76.03	75.79	75.71	75.70	76.45	76.76	78.40	78.74	77.71	76.26	74.62	74.01
23	76.02	75.78	75.72	75.79	76.47	76.76	78.42	78.73	77.68	76.20	74.58	74.00
24	76.01	75.77	75.72	75.84	76.48	76.75	78.44	78.73	77.65	76.13	74.56	73.98
25	76.00	75.76	75.73	75.91	76.48	76.76	78.47	78.72	77.61	76.07	74.54	73.97
26	76.00	75.75	75.72	76.00	76.50	76.74	78.50	78.69	77.57	76.03	74.50	73.97
27	76.00	75.74	75.72	76.03	76.55	76.74	78.52	78.68	77.52	75.98	74.48	73.95
28	75.99	75.73	75.71	76.05	76.57	76.75	78.54	78.62	77.48	75.93	74.46	73.94
29	75.98	75.72	75.70	76.07		76.91	78.54	78.62	77.44	75.85	74.44	73.92
30	75.97	75.71	75.69	76.07		77.13	78.55	78.60	77.43	75.79	74.43	73.90
31	75.96		75.71	76.07		77.30		78.58		75.74	74.41	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	73.88	73.44	73.10	72.88	73.57	73.58	74.50	74.42	73.68	72.60	71.07	70.07
2	73.87	73.43	73.10	72.85	73.59	73.54	74.51	74.45	73.65	72.56	71.03	70.06
3	73.86	73.43	73.08	72.85	73.59	73.50	74.53	74.46	73.61	72.51	71.00	70.02
4	73.83	73.42	73.06	72.85	73.59	73.46	74.54	74.47	73.59	72.47	70.96	69.98
5	73.83	73.40	73.06	72.85	73.59	73.45	74.56	74.48	73.55	72.42	*18	69.96
6	73.80	73.39	73.06	72.87	73.60	73.42	74.56	74.45	73.53	72.37	*18	69.94
7	73.79	73.37	73.04	72.88	73.60	73.58	74.57	74.44	73.50	72.32	*18	69.92
8	73.77	73.36	73.04	72.88	73.59	73.70	74.57	74.44	73.48	72.27	*18	69.94
9	73.74	73.35	73.04	72.87	73.58	73.73	74.58	74.40	73.45	72.21	*18	69.94
10	73.74	73.34	73.01	72.88	73.60	73.78	74.58	74.39	73.41	72.16	*18	69.89
11	73.70	73.32	73.02	72.86	73.60	73.82	74.58	74.35	73.40	72.09	*18	69.86
12	73.73	73.31	73.02	72.86	73.60	73.83	74.58	74.30	73.36	72.03	*18	69.82
13	73.71	73.30	73.01	72.86	73.59	73.85	74.59	74.28	73.30	71.95	*18	69.81
14	73.70	73.29	73.00	72.87	73.60	73.89	74.60	74.27	73.29	71.90	*18	69.78
15	73.69	73.27	72.99	72.89	73.60	73.90	74.62	74.22	73.27	71.85	70.67	69.75
16	73.67	73.25	72.99	72.90	73.59	73.92	74.60	74.19	73.24	71.77	70.64	69.72
17	73.65	73.24	72.97	72.91	73.59	73.94	74.58	74.15	73.20	71.70	70.59	69.70
18	73.64	73.24	72.95	72.91	73.68	74.05	74.60	74.12	73.18	71.66	70.55	69.70
19	73.62	73.24	72.93	72.91	73.70	74.14	74.59	74.09	73.14	71.60	70.53	69.68
20	73.60	73.22	72.91	72.92	73.72	74.19	74.59	74.07	73.10	71.55	70.50	69.66
21	73.58	73.20	72.91	73.02	73.72	74.22	74.57	74.04	73.07	71.50	70.48	69.64
22	73.58	73.19	72.90	73.04	73.70	74.25	74.56	74.01	73.04	71.45	70.44	69.62
23	73.56	73.18	72.94	73.09	73.70	74.29	74.54	73.99	73.00	71.40	70.39	69.60
24	73.55	73.16	72.94	73.12	73.67	74.29	74.51	73.96	72.93	71.35	70.35	69.58
25	73.54	73.14	72.92	73.14	73.66	74.34	74.51	73.92	72.89	71.32	70.32	69.56
26	73.52	73.14	72.90	73.18	73.64	74.36	74.50	73.89	72.84	71.31	70.29	69.55
27	73.50	73.13	72.90	73.23	73.62	74.39	74.49	73.86	72.79	71.26	70.25	69.53
28	73.50	73.10	72.89	73.32	73.60	74.42	74.48	73.83	72.74	71.22	70.21	69.51
29	73.48	73.13	72.89	73.46		74.47	74.46	73.80	72.70	71.19	70.18	69.48
30	73.47	73.10	72.89	73.52		74.49	74.43	73.75	72.66	71.14	70.15	69.46
31	73.45		72.90	73.56		74.49		73.72		71.10	70.11	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγράφο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	69.45	68.95	68.80	68.90	68.83	68.65	69.13	69.38	68.56	67.44	66.29	65.22
2	69.44	68.99	68.78	68.89	68.81	68.62	69.17	69.37	68.52	67.41	66.25	65.20
3	69.42	68.98	68.78	68.88	68.80	68.61	69.20	69.38	68.49	67.36	66.22	65.17
4	69.40	68.96	68.77	68.88	68.80	68.57	69.23	69.37	68.44	67.30	66.18	65.15
5	69.38	68.95	68.74	68.86	68.78	68.54	69.24	69.35	68.40	67.29	66.14	65.12
6	69.36	68.94	68.72	68.84	68.76	68.51	69.27	69.35	68.36	67.25	66.11	65.10
7	69.35	68.92	68.70	68.83	68.75	68.48	69.31	69.32	68.32	67.20	66.08	65.12
8	69.33	68.89	68.81	68.83	68.75	68.43	69.32	69.32	68.28	67.15	66.05	65.10
9	69.31	68.88	68.94	68.84	68.75	68.40	69.35	69.30	68.22	67.13	66.01	65.07
10	69.29	68.86	69.01	68.86	68.75	68.35	69.34	69.28	68.19	67.09	65.98	65.05
11	69.27	68.85	69.01	68.86	68.75	68.32	69.34	69.26	68.16	67.06	65.94	65.02
12	69.25	68.82	69.02	68.85	68.74	68.30	69.33	69.23	68.11	67.03	65.90	65.00
13	69.23	68.80	69.03	68.86	68.73	68.27	69.36	69.21	68.07	67.00	65.87	64.97
14	69.21	68.79	69.04	68.86	68.72	68.24	69.42	69.18	68.03	66.96	65.84	64.96
15	69.20	68.78	69.05	68.95	68.72	68.22	69.40	69.14	67.99	66.91	65.80	64.94
16	69.18	68.77	69.05	68.95	68.71	68.21	69.41	69.10	67.96	66.88	65.77	64.91
17	69.16	68.75	69.05	68.94	68.70	68.20	69.41	69.07	67.92	66.82	65.73	64.88
18	69.15	68.73	69.05	68.94	68.70	68.19	69.41	69.03	67.88	66.79	65.70	64.85
19	69.14	68.71	69.01	68.94	68.71	68.17	69.42	68.99	67.85	66.76	65.65	64.83
20	69.13	68.75	68.98	68.93	68.70	68.16	69.42	68.96	67.81	66.71	65.60	64.80
21	69.11	68.72	68.97	68.92	68.72	68.20	69.41	68.93	67.76	66.66	65.56	64.79
22	69.10	68.70	68.97	68.91	68.72	68.45	69.41	68.90	67.74	66.63	65.54	64.78
23	69.10	68.66	68.94	68.90	68.72	68.68	69.40	68.88	67.71	66.59	65.50	64.75
24	69.07	68.65	68.94	68.90	68.72	68.82	69.40	68.87	67.67	66.55	65.46	64.71
25	69.05	68.63	68.94	68.88	68.72	68.90	69.39	68.81	67.63	66.51	65.42	64.71
26	69.02	68.61	68.95	68.87	68.72	68.97	69.39	68.78	67.60	66.49	65.38	64.69
27	69.02	68.58	68.95	68.90	68.70	69.00	69.39	68.75	67.58	66.45	65.35	64.66
28	69.00	68.60	68.91	68.87	68.68	69.03	69.39	68.71	67.54	66.42	65.32	64.64
29	68.99	68.65	68.91	68.87		69.07	69.37	68.66	67.52	66.39	65.30	64.61
30	68.97	68.79	68.91	68.86		69.08	69.38	68.64	67.48	66.35	65.27	64.58
31	68.97		68.91	68.85		69.10		68.59		66.32	65.25	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	64.60	64.22	63.84	64.92	67.16	69.24	71.55	72.18	71.58	70.67	69.18	68.05
2	64.57	64.21	64.02	64.94	67.19	69.30	71.61	72.17	71.54	70.63	69.12	68.01
3	64.56	64.22	64.06	64.96	67.23	69.35	71.65	72.17	71.53	70.59	69.07	67.98
4	64.55	64.22	64.09	64.98	67.26	69.40	71.69	72.16	71.51	70.55	69.02	67.95
5	64.52	64.20	64.10	65.02	67.29	69.45	71.73	72.14	71.48	70.51	68.98	67.92
6	64.50	64.19	64.13	65.06	67.34	69.50	71.77	72.11	71.45	70.47	68.93	67.89
7	64.50	64.18	64.15	65.09	67.34	69.55	71.81	72.08	71.42	70.42	68.88	67.87
8	64.48	64.16	64.15	65.11	67.70	69.59	71.85	72.05	71.40	70.37	68.84	67.85
9	64.49	64.14	64.15	65.13	67.80	69.64	71.90	72.02	71.36	70.32	68.80	67.83
10	64.48	64.13	64.15	65.22	67.88	69.70	71.92	72.00	71.33	70.27	68.76	67.80
11	64.45	64.11	64.15	65.30	67.92	69.77	71.95	71.96	71.31	70.22	68.72	67.77
12	64.44	64.11	64.15	65.40	67.97	69.85	71.99	71.93	71.28	70.17	68.67	67.76
13	64.42	64.11	64.15	65.50	68.02	70.00	72.02	71.90	71.25	70.13	68.63	67.74
14	64.40	64.08	64.14	65.60	68.09	70.25	72.04	71.86	71.23	70.08	68.59	67.72
15	64.39	64.06	64.15	65.64	68.13	70.40	72.06	71.85	71.20	70.04	68.55	67.71
16	64.38	64.05	64.24	65.67	68.17	70.53	72.09	71.85	71.19	69.99	68.51	67.70
17	64.37	64.03	64.30	65.70	68.20	70.63	72.11	71.83	71.18	69.94	68.48	67.68
18	64.36	64.02	64.33	65.72	68.26	70.73	72.12	71.83	71.15	69.89	68.45	67.66
19	64.35	64.00	64.35	65.77	68.39	70.81	72.14	71.82	71.13	69.83	68.41	67.64
20	64.33	63.98	64.35	65.83	68.59	70.88	72.16	71.82	71.10	69.77	68.37	67.62
21	64.34	63.98	64.41	65.96	68.69	70.94	72.18	71.79	71.07	69.70	68.34	67.61
22	64.30	63.99	64.55	66.24	68.79	71.00	72.18	71.79	71.02	69.65	68.33	67.59
23	64.28	63.99	64.65	66.49	68.84	71.05	72.18	71.79	70.98	69.59	68.31	67.56
24	64.26	63.97	64.70	66.60	68.90	71.10	72.18	71.78	70.95	69.54	68.28	67.53
25	64.24	63.96	64.75	66.69	68.96	71.15	72.19	71.75	70.91	69.49	68.25	67.50
26	64.22	63.94	64.78	66.75	69.01	71.20	72.19	71.72	70.88	69.44	68.22	67.48
27	64.21	63.89	64.79	66.81	69.06	71.28	72.20	71.69	70.84	69.40	68.20	67.46
28	64.20	63.89	64.82	66.93	69.09	71.33	72.20	71.67	70.80	69.38	68.17	67.42
29	64.19	63.88	64.85	67.02	69.14	71.38	72.20	71.65	70.76	69.32	68.14	67.37
30	64.23	63.86	64.87	67.08		71.44	72.19	71.63	70.71	69.27	68.11	67.32
31	64.23		64.90	67.14		71.49		71.60		69.22	68.08	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	67.30	67.87	68.87	76.52	79.43	79.53	79.76	79.80	79.27	77.89	76.34	75.22
2	67.30	67.87	69.10	76.76	79.43	79.56	79.75	79.80	79.22	77.84	76.30	75.19
3	67.28	67.88	69.46	76.98	79.43	79.59	79.74	79.80	79.16	77.80	76.24	75.18
4	67.28	67.90	69.78	77.22	79.45	79.61	79.72	79.80	79.11	77.76	76.19	75.16
5	67.25	67.90	70.09	77.45	79.47	79.64	79.73	79.80	79.05	77.72	76.14	75.12
6	67.22	67.91	70.29	77.68	79.48	79.69	79.77	79.80	79.00	77.69	76.08	75.10
7	67.20	67.92	70.42	77.84	79.49	79.72	79.80	79.80	78.95	77.65	76.02	75.09
8	67.18	67.91	70.54	78.01	79.51	79.77	79.85	79.80	78.90	77.61	75.98	75.07
9	67.16	67.91	70.61	78.18	79.51	79.75	79.90	79.80	78.85	77.56	75.93	75.05
10	67.15	67.91	70.71	78.32	79.50	79.71	79.91	79.79	78.80	77.51	75.88	75.03
11	67.14	67.91	70.93	78.48	79.50	79.68	79.92	79.77	78.76	77.47	75.82	75.02
12	67.12	67.92	71.28	78.64	79.50	79.67	79.91	79.75	78.72	77.42	75.78	75.00
13	67.10	67.94	71.72	78.79	79.50	79.65	79.91	79.73	78.67	77.36	75.73	75.00
14	67.09	68.05	72.13	78.92	79.50	79.64	79.91	79.73	78.63	77.30	75.71	74.99
15	67.09	68.20	72.56	79.01	79.50	79.65	79.91	79.73	78.58	77.24	75.69	74.97
16	67.08	68.28	72.96	79.10	79.50	79.65	79.92	79.72	78.56	77.18	75.65	74.95
17	67.06	68.33	73.34	79.20	79.50	79.67	79.93	79.71	78.53	77.12	75.61	74.95
18	67.05	68.34	73.70	79.32	79.50	79.68	79.93	79.70	78.49	77.06	75.59	74.93
19	67.03	68.35	74.02	79.40	79.50	79.71	79.92	79.69	78.44	77.00	75.56	74.91
20	67.03	68.40	74.30	79.62	79.50	79.74	79.92	79.67	78.40	76.95	75.55	74.90
21	67.06	68.40	74.57	79.65	79.50	79.75	79.91	79.64	78.35	76.90	75.53	74.89
22	67.26	68.42	74.81	79.68	79.50	79.76	79.90	79.62	78.30	76.85	75.50	74.87
23	67.45	68.46	74.93	79.65	79.50	79.77	79.90	79.59	78.25	76.80	75.47	74.86
24	67.57	68.51	75.08	79.65	79.50	79.76	79.90	79.55	78.20	76.74	75.44	74.85
25	67.63	68.55	75.24	79.67	79.50	79.76	79.89	79.52	78.16	76.69	75.41	74.84
26	67.65	68.60	75.40	79.58	79.50	79.76	79.87	79.50	78.11	76.63	75.38	74.82
27	67.67	68.70	75.58	79.53	79.53	79.73	79.85	79.49	78.05	76.58	75.35	74.80
28	67.70	68.76	75.68	79.49	79.53	79.74	79.82	79.45	78.01	76.54	75.32	74.78
29	67.74	68.81	75.87	79.44		79.74	79.80	79.41	77.97	76.50	75.30	74.77
30	67.79	68.84	76.14	79.42		79.74	79.80	79.36	77.93	76.45	75.28	74.76
31	67.84		76.37	79.44		79.75		79.32		76.40	75.24	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	74.76	74.36	74.08	75.05	75.73	75.86	76.82	76.20	75.57	74.38	72.93	71.47
2	74.74	74.35	74.08	75.07	75.73	75.86	76.82	76.14	75.55	74.34	72.86	71.45
3	74.74	74.34	74.08	75.07	75.74	75.87	76.83	76.09	75.53	74.29	72.79	71.43
4	74.74	74.34	74.08	75.10	75.74	75.89	76.84	76.09	75.51	74.22	72.74	71.40
5	74.74	74.33	74.06	75.12	75.74	75.89	76.85	76.21	75.47	74.16	72.67	71.39
6	74.72	74.31	74.05	75.13	75.76	75.89	76.85	76.24	75.44	74.11	72.60	71.36
7	74.70	74.30	74.04	75.12	75.77	75.89	76.86	76.24	75.41	74.06	72.55	71.34
8	74.69	74.30	74.04	75.14	75.77	75.91	76.86	76.24	75.38	74.02	72.50	71.31
9	74.67	74.29	74.04	75.18	75.77	75.92	76.86	76.23	75.35	73.98	72.45	71.28
10	74.65	74.28	74.06	75.22	75.78	75.98	76.86	76.21	75.32	73.95	72.40	71.24
11	74.64	74.28	74.07	75.24	75.78	76.02	76.86	76.20	75.27	73.91	72.35	71.21
12	74.62	74.27	74.09	75.26	75.78	76.03	76.90	76.19	75.22	73.88	72.30	71.18
13	74.62	74.26	74.09	75.26	75.78	76.03	76.86	76.17	75.16	73.85	72.26	71.15
14	74.60	74.25	74.07	75.29	75.79	76.04	76.85	76.15	75.12	73.82	72.20	71.12
15	74.58	74.25	74.09	75.36	75.78	76.06	76.83	76.13	75.07	73.79	72.15	71.09
16	74.56	74.24	74.10	75.40	75.78	76.10	76.80	76.10	75.03	73.77	72.10	71.06
17	74.55	74.23	74.10	75.42	75.78	76.13	76.77	76.06	75.00	73.73	72.05	71.02
18	74.54	74.23	74.15	75.45	75.76	76.21	76.74	76.03	74.96	73.67	72.00	70.98
19	74.54	74.22	74.15	75.50	75.76	76.29	76.70	76.00	74.90	73.63	71.95	70.95
20	74.52	74.21	74.31	75.53	75.76	76.33	76.67	75.97	74.85	73.58	71.91	70.92
21	74.50	74.20	74.49	75.57	75.76	76.39	76.64	75.95	74.81	73.54	71.87	70.88
22	74.48	74.18	74.60	75.60	75.76	76.51	76.61	75.92	74.77	73.50	71.83	70.85
23	74.48	74.16	74.64	75.62	75.77	76.57	76.57	75.89	74.73	73.44	71.79	70.81
24	74.47	74.14	74.69	75.62	75.77	76.62	76.53	75.85	74.68	73.38	71.75	70.78
25	74.46	74.12	74.72	75.64	75.77	76.65	76.49	75.81	74.63	73.32	71.70	70.76
26	74.45	74.10	74.78	75.66	75.79	76.68	76.44	75.79	74.59	73.27	71.66	70.73
27	74.44	74.08	74.80	75.66	75.80	76.71	76.40	75.74	74.55	73.21	71.61	70.71
28	74.43	74.10	74.85	75.67	75.82	76.73	76.35	75.70	74.50	73.16	71.57	70.68
29	74.41	74.07	74.88	75.67		76.75	76.31	75.67	74.46	73.10	71.53	70.65
30	74.39	74.09	74.93	75.69		76.77	76.25	75.62	74.42	73.05	71.50	70.64
31	74.38		74.98	75.71		76.79		75.58		72.99	71.49	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

(707) - ΥΔΡΟΛ. ΕΤΟΣ 1970 - 71

ΣΤΑΘΜΟΣ : ΥΑ(κπ)

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	70.60	70.23	69.78	69.40	69.87	70.63	73.11	73.99	73.34	71.70	69.92	69.01
2	70.58	70.21	69.76	69.40	69.90	70.73	73.17	73.98	73.29	71.64	69.89	68.98
3	70.58	70.20	69.74	69.60	69.92	70.83	73.26	73.97	73.27	71.58	69.84	68.95
4	70.57	70.18	69.72	69.60	69.92	70.88	73.30	73.97	73.23	71.52	69.79	68.91
5	70.57	70.18	69.71	69.60	69.92	70.93	73.32	73.98	73.20	71.46	69.75	68.89
6	70.57	70.16	69.70	69.61	69.92	71.10	73.35	73.97	73.17	71.40	69.72	68.87
7	70.56	70.15	69.69	69.61	69.92	71.34	73.37	73.99	73.13	71.34	69.68	68.84
8	70.55	70.13	69.68	69.61	69.93	71.55	73.41	73.99	73.09	71.28	69.63	68.82
9	70.53	70.12	69.66	69.64	69.94	71.65	73.44	73.98	73.05	71.23	69.59	68.80
10	70.50	70.11	69.64	69.68	69.94	71.78	73.48	73.97	73.01	71.16	69.54	68.77
11	70.48	70.09	69.62	69.71	69.95	71.88	73.51	73.96	72.97	71.08	69.54	68.75
12	70.45	70.08	69.60	69.71	69.93	72.01	73.54	73.95	72.94	71.02	69.58	68.73
13	70.42	70.06	69.58	69.70	69.94	72.07	73.60	73.94	72.89	70.97	69.58	68.72
14	70.41	70.05	69.58	69.70	69.94	72.13	73.65	73.92	72.84	70.90	69.55	68.70
15	70.40	70.03	69.55	69.69	69.94	72.19	73.69	73.89	72.78	70.84	69.52	68.66
16	70.38	70.01	69.54	69.70	69.94	72.24	73.73	73.87	72.72	70.78	69.50	68.63
17	70.36	70.01	69.52	69.71	69.94	72.29	73.77	73.85	72.66	70.71	69.47	68.62
18	70.36	69.99	69.51	69.75	69.97	72.37	73.81	73.82	72.59	70.67	69.45	68.59
19	70.34	69.97	69.50	69.76	69.98	72.42	73.85	73.79	72.51	70.61	69.43	68.56
20	70.34	69.95	69.49	69.76	70.03	72.45	73.87	73.76	72.44	70.55	69.40	68.54
21	70.32	69.94	69.47	69.78	70.10	72.50	73.91	73.72	72.37	70.49	69.36	68.51
22	70.31	69.93	69.45	69.78	70.16	72.55	73.94	73.69	72.28	70.43	69.33	68.48
23	70.30	69.93	69.50	69.79	70.21	72.57	73.94	73.66	72.22	70.39	69.30	68.45
24	70.29	69.92	69.51	69.79	70.25	72.60	73.96	73.63	72.16	70.33	69.27	68.43
25	70.28	69.90	69.49	69.81	70.30	72.64	73.98	73.60	72.10	70.27	69.24	68.40
26	70.30	69.88	69.47	69.82	70.45	72.69	73.99	73.57	72.03	70.21	69.20	68.37
27	70.30	69.86	69.47	69.82	70.51	72.72	74.00	73.53	71.97	70.15	69.18	68.36
28	70.29	69.85	69.46	69.83	70.56	72.75	74.01	73.49	71.90	70.11	69.11	68.34
29	70.28	69.83	69.44	69.85		72.77	74.01	73.45	71.88	70.05	69.12	68.32
30	70.25	69.80	69.42	69.87		72.88	74.00	73.41	71.77	70.02	69.08	68.29
31	70.24		69.40	69.87		73.03		73.38		69.97	69.05	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	68.28	67.91	67.64	67.78	70.76	73.20	75.05	76.32	76.30	74.58	73.21	71.92
2	68.26	67.89	67.64	67.77	70.88	73.32	75.07	76.32	75.27	74.51	73.15	71.91
3	68.23	67.88	67.64	67.76	70.98	73.42	75.08	76.33	76.26	74.45	73.11	71.89
4	68.21	67.90	67.64	67.75	71.09	73.51	75.11	76.33	76.24	74.42	73.04	71.89
5	68.19	67.89	67.64	67.73	71.14	73.63	75.12	76.34	76.21	74.37	72.98	71.87
6	68.19	67.89	67.64	67.72	71.23	73.71	75.15	76.36	76.17	74.31	72.92	71.84
7	68.20	67.87	67.63	67.72	71.32	73.80	75.17	76.37	76.13	74.25	72.85	71.80
8	68.20	67.86	67.62	67.72	71.40	73.96	75.18	76.40	76.09	74.20	72.80	71.76
9	68.19	67.85	67.61	67.70	71.45	74.09	75.21	76.43	76.03	74.17	72.74	71.73
10	68.18	67.84	67.63	67.71	71.50	74.18	75.22	76.45	75.97	74.12	72.68	71.69
11	68.17	67.83	67.70	67.71	71.57	74.25	75.23	76.47	75.91	74.07	72.60	71.66
12	68.17	67.82	67.74	67.71	71.64	74.32	75.23	76.50	75.84	74.02	72.54	71.62
13	68.15	67.81	67.77	67.70	71.74	74.40	75.26	76.51	75.79	73.97	72.49	71.60
14	68.13	67.79	67.79	67.70	71.88	74.47	75.35	76.51	75.73	73.93	72.43	71.56
15	68.09	67.77	67.79	67.69	72.03	74.54	75.50	76.52	75.66	73.89	72.37	71.53
16	68.08	67.76	67.80	67.69	72.18	74.58	75.65	76.52	75.60	73.84	72.31	71.51
17	68.06	67.76	67.85	67.68	72.28	74.62	75.75	76.51	75.53	73.80	72.26	71.56
18	68.04	67.75	67.85	67.68	72.36	74.66	75.84	76.51	75.48	73.76	72.22	71.54
19	68.03	67.74	67.85	67.69	72.42	74.69	75.91	76.52	75.40	73.72	72.18	71.52
20	68.01	67.73	67.85	67.86	72.47	74.73	75.97	76.51	75.33	73.69	72.13	71.50
21	67.98	67.71	67.85	68.37	72.55	74.77	76.03	76.50	75.26	73.65	72.08	71.48
22	67.95	67.70	67.87	68.80	72.57	74.81	76.09	76.49	75.19	73.61	72.03	71.45
23	67.93	67.69	67.85	69.15	72.58	74.86	76.13	76.48	75.13	73.59	71.99	71.42
24	67.92	67.67	67.82	69.44	72.70	74.89	76.16	76.45	75.07	73.57	71.95	71.40
25	67.90	67.65	67.82	69.69	72.75	74.91	76.18	76.42	75.00	73.53	71.95	71.37
26	67.90	67.65	67.80	69.89	72.78	74.93	76.21	76.41	74.93	73.45	71.93	71.35
27	67.88	67.63	67.80	70.05	72.85	74.95	76.22	76.40	74.84	73.45	71.93	71.31
28	67.86	67.63	67.78	70.24	72.88	74.97	76.23	76.37	74.78	73.41	71.98	71.33
29	67.85	67.62	67.78	70.37	72.92	75.02	76.28	76.37	74.71	73.37	71.97	71.32
30	67.83	67.64	67.75	70.50	72.92	75.02	76.30	76.35	74.64	73.32	71.96	71.32
31	67.81		67.75	70.62		75.04		*18		73.27	71.93	

ΣΤΑΘΜΟΓΡΑΦΟ - ΟΥΡΟΜΕΤΡΟ

1.3 Ημερήσια μέση σταθμημέτρον - Σταθμός χωρίς σταθμηγράφο

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	71.29	71.10	71.62	71.26	72.78	74.27	75.59	75.93	74.48	73.11	71.34	69.79
2	71.27	71.30	71.60	71.24	72.71	74.33	75.61	75.92	74.43	73.07	71.25	69.75
3	71.24	71.50	71.60	71.24	72.89	74.39	75.63	75.90	74.38	73.03	71.22	69.74
4	71.20	71.64	71.60	71.26	72.93	74.43	75.65	75.88	74.31	72.97	71.16	69.71
5	71.18	71.74	71.60	71.27	73.02	74.44	75.68	75.85	74.26	72.92	71.10	69.69
6	71.16	71.79	71.61	71.29	73.07	74.49	75.71	75.81	74.20	72.87	71.04	69.65
7	71.14	71.81	71.60	71.29	73.18	74.53	75.71	75.76	74.15	72.82	70.95	69.61
8	71.12	71.83	71.57	71.31	73.25	74.55	75.76	75.72	74.10	72.76	70.92	69.57
9	71.12	71.83	71.56	71.32	73.29	74.57	75.79	75.67	74.05	72.70	70.86	69.53
10	71.12	71.84	71.56	71.32	73.31	74.59	75.79	75.65	74.00	72.62	70.80	69.49
11	71.12	71.84	71.55	71.32	73.34	74.63	75.80	75.60	73.95	72.57	70.75	69.46
12	71.10	71.85	71.54	71.32	73.38	74.69	75.81	75.56	73.89	72.51	70.69	69.46
13	71.09	71.85	71.52	71.32	73.47	74.72	75.82	75.52	73.84	72.45	70.63	69.43
14	71.07	71.85	71.50	71.32	73.51	74.78	75.85	75.47	73.79	72.39	70.58	69.40
15	71.05	71.85	71.48	71.31	73.56	74.82	75.88	75.42	73.74	72.34	70.52	69.36
16	71.03	71.84	71.46	71.30	73.60	74.88	75.90	75.38	73.69	72.29	70.46	69.32
17	71.03	71.84	71.45	71.30	73.63	74.92	75.93	75.33	73.64	72.24	70.40	69.30
18	71.02	71.83	71.43	71.30	73.67	74.96	75.93	75.30	73.59	72.18	70.37	69.28
19	71.01	71.81	71.42	71.30	73.73	75.02	75.93	75.25	73.54	72.12	70.33	69.25
20	70.99	71.79	71.41	71.30	73.80	75.10	75.93	75.20	73.55	72.07	70.27	69.22
21	70.99	71.77	71.39	71.30	73.80	75.18	75.95	75.15	73.53	72.02	70.22	69.20
22	70.98	71.76	71.39	71.30	73.86	75.23	75.95	75.10	73.50	71.96	70.17	69.18
23	70.98	71.74	71.38	71.30	73.89	75.26	75.95	75.04	73.46	71.88	70.12	69.15
24	70.99	71.73	71.36	71.30	73.92	75.30	75.94	74.99	73.44	71.84	70.08	69.11
25	70.99	71.71	71.34	71.30	73.95	75.33	75.93	74.93	73.40	71.77	70.04	69.08
26	70.99	71.70	71.35	71.60	73.98	75.37	75.92	74.87	73.35	71.70	70.01	69.06
27	70.98	71.69	71.31	72.97	74.08	75.41	75.92	74.79	73.30	71.63	69.98	69.04
28	70.97	71.67	71.31	72.00	74.20	75.45	75.92	74.73	73.26	71.57	69.95	69.00
29	70.96	71.66	71.31	72.09		75.49	75.93	74.66	73.21	71.51	69.91	69.00
30	70.98	71.64	71.29	72.27		75.53	75.93	74.59	73.16	71.44	69.87	69.00
31	70.98		71.28	72.53		75.56		74.53		71.39	69.83	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	68.99	68.46	68.15	68.35	68.80	70.62	73.69	74.31	73.66	72.39	70.60	68.83
2	68.98	68.44	68.15	68.34	68.79	70.69	73.71	74.30	73.62	72.34	70.58	68.81
3	68.96	68.41	68.20	68.36	68.78	70.77	73.77	74.29	73.58	72.29	70.47	68.80
4	68.92	68.39	68.21	68.38	68.79	70.85	73.80	74.29	73.54	72.23	70.41	68.79
5	68.89	68.37	68.23	68.39	68.79	70.90	73.83	74.29	73.51	72.17	70.35	68.78
6	68.85	68.36	68.26	68.40	68.79	70.98	73.85	74.28	73.47	72.12	70.26	68.77
7	68.83	68.34	68.26	68.40	68.79	71.10	73.88	74.25	73.45	72.06	70.19	68.75
8	68.81	68.32	68.25	68.40	68.79	71.27	73.92	74.22	73.41	72.02	70.12	68.73
9	68.80	68.30	68.25	68.41	68.79	71.48	73.96	74.19	73.37	71.98	70.05	68.70
10	68.80	68.30	68.24	68.42	68.90	71.53	73.99	74.15	73.33	71.93	70.00	68.67
11	68.80	68.32	68.28	68.43	68.97	71.64	74.01	74.12	73.28	71.87	69.97	68.64
12	68.79	68.35	68.31	68.45	68.98	71.76	74.04	74.09	73.23	71.81	69.90	68.60
13	68.78	68.36	68.31	68.50	69.00	71.78	74.08	74.05	73.13	71.75	69.85	68.57
14	68.76	68.36	68.39	68.59	69.02	71.84	74.09	74.01	73.11	71.69	69.79	68.53
15	68.74	68.38	68.40	68.61	69.03	72.12	74.11	73.96	73.05	71.60	69.73	68.50
16	68.72	68.37	68.42	68.63	69.04	72.34	74.14	73.92	72.98	71.54	69.67	68.47
17	68.70	68.37	68.41	68.65	69.07	72.54	74.19	73.88	72.93	71.48	69.62	68.44
18	68.66	68.36	68.41	68.67	69.15	72.68	74.22	73.84	72.88	71.43	69.55	68.40
19	68.65	68.34	68.43	68.71	69.18	72.82	74.25	73.80	72.84	71.37	69.48	68.37
20	68.64	68.33	68.44	68.75	69.18	72.90	74.26	73.81	72.80	71.31	69.42	68.34
21	68.62	68.31	68.45	68.75	69.26	73.00	74.28	73.86	72.78	71.25	69.35	68.31
22	68.58	68.29	68.44	68.76	69.34	73.09	74.30	73.89	72.74	71.20	69.27	68.28
23	68.56	68.27	68.44	68.76	69.38	73.15	74.32	73.89	72.70	71.15	69.20	68.26
24	68.55	68.26	68.44	68.78	69.47	73.23	74.31	73.89	72.68	71.10	69.14	68.24
25	68.55	68.24	68.43	68.78	69.55	73.31	74.31	73.89	72.66	71.05	69.08	68.22
26	68.52	68.23	68.43	68.79	70.05	73.37	74.30	73.88	72.63	71.00	69.03	68.21
27	68.51	68.21	68.42	68.80	70.32	73.43	74.30	73.86	72.59	70.94	68.99	68.19
28	68.50	68.19	68.42	68.80	70.50	73.49	74.30	73.83	72.55	70.87	68.95	68.16
29	68.49	68.18	68.40	68.80		73.54	74.30	73.80	72.50	70.81	68.91	68.13
30	68.49	68.17	68.38	68.80		73.60	74.30	73.76	72.45	70.74	68.88	68.11
31	68.47		68.37	68.80		73.64		73.70		70.67	68.85	

ΕΡΕΞΗΓΗΤΗΝ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	68.09	67.42	67.18	66.71	66.35	67.15	67.70	66.67	65.91	64.96	63.52	62.01
2	68.06	67.42	67.16	66.70	66.32	67.21	67.70	66.62	65.87	64.92	63.47	61.96
3	68.03	67.42	67.14	66.70	66.30	67.23	67.70	66.58	65.83	64.88	63.42	61.91
4	68.00	67.40	67.13	66.75	66.34	67.25	67.70	66.53	65.79	64.80	63.37	61.86
5	67.97	67.38	67.11	66.74	66.27	67.27	67.67	66.48	65.75	64.77	63.31	61.81
6	67.94	67.36	67.08	66.73	66.27	67.29	67.65	66.44	65.71	64.71	63.27	61.77
7	67.93	67.34	67.06	66.71	66.24	67.31	67.64	66.38	65.67	64.67	63.22	61.71
8	67.91	67.35	67.03	66.69	66.20	67.32	67.62	66.34	65.75	64.63	63.17	61.67
9	67.88	67.36	67.01	66.69	66.18	67.34	67.60	66.28	65.75	64.60	63.12	61.62
10	67.85	67.37	67.00	66.69	66.14	67.37	67.57	66.25	65.57	64.55	63.08	61.58
11	67.83	67.37	66.98	66.69	66.10	67.40	67.54	66.22	*18	64.50	63.03	61.54
12	67.80	67.37	66.97	66.69	66.05	67.44	67.50	66.18	65.50	64.46	62.99	61.50
13	67.72	67.37	66.95	66.68	66.02	67.47	67.46	66.21	65.47	64.40	62.93	61.45
14	67.77	67.36	66.93	66.66	65.97	67.50	67.40	66.82	65.45	64.35	62.89	61.41
15	67.75	67.36	66.91	66.65	65.93	67.52	67.36	66.80	65.43	64.20	62.84	61.37
16	67.73	67.36	66.91	66.62	65.86	67.55	67.32	66.40	65.40	64.26	62.80	61.32
17	67.70	67.36	66.90	66.62	65.80	67.58	67.28	*18	65.38	64.21	62.75	61.28
18	67.67	67.35	66.89	66.61	65.95	67.60	67.24	*18	65.35	64.17	62.70	61.24
19	67.65	67.34	66.88	66.59	66.20	67.60	67.20	66.35	65.30	64.10	62.65	61.20
20	67.63	67.33	66.87	66.56	66.48	67.60	67.16	66.32	65.27	64.05	62.60	61.18
21	67.61	67.31	66.84	66.55	66.56	67.60	67.12	*18	65.24	64.01	62.56	61.16
22	67.59	67.30	66.81	66.53	66.70	67.61	67.08	*18	65.24	63.96	62.51	61.12
23	67.57	67.29	66.78	66.51	66.88	67.62	67.03	66.23	65.21	63.90	62.46	61.09
24	67.55	67.28	66.76	66.66	66.95	67.63	66.99	66.20	65.19	63.80	62.41	61.06
25	67.54	67.27	66.73	66.49	67.03	67.63	66.95	66.17	65.16	63.80	62.36	61.04
26	67.52	67.26	66.69	66.47	67.07	67.65	66.90	66.13	65.13	63.76	62.31	61.02
27	67.50	67.24	66.67	66.45	67.11	67.67	66.85	66.10	65.10	63.73	62.26	61.00
28	67.49	67.23	66.63	66.42	67.15	67.68	66.81	66.07	65.08	63.68	62.22	60.97
29	67.48	67.22	66.59	66.39		67.68	66.77	66.03	65.03	63.63	62.17	60.95
30	67.46	67.20	66.55	66.37		67.69	66.71	65.99	64.99	63.58	62.12	60.93
31	67.44		66.51	66.36		67.69		65.95		*18	62.06	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

*18 : Έλλειψη μετρ. σταθμημέτρου - Σταθμός χωρίς σταθμηγόφο

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	60.90	60.09	59.53	--	--	--	--	--	--	--	--	--
2	60.86	60.07	59.50	--	--	--	--	--	--	--	--	--
3	60.83	60.05	59.56	--	--	--	--	--	--	--	--	--
4	60.80	60.03	59.65	--	--	--	--	--	--	--	--	--
5	60.76	60.01	59.71	--	--	--	--	--	--	--	--	--
6	60.72	59.99	59.76	--	--	--	--	--	--	--	--	--
7	60.73	59.98	59.82	--	--	--	--	--	--	--	--	--
8	60.69	59.95	59.83	--	--	--	--	--	--	--	--	--
9	60.67	59.92	59.80	--	--	--	--	--	--	--	--	--
10	60.66	59.90	59.81	--	--	--	--	--	--	--	--	--
11	60.64	59.88	59.81	--	--	--	--	--	--	--	--	--
12	60.61	59.86	59.79	--	--	--	--	--	--	--	--	--
13	60.59	59.85	59.79	--	--	--	--	--	--	--	--	--
14	60.57	59.83	59.81	--	--	--	--	--	--	--	--	--
15	60.53	59.81	59.91	--	--	--	--	--	--	--	--	--
16	60.49	59.79	59.99	--	--	--	--	--	--	--	--	--
17	60.48	59.77	60.01	--	--	--	--	--	--	--	--	--
18	60.43	59.75	60.03	--	--	--	--	--	--	--	--	--
19	60.40	59.73	60.07	--	--	--	--	--	--	--	--	--
20	60.36	59.71	60.20	--	--	--	--	--	--	--	--	--
21	60.34	59.69	60.36	--	--	--	--	--	--	--	--	--
22	60.31	59.67	60.45	--	--	--	--	--	--	--	--	--
23	60.29	59.65	60.49	--	--	--	--	--	--	--	--	--
24	60.27	59.65	60.52	--	--	--	--	--	--	--	--	--
25	60.25	59.65	60.56	--	--	--	--	--	--	--	--	--
26	60.23	59.65	60.60	--	--	--	--	--	--	--	--	--
27	60.20	59.62	60.61	--	--	--	--	--	--	--	--	--
28	60.19	59.60	60.63	--	--	--	--	--	--	--	--	--
29	60.17	59.58	60.66	--	--	--	--	--	--	--	--	--
30	60.15	59.56	60.66	--	--	--	--	--	--	--	--	--
31	60.12		60.67	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΣΤΑΘΜΟΣ : ΥΑΙ/κπ
 ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

(707) - ΥΦΡΩΛ. ΕΤΟΣ 1976 - 77

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	51.26
10	--	--	--	--	--	--	--	--	--	--	--	51.21
11	--	--	--	--	--	--	--	--	--	--	--	51.16
12	--	--	--	--	--	--	--	--	--	--	--	51.12
13	--	--	--	--	--	--	--	--	--	--	--	51.07
14	--	--	--	--	--	--	--	--	--	--	--	51.02
15	--	--	--	--	--	--	--	--	--	--	--	50.99
16	--	--	--	--	--	--	--	--	--	--	--	50.94
17	--	--	--	--	--	--	--	--	--	--	--	50.89
18	--	--	--	--	--	--	--	--	--	--	--	50.83
19	--	--	--	--	--	--	--	--	--	--	--	50.78
20	--	--	--	--	--	--	--	--	--	--	--	50.72
21	--	--	--	--	--	--	--	--	--	--	--	50.66
22	--	--	--	--	--	--	--	--	--	--	--	50.60
23	--	--	--	--	--	--	--	--	--	--	--	50.55
24	--	--	--	--	--	--	--	--	--	--	--	50.51
25	--	--	--	--	--	--	--	--	--	--	--	50.45
26	--	--	--	--	--	--	--	--	--	--	--	50.40
27	--	--	--	--	--	--	--	--	--	--	--	50.35
28	--	--	--	--	--	--	--	--	--	--	--	50.31
29	--	--	--	--	--	--	--	--	--	--	--	50.26
30	--	--	--	--	--	--	--	--	--	--	--	50.21
31	--	--	--	--	--	--	--	--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	50.18	49.36	48.82	49.71	53.72	57.71	58.92	59.50	58.41	56.91	55.30	53.75
2	50.14	49.33	48.80	49.79	53.83	57.78	58.92	59.50	58.36	56.85	55.25	53.70
3	50.10	49.30	48.79	49.85	53.91	57.84	58.92	59.50	58.31	56.79	55.20	53.65
4	50.09	49.28	48.81	49.87	53.99	57.90	58.93	59.50	58.26	56.73	55.15	53.60
5	50.09	49.26	48.82	49.88	54.08	57.96	58.95	59.49	58.21	56.68	55.11	53.55
6	50.09	49.24	48.82	49.93	54.70	58.02	59.01	59.48	58.16	56.63	55.06	53.50
7	50.05	49.21	48.81	50.05	55.10	58.08	59.06	59.47	58.11	56.58	55.02	53.45
8	50.02	49.19	48.80	50.15	55.41	58.15	59.10	59.46	58.06	56.53	54.97	53.40
9	50.00	49.16	48.79	50.28	55.62	58.21	59.12	59.44	58.01	56.49	54.93	53.36
10	49.99	49.14	48.77	50.28	55.78	58.26	59.15	59.41	57.96	56.45	54.88	53.32
11	49.96	49.11	48.76	50.33	55.91	58.29	59.18	59.36	57.91	56.40	54.83	53.27
12	49.93	49.10	48.84	50.36	56.01	58.32	59.21	59.31	57.87	56.35	54.77	53.23
13	49.91	49.07	49.01	50.41	56.10	58.36	59.24	59.26	57.82	56.30	54.72	53.18
14	49.90	49.05	49.10	50.47	56.20	58.45	59.26	59.22	57.77	56.25	54.67	53.14
15	49.89	49.03	49.15	50.56	56.35	58.50	59.28	59.17	57.72	56.19	54.62	53.12
16	49.87	49.01	49.06	50.65	56.58	58.53	59.31	59.13	57.67	56.14	54.57	53.08
17	49.84	49.98	49.21	50.81	56.74	58.56	59.35	59.10	57.62	56.09	54.52	53.04
18	49.80	48.96	49.18	51.00	56.85	58.59	59.38	59.07	57.57	56.03	54.47	53.00
19	49.77	48.94	49.27	51.22	56.95	58.62	59.41	59.04	57.52	55.98	54.41	52.96
20	49.74	48.93	49.28	51.42	57.04	58.65	59.43	59.00	57.47	55.93	54.35	52.93
21	49.72	48.92	49.36	51.72	57.14	58.67	59.45	58.95	57.42	55.88	54.29	52.89
22	49.70	48.92	49.41	52.02	57.22	58.69	59.46	58.90	57.37	55.82	54.24	52.89
23	49.67	48.89	49.46	52.32	57.31	58.71	59.48	58.85	57.32	55.76	54.19	52.92
24	49.63	48.88	49.49	52.53	57.39	58.73	59.49	58.80	57.27	55.71	54.14	52.92
25	49.59	48.86	49.51	52.74	57.47	58.75	59.49	58.74	57.22	55.65	54.09	52.90
26	49.55	48.84	49.51	52.98	57.55	58.78	59.49	58.69	57.17	55.60	54.04	52.88
27	49.51	48.82	49.56	53.17	57.60	58.81	59.49	58.64	57.11	55.55	53.99	52.86
28	49.48	48.80	49.61	53.30	57.65	58.83	59.50	58.60	57.06	55.50	53.94	52.84
29	49.45	48.77	49.64	53.40		58.86	59.50	58.55	57.01	55.45	53.89	52.82
30	49.42	48.75	49.66	53.48		58.89	59.50	58.51	56.96	55.40	53.85	52.79
31	49.39		49.67	53.60		58.91		58.46		55.35	53.80	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΣΤΑΘΜΟΣ : ΥΑΧΚΗ

(707) - ΥΔΡΟΛ. ΕΤΟΣ 1978 - 79

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	52.77	52.22	51.98	53.60	54.65	55.56	55.58	54.90	53.76	52.23	50.47	48.90
2	52.75	52.21	51.96	53.61	54.67	55.58	55.54	54.87	53.71	52.17	50.41	48.84
3	52.74	52.19	51.98	53.63	54.68	55.61	55.54	54.83	53.67	52.11	50.35	48.79
4	52.72	52.17	51.98	53.71	54.69	55.65	55.53	54.79	53.63	52.05	50.29	48.75
5	52.71	52.15	51.97	53.73	54.70	55.68	55.52	54.75	53.58	51.99	50.23	48.71
6	52.69	52.13	52.09	53.75	54.71	55.70	55.51	54.71	53.53	51.93	50.18	48.67
7	52.68	52.11	52.30	53.81	54.73	55.72	55.50	54.66	53.47	51.87	50.13	48.63
8	52.66	52.09	52.44	53.90	54.75	55.74	55.49	54.62	53.42	51.81	50.08	48.60
9	52.64	52.07	52.49	54.00	54.77	55.75	55.48	54.57	53.37	51.77	50.02	48.56
10	52.63	52.05	52.52	54.04	54.80	55.76	55.46	54.52	53.32	51.71	49.96	48.52
11	52.61	52.03	52.56	54.09	54.82	55.78	55.43	54.48	53.27	51.65	49.90	48.48
12	52.59	52.01	52.59	54.13	54.84	55.80	55.40	54.45	53.22	51.60	49.88	48.44
13	52.56	51.98	52.61	54.17	54.86	55.81	55.36	54.41	53.17	51.55	49.83	48.40
14	52.53	51.96	52.62	54.25	54.88	55.81	55.33	54.37	53.12	51.49	49.80	48.36
15	52.50	51.94	52.62	54.30	54.90	55.81	55.31	54.33	53.09	51.43	49.75	48.33
16	52.47	51.92	52.63	54.35	54.91	55.81	55.29	54.30	53.04	51.37	49.70	48.29
17	52.45	51.89	52.68	54.38	54.93	55.81	55.27	54.27	52.99	51.32	49.66	48.25
18	52.42	51.87	52.71	54.41	54.95	55.81	55.26	54.24	52.94	51.26	49.61	48.22
19	52.40	51.84	52.72	54.43	55.00	55.81	55.24	54.22	52.89	51.21	49.59	48.18
20	52.39	51.83	52.73	54.45	55.11	55.80	55.21	54.19	52.84	51.16	49.54	48.14
21	52.37	51.81	52.74	54.47	55.18	55.78	55.18	54.16	52.78	51.11	49.48	48.10
22	52.35	51.80	52.74	54.49	55.25	55.77	55.15	54.13	52.73	51.05	49.43	48.06
23	52.34	51.79	52.74	54.50	55.31	55.76	55.13	54.10	52.67	50.99	49.38	48.03
24	52.33	51.77	52.81	54.50	55.36	55.74	55.11	54.07	52.62	50.93	49.32	48.00
25	52.31	51.74	53.13	54.51	55.40	55.73	55.09	54.03	52.57	50.87	49.27	47.97
26	52.28	51.72	53.30	54.52	55.45	55.72	55.06	54.00	52.50	50.81	49.22	47.94
27	52.26	51.69	53.38	54.53	55.50	55.70	55.04	53.96	52.44	50.76	49.16	47.91
28	52.28	51.67	53.43	54.56	55.54	55.69	55.02	53.92	52.39	50.70	49.10	47.88
29	52.28	51.67	53.48	54.59		55.67	54.98	53.88	52.33	50.64	49.05	47.86
30	52.26	51.75	53.55	54.62		55.64	54.94	53.84	52.28	50.58	49.00	47.84
31	52.24		53.58	54.63		55.61		53.80		50.52	48.95	

ΕΡΕΣΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	47.81	48.82	52.40	54.65	58.80	61.67	66.81	68.86	69.17	68.05	66.55	65.07
2	47.78	49.01	52.46	54.89	58.87	61.74	66.90	68.92	69.14	67.99	66.50	65.03
3	47.75	49.11	52.50	55.13	58.94	61.81	66.98	68.99	69.11	67.93	66.45	64.99
4	47.72	49.18	52.60	55.50	59.02	61.87	67.04	69.04	69.08	67.88	66.40	64.94
5	47.69	49.27	52.73	55.74	59.10	61.94	67.11	69.08	69.05	67.84	66.35	64.91
6	47.66	49.43	52.84	55.90	59.17	62.02	67.21	69.10	69.02	67.79	66.30	64.88
7	47.63	49.71	52.81	56.02	59.22	62.12	67.31	69.13	68.99	67.74	66.25	64.84
8	47.59	50.05	52.97	56.12	59.29	62.23	67.40	69.15	68.98	67.70	66.20	64.80
9	47.59	50.20	53.02	56.22	59.36	62.40	67.48	69.17	68.96	67.64	66.15	64.76
10	47.61	50.31	53.07	56.30	59.47	62.62	67.55	69.19	68.93	67.60	66.10	64.72
11	47.59	50.40	53.12	56.38	59.53	62.86	67.62	69.21	68.90	67.56	66.05	64.68
12	47.54	50.47	53.15	56.46	59.59	63.15	67.78	69.23	68.87	67.51	66.01	64.65
13	47.50	50.56	53.19	56.54	59.69	63.38	67.89	69.25	68.83	67.47	65.96	64.62
14	47.49	50.62	53.21	56.63	59.87	63.56	67.98	69.26	68.78	67.43	65.91	64.59
15	47.48	50.66	53.23	56.72	60.04	63.69	68.05	69.28	68.73	67.38	65.86	64.56
16	47.46	50.69	53.26	56.80	60.18	63.81	68.12	69.29	68.69	67.33	65.81	64.53
17	47.43	50.71	53.29	56.89	60.29	64.09	68.18	69.30	68.65	67.28	65.77	64.50
18	47.40	50.73	53.31	57.00	60.38	64.53	68.23	69.30	68.60	67.24	65.72	64.47
19	47.37	50.90	53.33	57.14	60.48	64.84	68.28	69.30	68.55	67.19	65.67	64.43
20	47.43	51.18	53.36	57.30	60.61	65.05	68.33	69.30	68.50	67.14	65.63	64.40
21	47.45	51.36	53.39	57.50	60.81	65.24	68.39	69.31	68.48	67.09	65.58	64.37
22	47.57	51.47	53.42	57.67	60.96	65.38	68.45	69.31	68.43	67.04	65.54	64.33
23	47.83	51.56	53.45	57.83	61.07	65.58	68.51	69.31	68.39	66.99	65.49	64.30
24	47.95	51.63	53.47	57.97	61.18	65.78	68.60	69.30	68.35	66.94	65.44	64.28
25	47.99	51.78	53.62	58.11	61.27	65.98	68.65	69.30	68.30	66.89	65.40	64.25
26	48.02	51.96	53.93	58.24	61.36	66.15	68.70	69.30	68.26	66.84	65.35	64.22
27	48.12	52.08	54.16	58.32	61.45	66.30	68.75	69.29	68.23	66.79	65.31	64.15
28	48.29	52.20	54.28	58.44	61.51	66.42	68.79	69.27	68.19	66.74	65.26	64.16
29	48.43	52.28	54.37	58.54	61.59	66.52	68.81	69.25	68.15	66.69	65.21	64.13
30	48.50	52.35	54.45	58.64		66.63	68.83	69.22	68.10	66.65	65.17	64.10
31	48.60		54.55	58.73		66.73		69.19		66.60	65.12	

ΕΡΕΞΗΓΗΚΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	64.07	64.65	64.65	66.28	72.44	76.17	78.03	78.70	77.71	76.09	74.14	72.91
2	64.05	64.70	64.65	66.30	72.65	76.26	78.06	78.69	77.66	76.03	74.09	72.89
3	64.03	64.75	64.66	66.32	72.84	76.34	78.09	78.67	77.61	75.97	74.03	72.87
4	64.03	64.78	64.69	66.34	73.02	76.40	78.12	78.65	77.55	75.90	73.98	72.85
5	64.01	64.80	64.74	66.36	73.20	76.46	78.17	78.63	77.50	75.83	73.93	72.83
6	63.99	64.82	64.80	66.38	73.38	76.53	78.20	78.61	77.45	75.76	73.87	72.81
7	63.96	64.83	64.86	66.40	73.58	76.61	78.23	78.60	77.39	75.68	73.82	72.79
8	63.94	64.83	64.91	66.48	73.81	76.68	78.26	78.60	77.34	75.61	73.77	72.78
9	63.91	64.83	64.94	66.58	74.00	76.75	78.28	78.59	77.29	75.54	73.72	72.78
10	63.89	64.83	64.97	66.63	74.13	76.82	78.30	78.57	77.23	75.48	73.67	72.78
11	63.87	64.82	64.98	66.63	74.25	76.89	78.32	78.55	77.17	75.42	73.62	72.78
12	63.85	64.82	64.99	66.64	74.38	76.95	78.34	78.53	77.11	75.36	73.57	72.77
13	63.83	64.81	65.00	66.65	74.51	77.01	78.36	78.51	77.05	75.29	73.52	72.75
14	63.81	64.81	65.01	66.67	74.64	77.07	78.43	78.48	76.99	75.22	73.47	72.73
15	63.78	64.81	65.02	66.81	74.82	77.14	78.49	78.45	76.93	75.15	73.41	72.72
16	63.75	64.80	65.02	67.06	74.97	77.20	78.53	78.41	76.87	75.08	73.36	72.70
17	63.72	64.79	65.02	67.28	75.11	77.27	78.55	78.38	76.82	75.01	73.31	72.69
18	63.69	64.79	65.02	67.41	75.23	77.33	78.57	78.34	76.77	74.95	73.26	72.67
19	63.66	64.78	65.02	67.51	75.34	77.39	78.59	78.30	76.71	74.88	73.22	72.65
20	63.63	64.77	65.21	67.60	75.42	77.48	78.61	78.26	76.65	74.82	73.19	72.64
21	63.62	64.76	65.40	67.69	75.51	77.55	78.63	78.22	76.60	74.77	73.16	72.62
22	63.64	64.74	65.55	67.90	75.58	77.61	78.65	78.18	76.55	74.71	73.13	72.60
23	63.68	64.72	65.67	68.40	75.65	77.67	78.67	78.13	76.50	74.64	73.11	72.59
24	63.68	64.74	65.79	69.10	75.73	77.73	78.68	78.08	76.45	74.57	73.09	72.57
25	63.68	64.72	65.94	69.74	75.80	77.78	78.69	78.03	76.40	74.51	73.07	72.55
26	63.67	64.71	66.04	70.27	75.87	77.82	78.69	77.99	76.36	74.45	73.05	72.53
27	63.67	64.69	66.10	70.76	75.94	77.86	78.70	77.95	76.31	74.39	73.02	72.51
28	63.80	64.68	66.16	71.21	76.06	77.90	78.70	77.91	76.26	74.34	73.00	72.50
29	64.04	64.67	66.20	71.62		77.93	78.71	77.86	76.20	74.29	72.98	72.48
30	64.33	64.66	66.23	71.92		77.96	78.71	77.81	76.14	74.24	72.96	72.46
31	64.65		66.26	72.15		77.99		77.76		74.19	72.94	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	72.45	72.07	72.06	72.45	72.60	74.30	78.43	79.85	79.95	79.00	77.01	75.92
2	72.43	72.06	72.06	72.46	72.63	74.41	78.57	79.86	79.95	78.94	76.95	75.90
3	72.41	72.04	72.06	72.46	72.65	74.50	78.73	79.85	79.95	78.87	76.90	75.87
4	72.39	72.02	72.06	72.47	72.66	74.59	78.88	79.84	79.93	78.81	76.85	75.85
5	72.36	72.02	72.11	72.48	72.66	74.75	79.00	79.84	79.91	78.74	76.80	75.82
6	72.34	72.03	72.15	72.49	72.66	74.90	79.10	79.85	79.89	78.67	76.75	75.80
7	72.31	72.03	72.17	72.50	72.66	74.97	79.18	79.85	79.90	78.60	76.70	75.78
8	72.29	72.03	72.18	72.50	72.66	75.27	79.26	79.85	79.91	78.53	76.65	75.76
9	72.27	72.05	72.18	72.50	72.66	75.70	79.32	79.84	79.91	78.47	76.61	75.75
10	72.26	72.06	72.19	72.49	72.66	76.03	79.38	79.83	79.90	78.41	76.57	75.73
11	72.24	72.07	72.18	72.49	72.68	76.28	79.43	79.83	79.88	78.35	76.53	75.71
12	72.23	72.08	72.16	72.49	72.72	76.43	79.47	79.83	79.85	78.30	76.49	75.69
13	72.21	72.08	72.16	72.49	72.73	76.58	79.51	79.85	79.81	78.23	76.45	75.68
14	72.19	72.08	72.16	72.49	72.74	76.71	79.59	79.88	79.77	78.17	76.41	75.65
15	72.17	72.07	72.16	72.49	72.74	76.81	79.56	79.91	79.74	78.10	76.37	75.62
16	72.15	72.07	72.16	72.48	72.75	76.90	79.59	79.96	79.70	78.03	76.33	75.60
17	72.14	72.08	72.16	72.47	72.76	76.99	79.62	79.98	79.65	77.98	76.29	75.59
18	72.12	72.08	72.17	72.46	72.76	77.05	79.65	79.98	79.60	77.92	76.26	75.58
19	72.11	72.08	72.17	72.45	72.77	77.12	79.67	79.96	79.56	77.86	76.22	75.56
20	72.09	72.08	72.17	72.44	72.78	77.19	79.69	79.97	79.53	77.79	76.18	75.54
21	72.08	72.07	72.17	72.44	72.79	77.25	79.71	79.99	79.49	77.72	76.15	75.52
22	72.07	72.07	72.17	72.43	72.80	77.30	79.90	79.98	79.44	77.65	76.11	75.50
23	72.07	72.07	72.18	72.43	72.90	77.40	79.98	79.97	79.41	77.58	76.08	75.48
24	72.09	72.06	72.30	72.44	73.13	77.65	79.94	79.97	79.37	77.51	76.05	75.46
25	72.08	72.06	72.34	72.45	73.25	77.82	79.90	79.95	79.33	77.45	76.02	75.44
26	72.07	72.06	72.37	72.45	73.55	77.96	79.81	79.93	79.27	77.39	76.01	75.41
27	72.05	72.06	72.40	72.46	73.90	78.04	79.78	79.93	79.21	77.33	76.00	75.39
28	72.07	72.06	72.42	72.48	74.15	78.12	79.78	79.98	79.15	77.27	75.99	75.37
29	72.08	72.06	72.44	72.50		78.19	79.80	80.00	79.10	77.20	75.98	75.35
30	72.08	72.07	72.45	72.53		78.27	79.83	80.00	79.05	77.14	75.94	75.35
31	72.08		72.45	72.57		78.33		80.00		77.07	75.93	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	75.33	74.98	75.18	75.70	75.62	75.73	76.39	75.52	74.54	74.02	72.56	71.38
2	75.30	74.97	75.20	75.72	75.62	75.74	76.38	75.48	74.50	73.98	72.51	71.36
3	75.28	74.95	75.20	75.74	75.61	75.77	76.38	75.44	74.47	73.95	72.46	71.33
4	75.26	74.93	75.23	75.75	75.61	75.89	76.37	75.40	74.44	73.91	72.42	71.31
5	75.25	74.91	75.26	75.76	75.61	76.00	76.37	75.36	74.44	73.87	72.36	71.29
6	75.27	74.91	75.29	75.76	75.61	76.05	76.36	75.32	74.46	73.83	72.30	71.27
7	75.28	74.91	75.31	75.77	75.61	76.09	76.34	75.28	74.44	73.79	72.25	71.25
8	75.29	74.91	75.33	75.78	75.61	76.11	76.31	75.25	74.42	73.75	72.20	71.23
9	75.28	74.90	75.34	75.79	75.61	76.14	76.26	75.22	74.45	73.71	72.15	71.20
10	75.27	74.90	75.35	75.80	75.61	76.17	76.22	75.20	74.46	73.68	72.10	71.17
11	75.25	74.89	75.36	75.80	75.62	76.19	76.20	75.18	74.47	73.64	72.04	71.15
12	75.24	74.88	75.38	75.81	75.63	76.20	76.17	75.16	74.48	73.60	71.99	71.12
13	75.23	74.88	75.40	75.81	75.64	76.22	76.15	75.14	74.49	73.56	71.93	71.08
14	75.22	74.88	75.42	75.81	75.65	76.24	76.13	75.11	74.48	73.51	71.88	71.05
15	75.22	74.87	75.43	75.82	75.66	76.25	76.10	75.07	74.46	73.47	71.83	71.03
16	75.20	74.89	75.43	75.82	75.67	76.26	76.07	75.03	74.45	73.43	71.78	71.01
17	75.20	74.90	75.44	75.82	75.68	76.28	76.04	75.00	74.44	73.39	71.74	70.98
18	75.19	74.92	75.45	75.81	75.69	76.30	76.01	74.97	74.42	73.34	71.70	70.96
19	75.17	74.99	75.46	75.81	75.69	76.31	75.99	74.94	74.41	73.29	71.67	70.93
20	75.16	75.04	75.47	75.80	75.70	76.32	75.97	74.91	74.40	73.24	71.64	70.90
21	75.14	75.07	75.50	75.79	75.70	76.33	75.95	74.87	74.39	73.18	71.62	70.88
22	75.13	75.09	75.55	75.78	75.70	76.34	75.92	74.84	74.37	73.12	71.60	70.85
23	75.12	75.09	75.57	75.76	75.70	76.35	75.87	74.82	74.33	73.06	71.57	70.83
24	75.11	75.10	75.60	75.74	75.71	76.35	75.83	74.80	74.29	73.01	71.55	70.81
25	75.10	75.10	75.61	75.72	75.71	76.36	75.78	74.76	74.25	72.96	71.53	70.79
26	75.08	75.11	75.62	75.71	75.71	76.36	75.73	74.73	74.21	72.90	71.51	70.77
27	75.05	75.11	75.64	75.70	75.71	76.37	75.69	74.69	74.17	72.84	71.49	70.74
28	75.03	75.12	75.65	75.69	75.72	76.37	75.64	74.66	74.13	72.78	71.47	70.71
29	75.01	75.13	75.65	75.67		76.38	75.60	74.63	74.09	72.72	71.45	70.69
30	74.99	75.15	75.67	75.65		76.39	75.56	74.60	74.03	72.66	71.43	70.67
31	74.98		75.69	75.62		76.39		74.57		72.61	71.40	

ΕΠΕΞΗΓΗΤΙΚΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	70.65	70.29	70.16	71.58	72.27	74.36	76.84	79.67	79.43	78.26	76.76	75.90
2	70.63	70.30	70.17	71.58	72.27	74.41	76.90	79.71	79.40	78.23	76.71	75.89
3	70.62	70.30	70.29	71.58	72.34	74.47	76.96	79.76	79.36	78.19	76.67	75.87
4	70.60	70.30	70.49	71.57	72.43	74.53	77.01	79.75	79.32	78.15	76.62	75.86
5	70.58	70.30	70.58	71.56	72.50	74.59	77.06	79.71	79.28	78.10	76.56	75.84
6	70.56	70.29	70.67	71.55	72.55	74.65	77.12	79.67	79.24	78.05	76.50	75.83
7	70.54	70.29	70.74	71.59	72.59	74.73	77.25	79.64	79.21	78.00	76.44	75.82
8	70.52	70.28	70.78	71.69	72.62	74.79	77.46	79.61	79.17	77.95	76.39	75.80
9	70.50	70.28	70.94	71.76	72.65	74.85	77.63	79.58	79.13	77.90	76.33	75.78
10	70.48	70.27	71.15	71.78	72.68	74.90	77.76	79.53	79.08	77.85	76.28	75.77
11	70.47	70.26	71.28	71.80	72.81	74.96	77.87	79.53	79.03	77.81	76.24	75.75
12	70.45	70.25	71.34	71.85	72.87	75.01	77.96	79.52	78.98	77.76	76.17	75.73
13	70.43	70.24	71.38	71.92	72.93	75.06	78.05	79.52	78.93	77.71	76.12	75.71
14	70.41	70.23	71.41	71.98	72.96	75.10	78.18	79.52	78.88	77.66	76.07	75.69
15	70.39	70.22	71.45	72.04	73.00	75.14	78.35	79.52	78.83	77.62	76.04	75.67
16	70.37	70.21	71.48	72.09	73.06	75.17	78.51	79.52	78.80	77.58	76.02	75.65
17	70.35	70.21	71.50	72.13	73.19	75.20	78.62	79.52	78.76	77.53	75.99	75.63
18	70.33	70.21	71.51	72.15	73.38	75.23	78.71	79.52	78.72	77.49	75.99	75.61
19	70.31	70.22	71.51	72.16	73.56	75.25	78.81	79.50	78.68	77.44	76.00	75.59
20	70.30	70.22	71.52	72.16	73.72	75.31	78.91	79.51	78.64	77.39	76.00	75.57
21	70.28	70.21	71.53	72.17	73.83	75.44	78.99	79.52	78.60	77.34	76.00	75.56
22	70.26	70.21	71.54	72.18	73.91	75.54	79.05	79.52	78.56	77.29	76.00	75.54
23	70.24	70.21	71.56	72.19	73.99	75.77	79.15	79.52	78.52	77.24	76.00	75.52
24	70.22	70.21	71.57	72.20	74.06	76.01	79.23	79.52	78.49	77.19	75.99	75.50
25	70.21	70.21	71.58	72.21	74.13	76.16	79.30	79.52	78.45	77.14	75.98	75.48
26	70.25	70.20	71.59	72.22	74.19	76.29	79.38	79.51	78.42	77.09	75.97	75.46
27	70.27	70.19	71.60	72.24	74.23	76.41	79.47	79.50	78.39	77.03	75.96	75.44
28	70.28	70.18	71.60	72.25	74.27	76.51	79.53	79.49	78.36	76.98	75.95	75.42
29	70.28	70.17	71.60	72.26	74.31	76.60	79.57	79.48	78.32	76.92	75.94	75.41
30	70.29	70.16	71.59	72.26		76.69	79.62	79.47	78.29	76.87	75.93	75.39
31	70.29		71.59	72.27		76.77		79.45		76.81	75.92	

ΕΡΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

(707) - ΥΟΡΔΑ. ΕΤΟΣ 1984 - 85

 ΣΤΑΘΜΟΣ : ΥΛ(κκ)
 ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	75.38	75.15	75.18	75.85	79.13	78.92	79.12	78.87	78.23	77.18	75.53	74.08
2	75.37	75.16	75.18	76.20	79.13	78.92	79.12	78.84	78.23	77.13	75.48	74.06
3	75.36	75.18	75.17	76.40	79.12	78.93	79.12	78.81	78.23	77.08	75.43	74.04
4	75.35	75.19	75.17	76.53	79.10	78.95	79.12	78.79	78.23	77.03	75.38	74.02
5	75.34	75.21	75.16	76.65	79.09	78.98	79.11	78.77	78.23	76.97	75.33	74.00
6	75.33	75.22	75.15	76.74	79.07	79.00	79.10	78.75	78.22	76.92	75.28	73.98
7	75.31	75.23	75.14	76.83	79.06	79.02	79.09	78.73	78.21	76.87	75.22	73.96
8	75.30	75.23	75.13	76.94	79.04	79.03	79.08	78.71	78.19	76.82	75.16	73.94
9	75.29	75.23	75.12	77.04	79.02	79.03	79.07	78.69	78.16	76.76	75.10	73.92
10	75.28	75.23	75.11	77.19	79.01	79.03	79.06	78.67	78.13	76.71	75.04	73.90
11	75.26	75.22	75.11	77.32	79.00	79.03	79.04	78.65	78.11	76.65	74.99	73.88
12	75.25	75.22	75.10	77.40	78.98	79.03	79.03	78.63	78.09	76.60	74.93	73.86
13	75.24	75.22	75.10	77.46	78.97	79.02	79.01	78.61	78.06	76.55	74.87	73.84
14	75.23	75.22	75.10	77.52	78.98	79.02	79.00	78.60	78.03	76.49	74.83	73.82
15	75.21	75.22	75.10	77.58	78.98	79.01	78.99	78.59	77.99	76.44	74.77	73.80
16	75.20	75.23	75.09	77.64	78.97	79.03	78.98	78.58	77.99	76.38	74.71	73.78
17	75.19	75.23	75.09	77.72	78.97	79.06	78.97	78.56	77.88	76.28	74.61	73.73
18	75.18	75.22	75.08	78.00	78.96	79.07	78.95	78.54	77.84	76.23	74.56	73.71
19	75.18	75.22	75.08	78.22	78.95	79.07	78.94	78.53	77.80	76.18	74.53	73.69
20	75.19	75.22	75.07	78.40	78.94	79.07	78.95	78.51	77.75	76.13	74.48	73.67
21	75.19	75.22	75.07	78.53	78.93	79.07	78.96	78.49	77.70	76.08	74.43	73.65
22	75.19	75.22	75.06	78.64	78.92	79.07	78.96	78.47	77.65	76.01	74.38	73.63
23	75.19	75.22	75.06	78.72	78.92	79.09	78.96	78.45	77.60	75.95	74.34	73.60
24	75.19	75.22	75.05	78.79	78.92	79.11	78.96	78.43	77.54	75.91	74.30	73.58
25	75.18	75.21	75.05	78.86	78.92	79.12	78.96	78.41	77.54	75.91	74.30	73.58
26	75.17	75.21	75.04	78.92	78.92	79.13	78.95	78.39	77.48	75.85	74.26	73.56
27	75.17	75.20	75.04	78.97	78.92	79.13	78.94	78.37	77.42	75.80	74.22	73.55
28	75.16	75.20	75.04	79.01	78.92	79.12	78.92	78.34	77.36	75.75	74.19	73.54
29	75.15	75.19	75.04	79.03	78.92	79.12	78.90	78.30	77.30	75.70	74.16	73.53
30	75.15	75.19	75.12	79.05	78.92	79.12	78.89	78.27	77.24	75.64	74.13	73.52
31	75.14		75.40	79.10		79.12		78.24		75.59	74.10	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΙ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	73.51	73.50	73.88	74.30	74.62	75.79	76.64	76.36	75.93	74.93	73.18	71.62
2	73.50	73.50	73.91	74.30	74.64	75.84	76.68	76.34	75.90	74.88	73.13	71.59
3	73.49	73.50	73.92	74.31	74.65	75.87	76.70	76.32	75.87	74.82	73.07	71.56
4	73.48	73.50	73.93	74.31	74.66	75.90	76.72	76.30	75.84	74.77	73.03	71.53
5	73.46	73.50	73.93	74.32	74.67	75.93	76.74	76.28	75.80	74.71	72.97	71.50
6	73.45	73.50	73.93	74.33	74.69	75.97	76.76	76.26	75.76	74.66	72.92	71.47
7	73.44	73.51	73.92	74.34	74.71	76.00	76.78	76.24	75.72	74.61	72.85	71.44
8	73.43	73.51	73.92	74.35	74.73	76.04	76.80	76.22	75.67	74.55	72.79	71.41
9	73.42	73.51	73.91	74.36	74.76	76.07	76.81	76.20	75.63	74.49	72.73	71.38
10	73.41	73.51	73.90	74.37	74.79	76.10	76.81	76.19	75.59	74.43	72.68	71.35
11	73.40	73.51	73.90	74.39	74.83	76.14	76.81	76.19	75.56	74.37	72.63	71.33
12	73.39	73.51	73.90	74.40	74.87	76.17	76.81	76.18	75.52	74.32	72.58	71.31
13	73.38	73.50	73.90	74.41	74.92	76.20	76.81	76.18	75.48	74.26	72.54	71.29
14	73.37	73.49	73.91	74.42	74.98	76.23	76.80	76.18	75.45	74.21	72.48	71.27
15	73.39	73.48	73.93	74.44	75.05	76.26	76.79	76.19	75.42	74.15	72.42	71.25
16	73.42	73.47	73.98	74.45	75.10	76.29	76.77	76.20	75.40	74.09	72.36	71.23
17	73.44	73.47	74.00	74.46	75.15	76.32	76.75	76.20	75.38	74.03	72.31	71.21
18	73.47	73.47	74.02	74.47	75.20	76.34	76.73	76.20	75.36	73.98	72.25	71.19
19	73.48	73.47	74.03	74.48	75.26	76.36	76.72	76.20	75.34	73.92	72.19	71.17
20	73.49	73.47	74.05	74.49	75.32	76.38	76.71	76.20	75.31	73.87	72.13	71.15
21	73.49	73.47	74.07	74.50	75.38	76.40	76.70	76.19	75.28	73.81	72.07	71.13
22	73.49	73.47	74.10	74.51	75.44	76.42	76.68	76.18	75.25	73.76	72.01	71.11
23	73.49	73.47	74.13	74.52	75.50	76.44	76.65	76.17	75.24	73.70	71.96	71.08
24	73.50	73.50	74.16	74.53	75.56	76.46	76.63	76.15	75.21	73.64	71.91	71.05
25	73.50	73.53	74.19	74.54	75.60	76.47	76.61	76.13	75.19	73.58	71.86	71.03
26	73.50	73.65	74.22	74.55	75.65	76.48	76.57	76.11	75.17	73.52	71.82	71.01
27	73.50	73.70	74.24	74.56	75.70	76.49	76.52	76.09	75.13	73.47	71.78	70.99
28	73.50	73.72	74.26	74.58	75.75	76.50	76.47	76.06	75.08	73.41	71.74	70.97
29	73.50	73.78	74.27	74.59		76.53	76.43	76.03	75.03	73.35	71.71	70.95
30	73.50	73.84	74.28	74.60		76.57	76.39	76.00	74.98	73.29	71.68	70.93
31	73.50		74.29	74.61		76.61		75.97		73.23	71.65	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	70.91	71.15	71.23	71.13	72.44	73.50	76.87	79.12	78.97	77.94	76.43	74.75
2	70.89	71.22	71.22	71.15	72.48	73.53	77.12	79.18	78.96	77.90	76.37	74.72
3	70.87	71.25	71.22	71.17	72.53	73.57	77.37	79.22	78.94	77.86	76.32	74.70
4	70.85	71.27	71.21	71.19	72.56	73.60	77.53	79.26	78.93	77.81	76.26	74.67
5	70.83	71.29	71.20	71.21	72.58	73.65	77.65	79.28	78.92	77.77	76.21	74.65
6	70.80	71.31	71.19	71.24	72.61	73.70	77.76	79.30	78.92	77.73	76.15	74.62
7	70.78	71.32	71.17	71.28	72.64	73.76	77.87	79.32	78.91	77.69	76.09	74.60
8	70.76	71.33	71.16	71.30	72.67	73.82	77.95	79.32	78.90	77.65	76.03	74.57
9	70.74	71.34	71.14	71.33	72.70	73.88	78.03	79.30	78.89	77.60	75.98	74.54
10	70.72	71.34	71.13	71.36	72.72	73.93	78.11	79.28	78.87	77.55	75.92	74.51
11	70.70	71.34	71.11	71.40	72.75	74.00	78.19	79.26	78.86	77.51	75.86	74.48
12	70.68	71.34	71.09	71.44	72.77	74.07	78.26	79.25	78.84	77.46	75.80	74.44
13	70.66	71.33	71.07	71.46	72.79	74.14	78.32	79.23	78.79	77.42	75.74	74.40
14	70.64	71.33	71.06	71.48	72.81	74.21	78.38	79.22	78.74	77.38	75.68	74.36
15	70.62	71.33	71.04	71.51	72.85	74.28	78.43	79.20	78.69	77.33	75.62	74.32
16	70.60	71.33	71.02	71.54	72.92	74.36	78.49	79.18	78.65	77.28	75.56	74.29
17	70.59	71.32	71.00	71.58	73.00	74.43	78.54	79.17	78.61	77.23	75.50	74.25
18	70.58	71.32	70.98	71.63	73.08	74.54	78.59	79.15	78.56	77.18	75.44	74.21
19	70.58	71.32	70.97	71.69	73.13	74.66	78.63	79.13	78.51	77.13	75.38	74.17
20	70.57	71.31	70.97	71.85	73.18	74.78	78.67	79.11	78.46	77.08	75.32	74.13
21	70.57	71.30	70.97	71.97	73.22	74.92	78.71	79.10	78.41	77.03	75.26	74.09
22	70.57	71.29	70.97	72.05	73.25	75.08	78.75	79.10	78.36	76.98	75.20	74.05
23	70.56	71.28	70.97	72.11	73.28	75.26	78.79	79.09	78.31	76.94	75.14	74.01
24	70.54	71.27	70.97	72.16	73.32	75.59	78.81	79.08	78.27	76.89	75.08	73.97
25	70.52	71.27	70.99	72.21	73.37	75.90	78.84	79.06	78.22	76.84	75.02	73.93
26	70.51	71.26	71.04	72.25	73.41	76.11	78.86	79.05	78.18	76.78	74.96	73.89
27	70.49	71.25	71.06	72.28	73.44	76.26	78.89	79.04	78.13	76.73	74.92	73.85
28	70.49	71.25	71.08	72.31	73.47	76.39	78.91	79.03	78.08	76.67	74.88	73.81
29	70.49	71.24	71.09	72.34		76.51	78.96	79.01	78.03	76.61	74.85	73.77
30	70.54	71.24	71.10	72.37		76.63	79.05	79.00	77.99	76.55	74.82	73.73
31	70.90		71.11	72.40		76.71		78.98		76.49	74.78	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	73.69	73.14	72.87	72.55	72.53	73.47	75.41	75.32	74.20	72.64	70.47	68.52
2	73.66	73.14	72.86	72.54	72.53	73.53	75.43	75.31	74.15	72.58	70.40	68.48
3	73.63	73.13	72.84	72.54	72.53	73.60	75.44	75.30	74.10	72.52	70.32	68.46
4	73.60	73.13	72.83	72.54	72.53	73.65	75.45	75.28	74.04	72.45	70.25	68.44
5	73.57	73.13	72.82	72.54	72.53	73.69	75.46	75.26	73.98	72.38	70.18	68.43
6	73.54	73.14	72.80	72.54	72.53	73.71	75.48	75.23	73.92	72.31	70.11	68.41
7	73.52	73.14	72.79	72.54	72.53	73.74	75.50	75.20	73.86	72.24	70.04	68.39
8	73.50	73.14	72.78	72.54	72.53	73.86	75.52	75.17	73.80	72.18	69.97	68.36
9	73.48	73.13	72.77	72.54	72.53	74.17	75.53	75.14	73.74	72.11	69.90	68.33
10	73.46	73.13	72.76	72.54	72.53	74.36	75.54	75.11	73.68	72.04	69.82	68.30
11	73.44	73.13	72.75	72.54	72.53	74.51	75.56	75.08	73.63	71.98	69.74	68.27
12	73.43	73.12	72.74	72.54	72.53	74.60	75.57	75.05	73.58	71.91	69.67	68.24
13	73.41	73.12	72.72	72.54	72.53	74.70	75.58	75.02	73.53	71.85	69.60	68.21
14	73.40	73.11	72.71	72.54	72.57	74.78	75.58	74.99	73.48	71.78	69.53	68.18
15	73.39	73.10	72.70	72.53	72.75	74.83	75.58	74.96	73.43	71.72	69.45	68.15
16	73.38	73.09	72.69	72.53	72.90	74.88	75.57	74.93	73.38	71.65	69.38	68.12
17	73.36	73.08	72.68	72.52	72.97	74.90	75.56	74.89	73.33	71.58	69.31	68.09
18	73.34	73.07	72.67	72.51	73.01	74.94	75.55	74.84	73.27	71.52	69.24	68.06
19	73.32	73.05	72.66	72.50	73.05	74.99	75.54	74.78	73.21	71.45	69.17	68.03
20	73.30	73.04	72.65	72.49	73.07	75.03	75.52	74.72	73.15	71.38	69.11	68.00
21	73.28	73.03	72.65	72.48	73.09	75.07	75.50	74.67	73.09	71.31	69.06	67.97
22	73.26	73.02	72.64	72.47	73.11	75.10	75.48	74.62	73.02	71.24	69.01	67.94
23	73.25	73.01	72.64	72.47	73.13	75.13	75.46	74.58	72.97	71.17	68.96	67.91
24	73.24	73.00	72.64	72.48	73.14	75.16	75.44	74.54	72.92	71.10	68.91	67.89
25	73.23	72.99	72.63	72.50	73.15	75.20	75.43	74.49	72.88	71.03	68.85	67.87
26	73.22	72.97	72.61	72.52	73.17	75.23	75.42	74.45	72.84	70.95	68.80	67.85
27	73.21	72.94	72.60	72.53	73.27	75.26	75.40	74.41	72.80	70.87	68.75	67.83
28	73.19	72.92	72.58	72.53	73.38	75.29	75.38	74.37	72.76	70.79	68.70	67.81
29	73.18	72.90	72.57	72.53	73.44	75.32	75.35	74.33	72.72	70.71	68.66	67.79
30	73.16	72.89	72.56	72.53		75.35	75.33	74.29	72.68	70.63	68.62	67.78
31	73.15		72.55	72.53		75.38		74.25		70.55	68.57	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	67.76	67.14	67.26	68.39	68.27	67.90	69.17	68.51	67.31	65.97	63.97	62.16
2	67.74	67.14	67.26	68.40	68.26	67.94	69.21	68.46	67.27	65.91	63.91	62.11
3	67.72	67.14	67.26	68.40	68.25	67.96	69.23	68.42	67.23	65.85	63.84	62.06
4	67.70	67.14	67.26	68.40	68.24	67.97	69.23	68.38	67.20	65.80	63.77	62.02
5	67.67	67.14	67.26	68.40	68.23	67.98	69.24	68.34	67.17	65.74	63.70	61.97
6	67.64	67.14	67.26	68.40	68.22	67.99	69.25	68.30	67.14	65.67	63.63	61.92
7	67.61	67.14	67.26	68.40	68.21	68.00	69.25	68.27	67.11	65.60	63.59	61.88
8	67.59	67.12	67.26	68.40	68.20	68.01	69.25	68.23	67.08	65.54	63.55	61.82
9	67.56	67.10	67.25	68.40	68.19	68.02	69.23	68.15	67.05	65.48	63.51	61.77
10	67.53	67.09	67.45	68.40	68.18	68.03	69.21	68.12	67.02	65.41	63.44	61.72
11	67.50	67.08	67.63	68.40	68.17	68.01	69.19	68.10	67.00	65.34	63.40	61.67
12	67.48	67.06	67.72	68.40	68.16	67.99	69.17	68.07	66.97	65.27	63.37	61.62
13	67.46	67.05	67.77	68.40	68.15	67.98	69.14	68.04	66.92	65.20	63.31	61.57
14	67.44	67.04	67.90	68.40	68.14	67.96	69.11	68.01	66.87	65.13	63.25	61.53
15	67.41	67.04	67.82	68.40	68.13	67.94	69.09	67.97	66.82	65.09	63.19	61.49
16	67.38	67.04	67.94	68.40	68.11	67.92	69.09	67.94	66.76	65.02	63.12	61.45
17	67.36	67.04	67.88	68.40	68.09	67.90	69.08	67.91	66.70	64.95	63.06	61.41
18	67.33	67.04	67.95	68.39	68.07	67.88	69.05	67.86	66.64	64.88	62.99	61.37
19	67.31	67.03	67.98	68.38	68.05	67.87	69.02	67.81	66.58	64.81	62.93	61.32
20	67.28	67.02	68.02	68.37	68.04	67.85	69.00	67.76	66.53	64.75	62.87	61.28
21	67.26	67.02	68.05	68.37	68.03	67.83	68.99	67.71	66.49	64.69	62.78	61.24
22	67.24	67.02	68.09	68.36	68.02	67.81	68.96	67.66	66.45	64.63	62.72	61.20
23	67.22	67.02	68.13	68.35	68.01	67.79	68.91	67.61	66.40	64.56	62.65	61.15
24	67.20	67.02	68.17	68.34	68.00	67.80	68.86	67.57	66.35	64.48	62.59	61.09
25	67.18	67.02	68.21	68.33	67.98	68.08	68.81	67.54	66.30	64.42	62.53	61.03
26	67.16	67.12	68.25	68.32	67.96	68.43	68.76	67.50	66.26	64.35	62.46	60.97
27	67.14	67.17	68.29	68.31	67.94	68.69	68.71	67.47	66.21	64.28	62.40	60.92
28	67.14	67.21	68.31	68.31	67.92	68.87	68.66	67.43	66.15	64.22	62.34	60.87
29	67.14	67.24	68.33	68.30		68.98	68.61	67.40	66.09	64.16	62.30	60.83
30	67.14	67.25	68.35	68.29		69.05	68.56	67.37	66.03	64.10	62.26	60.79
31	67.14		68.37	68.28		69.11		67.34		64.04	62.22	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜΕΡΗΣΙΕΣ ΣΤΑΘΜΕΣ (σε m)

ΗΜ.	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	60.74	59.97	59.25	58.65	57.95	56.97	55.71	54.40	52.89	51.42	49.60	48.61
2	60.70	59.94	59.22	58.65	57.92	56.94	55.67	54.35	52.85	51.36	49.53	48.61
3	60.70	59.91	59.19	58.62	57.89	56.91	55.63	54.30	52.81	51.30	49.46	48.60
4	60.75	59.88	59.16	58.60	57.86	56.88	55.59	54.25	52.77	51.25	49.40	48.58
5	60.78	59.84	59.13	58.58	57.83	56.85	55.54	54.20	52.73	51.20	49.35	48.57
6	60.78	59.81	59.10	58.56	57.79	56.81	55.50	54.15	52.69	51.15	49.29	48.57
7	60.78	59.78	59.07	58.54	57.75	56.77	55.45	54.09	52.65	51.10	49.22	48.57
8	60.79	59.75	59.04	58.52	57.71	56.73	55.40	54.03	52.62	51.05	49.16	48.54
9	60.77	59.73	59.03	58.50	57.67	56.69	55.36	53.97	52.59	51.00	49.10	48.51
10	60.78	59.71	59.03	58.48	57.63	56.65	55.31	53.91	52.56	50.95	49.06	48.48
11	60.74	59.69	59.02	58.46	57.59	56.61	55.27	53.85	52.53	50.89	49.02	48.45
12	60.69	59.66	59.01	58.44	57.54	56.57	55.23	53.79	52.55	50.83	48.97	48.40
13	60.65	59.64	59.00	58.42	57.50	56.52	55.19	53.73	52.52	50.76	48.92	48.37
14	60.61	59.62	58.97	58.40	57.46	56.47	55.15	53.67	52.49	50.69	48.88	48.33
15	60.57	59.60	58.94	58.38	57.42	56.42	55.11	53.62	52.42	50.63	48.84	48.30
16	60.54	59.58	58.91	58.36	57.40	56.37	55.06	53.57	52.36	50.56	48.80	48.27
17	60.50	59.56	58.88	58.34	57.38	56.32	55.01	53.51	52.30	50.49	48.76	48.24
18	60.46	59.54	58.85	58.32	57.35	56.28	54.96	53.47	52.23	50.42	48.72	48.20
19	60.42	59.52	58.82	58.30	57.32	56.26	54.91	53.43	52.16	50.35	48.68	48.15
20	60.38	59.50	58.79	58.28	57.28	56.24	54.87	53.39	52.09	50.28	48.64	48.11
21	60.34	59.48	58.76	58.26	57.24	56.21	54.82	53.35	52.02	50.21	48.59	48.08
22	60.30	59.46	58.73	58.24	57.20	56.18	54.77	53.30	51.95	50.15	48.54	48.06
23	60.27	59.44	58.70	58.21	57.16	56.13	54.72	53.25	51.88	50.10	48.49	48.02
24	60.24	59.42	58.68	58.18	57.12	56.08	54.68	53.21	51.81	50.05	48.55	47.98
25	60.21	59.40	58.66	58.15	57.09	56.03	54.64	53.17	51.74	49.98	48.59	47.94
26	60.18	59.38	58.63	58.12	57.06	55.98	54.60	53.13	51.69	49.93	48.63	47.90
27	60.15	59.36	58.60	58.09	57.03	55.93	54.56	53.09	51.64	49.87	48.63	47.86
28	60.12	59.34	58.60	58.07	57.00	55.88	54.52	53.05	51.59	49.80	48.62	47.82
29	60.08	59.31	58.61	58.04		55.83	54.48	53.01	51.54	49.73	48.61	47.80
30	60.04	59.28	58.62	58.01		55.79	54.44	52.97	51.48	49.67	48.61	47.76
31	60.00		58.63	57.98		55.75		52.93		49.60	48.61	

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

ΗΜ.	ΔΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ
1	47.72	47.10	46.72	48.93	51.74	53.65	56.33	58.37	--	--	--	--
2	47.69	47.07	46.69	48.95	51.82	53.72	56.45	58.40	--	--	--	--
3	47.67	47.04	46.70	48.97	51.89	53.79	56.57	58.42	--	--	--	--
4	47.66	47.01	46.78	48.99	51.94	53.84	56.67	58.43	--	--	--	--
5	47.66	46.98	46.86	49.00	51.98	53.90	56.74	58.43	--	--	--	--
6	47.66	46.97	46.96	49.02	52.04	53.96	56.80	58.44	--	--	--	--
7	47.65	46.96	46.99	49.04	52.09	54.03	56.91	58.44	--	--	--	--
8	47.62	46.95	47.00	49.05	52.14	54.09	57.11	58.42	--	--	--	--
9	47.60	46.96	47.01	49.06	52.18	54.13	57.26	58.40	--	--	--	--
10	47.57	46.94	46.99	49.07	52.23	54.16	57.35	58.37	--	--	--	--
11	47.54	46.92	47.06	49.07	52.26	54.21	57.44	58.37	--	--	--	--
12	47.51	46.90	47.06	49.07	52.32	54.39	57.52	58.37	--	--	--	--
13	47.48	46.88	47.33	49.07	52.37	54.55	57.60	58.37	--	--	--	--
14	47.45	46.85	47.69	49.08	52.41	54.67	57.67	58.34	--	--	--	--
15	47.42	46.84	47.84	49.09	52.45	54.75	57.79	--	--	--	--	--
16	47.39	46.83	48.05	49.44	52.54	54.83	57.88	--	--	--	--	--
17	47.36	46.85	48.25	50.09	52.62	54.96	57.98	--	--	--	--	--
18	47.34	46.97	48.35	50.38	52.67	55.19	58.03	--	--	--	--	--
19	47.32	46.98	48.42	50.53	52.74	55.35	58.07	--	--	--	--	--
20	47.30	46.97	48.48	50.66	52.80	55.48	58.12	--	--	--	--	--
21	47.28	46.95	48.55	50.79	52.86	55.61	58.17	--	--	--	--	--
22	47.25	46.93	48.59	50.88	52.96	55.70	58.22	--	--	--	--	--
23	47.24	46.90	48.62	50.98	53.02	55.79	58.22	--	--	--	--	--
24	47.23	46.88	48.64	51.04	53.10	55.87	58.24	--	--	--	--	--
25	47.21	46.86	48.67	51.12	53.20	55.93	58.25	--	--	--	--	--
26	47.19	46.85	48.68	51.19	53.33	55.99	58.26	--	--	--	--	--
27	47.17	46.81	48.72	51.24	53.46	56.06	58.27	--	--	--	--	--
28	47.15	46.78	48.80	51.32	53.56	56.13	58.29	--	--	--	--	--
29	47.15	46.75	48.85	51.42		56.17	58.30	--	--	--	--	--
30	47.14	46.74	48.88	51.55		56.23	58.32	--	--	--	--	--
31	47.12		48.91	51.66		56.27		--	--	--	--	--

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

-- : η εγγραφή δεν έχει εισαχθεί στο αρχείο

ΜΕΣΕΣ ΜΗΝΙΑΙΕΣ ΠΑΡΟΧΕΣ

ΛΕΚΑΝΗ ΑΠΟΡΡΟΗΣ
ΣΠΕΡΧΕΙΟΥ

ΓΕΦΥΡΑ ΚΟΜΠΟΤΑΔΩΝ
(702)

ΥΔΡ.ΕΤΟΣ	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ	ΜΕΣΗ ΕΤ.
1983-84	@	@	@	@	@	@	@	@	@	@	@	@	-
1984-85	@	@	@	@	@	@	@	@	@	@	@	@	-
1985-86	@	@	@	@	@	@	@	@	@	@	@	@	-
1986-87	@	@	@	@	@	@	@	@	@	@	@	@	-
1987-88	@	@	@	@	@	@	@	@	@	@	@	@	-
1988-89	@	@	@	@	@	@	@	@	@	@	@	@	-
1989-90	@	@	@	@	@	@	@	@	@	@	@	@	-
1990-91	@	@	@	@	@	@	@	@	@	@	-	@	-
ΜΕΣΗ Τ.	9.81	19.60	33.32	37.51	42.75	45.70	29.47	14.87	7.51	3.96	2.90	4.09	20.86

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

- @ : Δεν υπάρχει καμπύλη στάθμης-παροχής
- : Έλλειψη ή αναξιοπιστία δεδομένων

ΛΕΚΑΝΗ ΥΛΙΚΗΣ - ΠΑΡΑΛΙΜΝΗΣ

ΠΑΛΑΙΑ ΣΗΡΑΓΓΑ ΥΠΔΕ
(704)

ΥΔΡ.ΕΤΟΣ	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ	ΜΕΣΗ ΕΤ.
1906-7	-	-	-	34.00	62.12	46.67	46.85	25.46	12.97	5.79	5.56	8.75	-
1907-8	10.83	11.77	12.31	14.91	12.92	12.70	9.37	3.92	2.19	0.95	1.54	3.10	8.03
1908-9	10.42	9.68	31.72	42.89	30.10	22.70	25.38	10.23	9.20	1.90	1.00	4.56	16.59
1909-10	5.50	7.53	9.61	14.04	43.18	28.14	26.30	14.21	12.32	-	1.77	5.19	-
1910-11	7.77	9.77	11.65	14.30	11.24	15.13	15.04	8.51	6.88	2.11	2.74	7.80	9.39
1911-12	6.77	20.97	15.54	26.63	27.07	18.63	14.87	12.24	5.77	4.15	1.89	4.93	13.23
1912-13	6.75	25.03	36.57	15.86	36.18	59.04	29.53	12.56	10.29	2.78	2.73	5.15	20.10
1913-14	17.96	10.60	13.53	31.47	18.15	17.04	10.42	3.58	3.91	2.64	2.34	6.87	11.53
1914-15	7.18	22.97	20.30	34.71	32.58	28.99	24.24	13.50	5.39	2.69	1.63	7.52	16.70
1915-16	10.81	9.36	9.44	9.60	14.41	11.67	3.50	5.96	1.45	0.40	0.55	2.46	6.62
1916-17	4.85	5.92	6.47	7.54	12.29	9.06	1.10	0.41	0.36	0.29	0.27	0.86	4.07
1917-18	4.11	6.18	7.63	9.62	15.54	20.53	16.67	3.69	2.20	0.98	1.47	3.36	7.61
1918-19	6.43	20.05	27.61	37.95	50.74	36.80	25.32	19.20	12.72	2.43	0.99	8.64	20.54
1919-20	8.79	12.58	15.82	14.72	15.31	28.40	14.62	9.16	9.60	-	0.87	4.51	-
1920-21	17.04	41.81	47.06	41.32	40.57	28.55	20.65	14.53	10.19	2.84	2.00	7.60	22.73
1921-22	16.33	27.38	59.55	59.13	46.26	29.70	18.20	10.71	6.65	1.01	0.49	4.34	23.22
1922-23	7.33	17.73	16.15	36.12	28.22	27.83	23.19	23.95	16.97	5.49	2.02	6.44	17.55
1923-24	7.77	9.17	12.39	24.69	34.34	24.59	15.69	6.11	5.07	0.24	0.00	4.06	11.93
1924-25	6.05	29.63	22.80	16.78	25.31	33.51	26.05	16.76	10.74	3.64	0.02	2.86	16.09
1925-26	7.61	7.97	11.82	19.96	19.26	25.70	11.57	0.96	-	-	-	-	-
1926-27	5.20	5.04	7.69	@	@	@	@	@	-	-	-	-	-
1927-28	@	@	@	@	@	@	@	@	@	@	-	-	-
1928-29	@	@	@	@	@	@	@	@	@	@	-	-	-
1929-30	@	@	@	@	@	@	@	@	@	@	-	-	-
1930-31	@	@	@	@	@	@	@	@	@	@	-	-	-
1931-32	@	@	@	@	@	@	@	@	@	@	@	@	-
1932-33	8.19	13.33	10.49	17.73	29.08	16.15	14.48	8.36	8.86	-	2.60	6.67	-
1933-34	5.78	5.71	18.56	27.26	44.46	40.95	21.86	6.96	9.76	2.59	-	3.58	-
1934-35	6.06	8.36	16.17	31.39	32.17	23.75	14.94	6.74	4.74	-	-	-	-
1935-36	4.15	8.65	24.81	19.22	24.05	10.06	6.61	14.08	5.34	3.94	-	-	-
1936-37	6.55	11.60	22.55	14.34	27.75	14.00	12.54	7.08	3.38	-	-	-	-
1937-38	14.05	13.60	29.15	34.76	62.89	34.32	63.90	29.24	9.59	-	-	9.43	-
1938-39	11.42	10.40	29.06	31.00	21.17	62.31	35.35	12.64	16.33	6.52	-	-	-
1939-40	8.93	8.97	14.17	41.18	28.13	23.30	18.49	19.06	11.01	-	-	7.48	-
1940-41	7.41	7.11	24.19	30.41	31.58	20.23	11.32	24.64	22.16	18.27	11.21	7.13	17.92

ΜΕΣΕΣ ΜΗΝΙΑΙΕΣ ΠΑΡΟΧΕΣ (σε m³/sec)

ΥΔΡ.ΕΤΟΣ	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ	ΜΕΣΗ ΕΤ.
1941-42	11.94	14.06	13.98	25.53	54.48	42.77	26.45	9.72	8.25	4.93	3.10	7.87	18.34
1942-43	-	-	-	224.00	11.49	13.74	10.01	11.46	3.47	2.81	2.72	8.56	-
1943-44	7.82	12.65	10.42	18.22	26.17	22.97	19.39	10.16	4.88	2.83	4.88	7.75	12.28
1944-45	7.80	8.50	14.82	28.11	22.33	23.34	19.10	8.03	-	-	-	8.56	-
1945-46	8.32	16.20	25.53	46.80	25.76	25.24	21.58	13.17	-	-	-	6.74	-
1946-47	9.33	11.13	34.31	-	-	-	-	-	-	-	-	-	-
1947-48	-	-	-	-	-	-	-	-	-	-	-	-	-
1948-49	-	-	-	-	-	-	-	-	-	-	-	-	-
1949-50	-	-	-	-	-	-	-	-	-	-	-	-	-
1950-51	-	-	-	-	-	-	-	-	-	-	-	-	-
1951-52	-	-	-	-	-	-	-	-	-	-	-	-	-
1952-53	-	-	-	-	-	-	-	-	-	-	-	-	-
1953-54	-	-	-	-	-	-	-	-	-	-	-	-	-
1954-55	-	-	-	-	-	-	-	-	-	-	-	-	-
1955-56	-	-	-	-	-	-	-	-	-	-	-	-	-
1956-57	-	-	-	-	-	-	-	-	-	-	-	-	-
1957-58	-	-	-	-	-	-	-	-	-	-	-	-	-
1958-59	-	-	-	-	-	-	-	-	-	-	-	-	-
1959-60	-	-	-	24.10	22.02	24.62	17.17	-	-	-	-	-	-
1960-61	8.38	8.52	13.18	14.08	16.33	35.06	13.84	-	-	-	-	-	-
1961-62	7.83	8.14	11.60	9.36	14.95	16.59	-	-	-	-	-	-	-
1962-63	9.58	18.42	65.16	36.19	54.20	33.12	21.20	-	-	-	-	-	-
1963-64	15.33	13.24	17.94	23.89	26.68	30.00	17.30	-	-	-	-	-	-
1964-65	7.30	-	-	-	-	-	-	-	-	-	-	-	-
1965-66	-	-	-	-	-	-	-	-	-	-	-	-	-
1966-67	-	-	-	-	-	-	-	-	-	-	-	-	-
1967-68	-	-	17.19	25.35	27.14	28.39	18.31	-	6.09	-	-	7.19	-
1968-69	14.02	17.70	75.70	55.57	30.58	33.88	23.18	-	-	-	-	10.44	-
1969-70	11.93	11.64	19.05	20.47	16.17	23.08	-	-	-	-	-	-	-
1970-71	9.25	9.84	9.65	17.40	19.25	33.76	23.54	-	-	-	-	228.47	-
1971-72	9.90	14.89	13.61	35.04	33.97	30.94	26.04	19.85	-	-	-	-	-
1972-73	11.66	19.41	10.54	22.65	26.32	25.89	19.60	-	-	-	-	-	-
1973-74	-	-	16.32	18.68	27.54	39.63	22.21	-	-	-	-	-	-
1974-75	14.52	13.65	13.82	15.02	20.55	20.42	-	-	-	-	-	-	-
1975-76	10.02	11.31	21.58	18.80	35.21	24.22	21.70	-	-	-	-	-	-

ΣΤΑΘΜΟΣ : Παλ.Σήραγγα ΥΠ0Ε (704)
ΜΕΣΕΣ ΜΗΝΙΑΙΕΣ ΠΑΡΟΧΕΣ (σε m³/sec)

3

ΥΔΡ.ΕΤΟΣ	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ	ΜΕΣΗ ΕΤ.
ΜΕΣΗ Τ.	9.20	13.51	21.05	29.85	28.92	27.04	19.97	11.91	8.08	3.42	2.27	13.09	15.62

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

- @ : Δεν υπάρχει καμπύλη στάθμης-παροχής
- : Έλλειψη ή αναξιόπιστα δεδομένων

**ΣΗΡΑΓΓΑ ΚΑΡΔΙΤΣΑ (ΥΠΔΕ)
(705)**

ΥΔΡ.ΕΤΟΣ	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ	ΜΕΣΗ ΕΤ.
1976-77	-	-	-	-	-	-	-	-	-	-	-	-	-
1977-78	0.57	0.71	4.72	15.07	22.27	8.47	6.70	-	-	-	-	-	-
1978-79	2.72	5.19	22.06	15.20	14.54	9.36	4.18	-	-	-	-	-	-
1979-80	11.79	29.77	22.69	40.74	33.90	55.78	30.77	14.64	-	-	-	-	-
1980-81	17.46	10.75	26.36	70.22	59.67	35.23	26.62	-	-	-	-	4.86	-
1981-82	4.99	11.26	12.12	8.24	28.03	62.97	51.85	27.30	10.00	-	-	7.23	-
1982-83	6.06	8.91	14.98	9.54	10.27	18.71	-	-	-	-	-	0.04	-
1983-84	1.71	3.09	21.27	13.82	32.73	36.78	32.62	5.94	-	-	-	0.27	-
1984-85	3.63	7.55	6.21	48.90	15.22	18.75	6.92	-	-	-	-	-	-
1985-86	3.52	1.20	2.63	0.22	4.56	2.21	-	-	-	-	-	-	-
1986-87	-	1.45	1.12	4.37	4.87	28.66	15.51	3.05	-	-	-	-	-
1987-88	2.53	1.14	1.22	0.59	7.20	15.29	2.07	-	-	-	-	-	-
1988-89	-	1.83	@	@	@	@	@	-	-	-	-	-	-
1989-90	@	@	@	@	@	-	-	-	-	-	-	@	-
1990-91	@	@	@	@	@	@	@	@	@	-	-	-	-
ΜΕΣΗ Τ.	5.50	6.90	12.31	20.63	21.21	26.57	19.69	12.73	10.00	-	-	3.10	-

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

- @ : Δεν υπάρχει καμπύλη στάθμης-παροχής
- : Έλλειψη ή ανασιτισιστία δεδομένων

**ΣΗΡΑΓΓΑ ΚΑΡΔΙΤΣΑΣ (ΕΥΔΑΠ)
(706)**

ΥΔΡ.ΕΤΟΣ	ΟΚΤ	ΝΟΕ	ΔΕΚ	ΙΑΝ	ΦΕΒ	ΜΑΡ	ΑΠΡ	ΜΑΙ	ΙΟΥΝ	ΙΟΥΛ	ΑΥΓ	ΣΕΠ	ΜΕΣΗ ΕΤ.
1977-78	-	-	-	-	-	-	11.85	3.73	0.09	-	-	-	-
1978-79	5.64	6.72	16.13	14.32	14.90	10.33	5.12	2.84	-	-	-	-	-
1979-80	10.07	17.82	14.19	23.61	20.39	34.77	19.61	12.86	3.68	-	-	-	-
1980-81	15.02	12.56	20.42	42.03	42.10	23.47	19.45	6.10	1.38	0.52	-	6.70	-
1981-82	7.06	8.36	11.50	9.79	21.96	35.67	33.74	20.74	9.05	1.59	2.30	4.86	13.82
1982-83	5.44	8.52	12.47	10.43	11.46	15.82	4.58	1.77	3.10	-	-	-	-
1983-84	2.72	4.90	19.57	16.33	26.89	28.64	30.84	13.69	1.70	-	-	4.64	-
1984-85	4.36	7.65	8.35	39.67	18.76	24.34	19.94	6.69	-	-	-	2.42	-
1985-86	6.68	10.03	11.68	10.32	16.50	15.69	7.63	3.76	-	-	-	-	-
1986-87	5.78	9.17	7.40	16.17	16.47	29.30	28.62	14.43	-	-	-	-	-
1987-88	4.64	7.25	7.26	8.41	16.56	24.80	11.66	3.85	-	-	-	-	-
1988-89	2.65	7.97	16.17	10.11	7.41	19.18	8.97	-	-	-	-	-	-
1989-90	-	@	@	@	@	@	-	-	-	-	-	@	-
1990-91	@	@	@	@	@	@	@	@	-	-	-	-	-
ΜΕΣΗ Τ.	6.37	9.18	13.19	18.29	19.40	23.82	16.83	8.22	3.17	1.06	2.30	4.65	10.50

ΕΠΕΞΗΓΗΣΗ ΣΥΜΒΟΛΩΝ

- @ : Δεν υπάρχει καμπύλη στάθμης-παροχής
- : Έλλειψη ή αναξιόπιστα δεδομένων